

GTI

Order No.: ONYGTINY0120-0004415
85 John Hicks Drive
Warwick, New York, 10990
cole.miller@gtigrows.com
6147380382

Sample: SNYGTINY0120-CVAP-0012217

Unit Weight: .5000g
Batch#: 20250117GD-HRV-0.5, Batch Size: 1000
Sample Received: 01/20/2025 01:42
Report Created: 01/24/2025 21:57
Sampling SOP 204-NY

Garlic Drip Cartridge (Solventless Live Rosin) 500mg - Rythm (Indica Dominant)
Concentrates & Extracts, Vape



Results

3.56 mg/dose
D9-THC

0.22 mg/dose
CBG

0 mg/dose
Total CBD

3.56 mg/dose
Total THC


3.82 mg/dose
Total Cannabinoids

9.143%
Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Pass
Water Activity Not Tested	Homogeneity Not Tested	Terpenes Pass
Residual Solvents Pass	Mycotoxins Pass	Heavy Metals Pass
Pesticides Pass		

Dominant Terpenes





Certificate of Analysis

Compliance

Medical Use

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

2 of 7

GTI

Order No.: ONYGTINY0120-0004415
85 John Hicks Drive
Warwick, New York, 10990
cole.miller@gtigrows.com
6147380382

Sample: SNYGTINY0120-CVAP-0012217

Unit Weight: .5000g
Batch#: 20250117GD-HRV-0.5, Batch Size: 1000
Sample Received: 01/20/2025 01:42
Report Created: 01/24/2025 21:57
Sampling SOP 204-NY

Garlic Drip Cartridge (Solventless Live Rosin) 500mg - Rythm (Indica Dominant)
Concentrates & Extracts, Vape



Cannabinoids

SOP 801-NY
Date/Time Tested: 01/21/2025 17:31

Tested

Analyte	LOQ (ug/mL)	mg/g	%	mg/dose	mg/unit
CBDV	4,144.44	ND	ND	ND	ND
CBDa	4,144.44	ND	ND	ND	ND
CBGa	4,144.44	< LOQ	< LOQ	< LOQ	< LOQ
CBG	4,144.44	44.46	4.45	0.22	22.23
CBD	4,144.44	< LOQ	< LOQ	< LOQ	< LOQ
THCV	4,144.44	< LOQ	< LOQ	< LOQ	< LOQ
CBN	4,144.44	ND	ND	ND	ND
D9-THC	4,144.44	712.12	71.21	3.56	356.06
D8-THC	4,144.44	ND	ND	ND	ND
(6aR,9S)-d10-THC	4,144.44	ND	ND	ND	ND
(6aR,9R)-d10-THC	4,144.44	ND	ND	ND	ND
CBC	4,144.44	6.58	0.66	0.03	3.29
THCa	4,144.44	ND	ND	ND	ND
Total CBD		0.00	0.00	0.00	0.00
Total THC		712.12	71.21	3.56	356.06
Total Cannabinoids		763.16	76.32	3.82	381.58

Notes:
Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
Total CBD = CBDa * 0.877 + CBD
Total Cannabinoids = Sum of all cannabinoids
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Microbials

SOP 401-NY SOP 619-NY
Date/Time Tested: 01/24/2025 17:47

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	1,000	10,000	ND	Passed
E. Coli		0	ND	Passed
Yeast & Mold	100	1,000	ND	Passed
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

Notes:
Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky

Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

GTI

Order No.: ONYGTINY0120-0004415
 85 John Hicks Drive
 Warwick, New York, 10990
 cole.miller@gtigrows.com
 6147380382

Sample: SNYGTINY0120-CVAP-0012217

Unit Weight: .5000g
 Batch#: 20250117GD-HRV-0.5, Batch Size: 1000
 Sample Received: 01/20/2025 01:42
 Report Created: 01/24/2025 21:57
 Sampling SOP 204-NY

Garlic Drip Cartridge (Solventless Live Rosin) 500mg - Rythm (Indica Dominant)

Concentrates & Extracts, Vape



Terpenes

SOP 620-NY

Date/Time Tested: 01/21/2025 17:51

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	9.143	Passed	Isoborneol	159		ND	Tested
Limonene	159		3.334	Tested	DL-Menthol	159		ND	Tested
Linalool	159		1.543	Tested	Camphor	159		ND	Tested
b-Caryophyllene	159		1.092	Tested	a-Terpinene	159		ND	Tested
a-Humulene	159		0.664	Tested	Pulegone	159		ND	Tested
b-Myrcene	159		0.461	Tested	Fenchone	159		< LOQ	Tested
a-Pinene	159		0.460	Tested	Geranyl Acetate	159		ND	Tested
cis-Nerolidol	159		0.409	Tested	a-Cedrene	159		ND	Tested
Fenchol	159		0.257	Tested	a-Phellandrene	159		ND	Tested
a-Bisabolol	159		0.222	Tested	Sabinene	159		ND	Tested
Terpineol	159		0.201	Tested	Valencene	159		ND	Tested
b-Pinene	159		0.111	Tested	Sabinene Hydrate	159		ND	Tested
Geraniol	159		0.102	Tested	g-Terpinene	159		< LOQ	Tested
trans-Nerolidol	159		0.084	Tested	Guaiol	159		ND	Tested
Camphene	159		0.071	Tested	Caryophyllene Oxide	159		< LOQ	Tested
Borneol	159		0.064	Tested	Cedrol	159		ND	Tested
Terpinolene	159		0.042	Tested	Eucalyptol	159		ND	Tested
trans-b-Farnesene	159		0.026	Tested	trans-b-Ocimene	159		ND	Tested
Nerol	159		ND	Tested	p-Cymene	159		ND	Tested
d-3-Carene	159		ND	Tested	Isopulegol	159		ND	Tested

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Certificate of Analysis

Compliance

Medical Use

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

4 of 7

GTI

Order No.: ONYGTINY0120-0004415
85 John Hicks Drive
Warwick, New York, 10990
cole.miller@gtigrows.com
6147380382

Sample: SNYGTINY0120-CVAP-0012217

Unit Weight: .5000g
Batch#: 20250117GD-HRV-0.5, Batch Size: 1000
Sample Received: 01/20/2025 01:42
Report Created: 01/24/2025 21:57
Sampling SOP 204-NY

Garlic Drip Cartridge (Solventless Live Rosin) 500mg - Rythm (Indica Dominant)
Concentrates & Extracts, Vape



Residual Solvents

SOP 612-NY
Date/Time Tested: 01/21/2025 16:18

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	38	5,000	< LOQ	Passed
Acetonitrile	15	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	38	5,000	< LOQ	Passed
Chloroform	2	60	ND	Passed
Ethanol	187	5,000	< LOQ	Passed
Ethyl Acetate	187	5,000	< LOQ	Passed
Ethyl Ether	19	5,000	ND	Passed
DMSO	94	5,000	ND	Passed
Heptane	19	5,000	ND	Passed
Hexanes	6	290	ND	Passed
Isopropyl Alcohol	187	5,000	< LOQ	Passed
Methanol	113	3,000	< LOQ	Passed
Methylene Chloride	2	600	ND	Passed
Pentanes	56	5,000	ND	Passed
Propane	19	5,000	ND	Passed
Toluene	3	890	ND	Passed
Trichloroethane	4,686	1,500	ND	Passed
Xylenes	247	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	19	1,000	ND	Passed

Notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

Mycotoxins

SOP 808-NY
Date/Time Tested: 01/22/2025 12:32

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status	Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	5.0	ND	Tested		Ochratoxin A	5.0	20.0	ND	Passed
B2	5.0	ND	Tested		Total Aflatoxins		20.0	ND	Passed
G1	5.0	ND	Tested		Total Mycotoxins			ND	Tested
G2	5.0	ND	Tested						

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky

**Kimberly Krisolofsky
Lead Technical Director**

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

Compliance

Medical Use

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

5 of 7

GTI

Order No.: ONYGTINY0120-0004415
85 John Hicks Drive
Warwick, New York, 10990
cole.miller@gtigrows.com
6147380382

Sample: SNYGTINY0120-CVAP-0012217

Unit Weight: .5000g
Batch#: 20250117GD-HRV-0.5, Batch Size: 1000
Sample Received: 01/20/2025 01:42
Report Created: 01/24/2025 21:57
Sampling SOP 204-NY

Garlic Drip Cartridge (Solventless Live Rosin) 500mg - Rythm (Indica Dominant)
Concentrates & Extracts, Vape



Heavy Metals

SOP 250-NY

Date/Time Tested: 01/22/2025 11:15

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.170	2.000	ND	Passed
Arsenic	0.170	0.200	ND	Passed
Cadmium	0.170	0.200	ND	Passed
Chromium	0.170	110.000	< LOQ	Passed
Copper	0.204	30.000	0.320	Passed
Mercury	0.041	0.100	ND	Passed
Nickel	0.204	2.000	ND	Passed
Lead	0.170	0.500	ND	Passed

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

Compliance

Medical Use

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

6 of 7

GTI

Order No.: ONYGTINY0120-0004415
85 John Hicks Drive
Warwick, New York, 10990
cole.miller@gtigrows.com
6147380382

Sample: SNYGTINY0120-CVAP-0012217

Unit Weight: .5000g
Batch#: 20250117GD-HRV-0.5, Batch Size: 1000
Sample Received: 01/20/2025 01:42
Report Created: 01/24/2025 21:57
Sampling SOP 204-NY

Garlic Drip Cartridge (Solventless Live Rosin) 500mg - Rythm (Indica Dominant)

Concentrates & Extracts, Vape



Pesticides

SOP 814-NY

Date/Time Tested: 01/22/2025 12:58

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.37	0.50	ND	Passed
Acephate	0.09	0.40	ND	Passed
Acequinocyl	0.09	2.00	ND	Passed
Acetamiprid	0.09	0.20	ND	Passed
Aldicarb	0.09	0.40	ND	Passed
Azoxystrobin	0.09	0.20	ND	Passed
Bifenazate	0.09	0.20	ND	Passed
Bifenthrin	0.09	0.20	ND	Passed
Boscalid	0.09	0.40	ND	Passed
Carbaryl	0.09	0.20	ND	Passed
Carbofuran	0.09	0.20	ND	Passed
Chlorantraniliprole	0.09	0.20	ND	Passed
Chlorpyrifos	0.09	0.20	ND	Passed
Clofentezine	0.09	0.20	ND	Passed
Coumaphos	0.09	1.00	ND	Passed
Cyfluthrin	0.47	1.00	ND	Passed
Cypermethrin	0.09	1.00	ND	Passed
Daminozide	0.09	1.00	ND	Passed
Diazinon	0.09	0.20	ND	Passed
Dichlorvos	0.09	1.00	ND	Passed
Dimethoate	0.09	0.20	ND	Passed
Dimethomorph	0.09	1.00	ND	Passed
Ethoprophos	0.09	0.20	ND	Passed
Etofenprox	0.09	0.40	ND	Passed
Etoxazole	0.09	0.20	ND	Passed
Fenhexamid	0.09	1.00	ND	Passed
Fenoxycarb	0.09	0.20	ND	Passed
Fenpyroximate	0.09	0.40	ND	Passed
Fipronil	0.09	0.40	ND	Passed
Flonicamid	0.09	1.00	ND	Passed
Fludioxonil	0.09	0.40	ND	Passed
Hexythiazox	0.09	1.00	ND	Passed
Imazalil	0.09	0.20	ND	Passed
Imidacloprid	0.09	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.09	0.40	ND	Passed
Malathion	0.09	0.20	ND	Passed
Mevinphos	0.09	1.00	ND	Passed
Metaxyl	0.09	0.20	ND	Passed
Methiocarb	0.09	0.20	ND	Passed
Methomyl	0.09	0.40	ND	Passed



Kimberly Krisolofsky

Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

Compliance

Medical Use

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

7 of 7

GTI

Order No.: ONYGTINY0120-0004415
85 John Hicks Drive
Warwick, New York, 10990
cole.miller@gtigrows.com
6147380382

Sample: SNYGTINY0120-CVAP-0012217

Unit Weight: .5000g
Batch#: 20250117GD-HRV-0.5, Batch Size: 1000
Sample Received: 01/20/2025 01:42
Report Created: 01/24/2025 21:57
Sampling SOP 204-NY

Garlic Drip Cartridge (Solventless Live Rosin) 500mg - Rythm (Indica Dominant)

Concentrates & Extracts, Vape



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.09	0.20	ND	Passed
Naled	0.09	0.50	ND	Passed
Oxamyl	0.09	1.00	ND	Passed
Paclobutrazol	0.09	0.40	ND	Passed
Permethrin	0.09	0.20	ND	Passed
Phosmet	0.09	0.20	ND	Passed
Piperonyl Butoxide	0.09	2.00	ND	Passed
Prallethrin	0.09	0.20	ND	Passed
Propiconazole	0.09	0.40	ND	Passed
Propoxur	0.09	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.09	0.20	ND	Passed
Spinetoram	0.09	1.00	ND	Passed
Spinosyn AD	0.09	0.20	ND	Passed
Spiromesifen	0.09	0.20	ND	Passed
Spirotetramat	0.09	0.20	ND	Passed
Spiroxamine	0.09	0.20	ND	Passed
Tebuconazole	0.09	0.40	ND	Passed
Thiacloprid	0.09	0.20	ND	Passed
Thiamethoxam	0.09	0.20	ND	Passed
Trifloxystrobin	0.09	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.09	0.20	ND	Passed
Chlordane	0.09	1.00	ND	Passed
Chlorfenapyr	0.09	1.00	ND	Passed
PCNB	0.09	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.



Kimberly Krisolofsky

Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.