

# Certificate of Analysis

## SJR Horticulture

Contact Person: Nick Cusick  
Niagara Falls, NY 14303  
nick@craftcanna.us  
(716) 628-7447  
Lic. #OCM-PROC-24-000030


## Sample: 2502RLI0135-0491

Strain: Gushcanna  
Batch#: SW3725J-GC; Batch Size: 2072 units  
Sample Received: 02/27/2025; Report Created: 03/07/2025;

Skyworld Gushcanna 3.5g  
Plant, Flower - Cured

## Sampling

Sample Collection Date/Time: 02/27/25 10:05  
Sample Collection Site: SJR Horticulture  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:



## Safety

|                        |                    |                        |
|------------------------|--------------------|------------------------|
| Pass<br>Pesticides     | Pass<br>Microbials | Pass<br>Mycotoxins     |
| Not Tested<br>Solvents | Pass<br>Metals     | Pass<br>Foreign Matter |

## Cannabinoids

|                     |                 |                   |
|---------------------|-----------------|-------------------|
| 23.96%<br>Total THC | ND<br>Total CBD | 12.8%<br>Moisture |
|---------------------|-----------------|-------------------|

| Analyte                   | LOQ  | Result       | Result        |
|---------------------------|------|--------------|---------------|
|                           | mg/g | %            | mg/g          |
| CBDVa                     | 0.2  | ND           | ND            |
| CBDV                      | 0.2  | ND           | ND            |
| CBDa                      | 0.2  | ND           | ND            |
| CBGa                      | 0.2  | 1.36         | 13.6          |
| CBG                       | 0.2  | ND           | ND            |
| CBD                       | 0.2  | ND           | ND            |
| THCV                      | 0.2  | ND           | ND            |
| THCVa                     | 0.2  | ND           | ND            |
| CBN                       | 0.2  | ND           | ND            |
| Δ9-THC                    | 0.2  | 0.70         | 7.0           |
| Δ8-THC                    | 0.2  | ND           | ND            |
| (6aR,9R)-d10-THC          | 0.2  | ND           | ND            |
| (6aR,9S)-d10-THC          | 0.2  | ND           | ND            |
| CBC                       | 0.2  | ND           | ND            |
| THCa                      | 0.2  | 26.52        | 265.2         |
| CBCa                      | 0.2  | ND           | ND            |
| <b>Total Cannabinoids</b> |      | <b>28.58</b> | <b>285.82</b> |

Entered By: VJ, Instrument ID: AL2-004  
Method: MTHD-001, Date Tested: 02/28/2025 19:06  
Total theoretical THC % = (delta-9- THC%) + (THCa% x 0.877) + (delta-8- THC%) + (delta-10- THC%)

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
http://www.drstesting.com  
Lic# OCM-CPL-2022-00011



*Amanda Thorning*  
Amanda Thorning  
Laboratory Director

*Violet Josik*  
Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

# Certificate of Analysis

## SJR Horticulture

Contact Person: Nick Cusick  
Niagara Falls, NY 14303  
nick@craftcanna.us  
(716) 628-7447  
Lic. #OCM-PROC-24-000030

Sample: 2502RLI0135-0491

Strain: Gushcanna  
Batch#: SW3725J-GC; Batch Size: 2072 units  
Sample Received: 02/27/2025; Report Created: 03/07/2025;

Skyworld Gushcanna 3.5g  
Plant, Flower - Cured

## Sampling

Sample Collection Date/Time: 02/27/25 10:05  
Sample Collection Site: SJR Horticulture  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Residual Solvents

Not Tested

| Analyte | LOQ | Limit | Result | Status |
|---------|-----|-------|--------|--------|
|---------|-----|-------|--------|--------|

## Microbials

Pass

| Analyte               | LOQ   | Limit  | Result  | Status |
|-----------------------|-------|--------|---------|--------|
|                       | CFU/g | CFU/g  | CFU/g   |        |
| Aspergillus flavus    | 1     | Absent | Absence | Pass   |
| Aspergillus fumigatus | 1     | Absent | Absence | Pass   |
| Aspergillus niger     | 1     | Absent | Absence | Pass   |
| Aspergillus terreus   | 1     | Absent | Absence | Pass   |
| Salmonella            | 1     | Absent | Absence | Pass   |
| Shiga Toxin E. Coli   | 1     | Absent | Absence | Pass   |
| Aerobic Bacteria      | 10    | N/A    | 11000   | Tested |
| Yeast & Mold          | 10    | N/A    | 28000   | Tested |

Entered By: VJ, Aria Instrument ID: M-001; 3M Instrument ID: M-012  
Aerobic Date Tested: 03/04/2025 15:26  
YM Date Tested: 03/05/2025 11:08 Sal/STEC/Asp Date Tested: 03/02/2025 13:48  
Methods: Aspergillus (MTHD-010), Salmonella/STEC (MTHD-011), Total Yeast & Mold (MTHD-012), Total Aerobic (MTHD-013)

## Heavy Metals

Pass

| Analyte  | LOQ    | Limit     | Result | Status |
|----------|--------|-----------|--------|--------|
|          | PPM    | PPM       | PPM    |        |
| Chromium | 1.0000 | 1100.0000 | <LOQ   | Pass   |
| Nickel   | 0.5000 | 5.0000    | ND     | Pass   |
| Copper   | 1.0000 | 30.0000   | 6.4186 | Pass   |
| Arsenic  | 0.1000 | 0.2000    | ND     | Pass   |
| Cadmium  | 0.1000 | 0.2000    | ND     | Pass   |
| Antimony | 0.5000 | 2.0000    | ND     | Pass   |
| Mercury  | 0.0500 | 0.1000    | ND     | Pass   |
| Lead     | 0.2500 | 0.5000    | <LOQ   | Pass   |

Entered By: AT, Instrument ID: AL2-001  
Method: MTHD-006 Date Tested: 03/07/2025 10:40  
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.  
ND = Not Detected; NT = Not Tested; NR = Not Reported

## Mycotoxins

Pass


| Analyte          | LOQ   | Limit | Result | Status |
|------------------|-------|-------|--------|--------|
|                  | µg/g  | µg/g  | µg/g   |        |
| Aflatoxin B1     | 0.005 | 0.020 | ND     | Pass   |
| Aflatoxin B2     | 0.005 | 0.020 | ND     | Pass   |
| Aflatoxin G1     | 0.005 | 0.020 | ND     | Pass   |
| Aflatoxin G2     | 0.005 | 0.020 | ND     | Pass   |
| Ochratoxin A     | 0.005 | 0.020 | ND     | Pass   |
| Total Aflatoxins |       | 0.020 | ND     | Pass   |

Entered By: AT, Instrument ID: AL1-003  
Method: MTHD-009 Date Tested: 03/07/2025 03:51

Entered By: , Instrument ID:  
Method: , Date Tested:

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
http://www.drstesting.com  
Lic# OCM-CPL-2022-00011



  
Amanda Thorning  
Laboratory Director

  
Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

# Certificate of Analysis

## SJR Horticulture

Contact Person: Nick Cusick  
Niagara Falls, NY 14303  
nick@craftcanna.us  
(716) 628-7447  
Lic. #OCM-PROC-24-000030

Sample: 2502RLI0135-0491

Strain: Gushcanna  
Batch#: SW3725J-GC; Batch Size: 2072 units  
Sample Received: 02/27/2025; Report Created: 03/07/2025;

Skyworld Gushcanna 3.5g  
Plant, Flower - Cured

## Sampling

Sample Collection Date/Time: 02/27/25 10:05  
Sample Collection Site: SJR Horticulture  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Terpenes

## Complete

## Primary Aromas

| Analyte                | LOQ    | Result | Result |             |
|------------------------|--------|--------|--------|-------------|
|                        | %      | %      | mg/g   |             |
| $\beta$ -Caryophyllene | 0.0065 | 0.87   | 8.65   | <div></div> |
| Limonene               | 0.0065 | 0.38   | 3.77   | <div></div> |
| $\alpha$ -Humulene     | 0.0065 | 0.23   | 2.31   | <div></div> |
| Linalool               | 0.0065 | 0.19   | 1.95   | <div></div> |
| Valencene              | 0.0021 | 0.18   | 1.77   | <div></div> |
| $\beta$ -Myrcene       | 0.0065 | 0.18   | 1.75   | <div></div> |
| $\beta$ -Pinene        | 0.0065 | 0.04   | 0.40   | <div></div> |
| $\alpha$ -Bisabolol    | 0.0065 | 0.03   | 0.34   | <div></div> |
| Guaiol                 | 0.0065 | 0.01   | 0.14   | <div></div> |
| Caryophyllene Oxide    | 0.0065 | 0.01   | 0.08   | <div></div> |
| $\alpha$ -Phellandrene | 0.0052 | ND     | ND     |             |
| $\alpha$ -Pinene       | 0.0065 | ND     | ND     |             |
| $\alpha$ -Terpinene    | 0.0065 | ND     | ND     |             |
| Camphene               | 0.0065 | ND     | ND     |             |
| Farnesene              | 0.0021 | ND     | ND     |             |
| Fenchol                | 0.0104 | ND     | ND     |             |
| Geraniol               | 0.0065 | ND     | ND     |             |
| Ocimene                | 0.0065 | ND     | ND     |             |
| Terpineol              | 0.0052 | ND     | ND     |             |
| Terpinolene            | 0.0065 | ND     | ND     |             |

  
Cinnamon

  
Orange

  
Hops

  
Lavender

  
Pine

**2.1161%**  
Total Terpenes

Entered By: CB, Instrument ID: AL1-001  
Method: MTHD-005, Date Tested: 03/07/2025 9:03

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
http://www.drstesting.com  
Lic# OCM-CPL-2022-00011



  
Amanda Thorning  
Laboratory Director

  
Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
4 of 8

## SJR Horticulture

Contact Person: Nick Cusick  
Niagara Falls, NY 14303  
nick@craftcanna.us  
(716) 628-7447  
Lic. #OCM-PROC-24-000030

Sample: 2502RLI0135-0491

Strain: Gushcanna  
Batch#: SW3725J-GC; Batch Size: 2072 units  
Sample Received: 02/27/2025; Report Created: 03/07/2025;

Skyworld Gushcanna 3.5g  
Plant, Flower - Cured

## Sampling

Sample Collection Date/Time: 02/27/25 10:05  
Sample Collection Site: SJR Horticulture  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Pesticides

Pass

| Analyte              | LOQ  | Limit | Result | Status |
|----------------------|------|-------|--------|--------|
|                      | PPM  | PPM   | PPM    |        |
| Abamectin            | 0.05 | 0.50  | ND     | Pass   |
| Acephate             | 0.05 | 0.40  | ND     | Pass   |
| Acequinocyl          | 0.05 | 2.00  | ND     | Pass   |
| Acetamiprid          | 0.05 | 0.20  | ND     | Pass   |
| Aldicarb             | 0.05 | 0.40  | ND     | Pass   |
| Avermectin-B1a       |      |       | ND     | Tested |
| Avermectin-B1b       |      |       | ND     | Tested |
| Azadirachtin         | 0.25 | 1.00  | ND     | Pass   |
| Azoxystrobin         | 0.05 | 0.20  | ND     | Pass   |
| Bifenazate           | 0.05 | 0.20  | ND     | Pass   |
| Bifenthrin           | 0.05 | 0.20  | ND     | Pass   |
| Boscalid             | 0.05 | 0.40  | ND     | Pass   |
| Captan               | 0.50 | 1.00  | ND     | Pass   |
| Carbaryl             | 0.05 | 0.20  | ND     | Pass   |
| Carbofuran           | 0.05 | 0.20  | ND     | Pass   |
| Chlorantraniliprole  | 0.05 | 0.20  | ND     | Pass   |
| Chlordane            | 0.50 | 1.00  | ND     | Pass   |
| Chlorfenapyr         | 0.50 | 1.00  | ND     | Pass   |
| Chlormequat chloride | 0.05 | 1.00  | ND     | Pass   |
| Chlorpyrifos         | 0.05 | 0.20  | ND     | Pass   |
| Cinerin 1            |      |       | ND     | Tested |
| Clofentezine         | 0.05 | 0.20  | ND     | Pass   |
| Coumaphos            | 0.05 | 1.00  | ND     | Pass   |
| Cyfluthrin           | 0.05 | 1.00  | ND     | Pass   |
| Cypermethrin         | 0.05 | 1.00  | ND     | Pass   |

Entered By: AT, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003

GC Method: MTHD-008 GC Date Tested: 03/06/2025 03:39


LC Method: MTHD-009 LC Date Tested: 03/07/2025 03:51

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
http://www.drstesting.com  
Lic# OCM-CPL-2022-00011



  
Amanda Thorning  
Laboratory Director

  
Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
5 of 8

## SJR Horticulture

Contact Person: Nick Cusick  
Niagara Falls, NY 14303  
nick@craftcanna.us  
(716) 628-7447  
Lic. #OCM-PROC-24-000030

Sample: 2502RLI0135-0491

Strain: Gushcanna

Batch#: SW3725J-GC; Batch Size: 2072 units

Sample Received: 02/27/2025; Report Created: 03/07/2025;

Skyworld Gushcanna 3.5g  
Plant, Flower - Cured

## Sampling

Sample Collection Date/Time: 02/27/25 10:05  
Sample Collection Site: SJR Horticulture  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Pesticides

Pass

| Analyte            | LOQ  | Limit | Result | Status |
|--------------------|------|-------|--------|--------|
|                    | PPM  | PPM   | PPM    |        |
| Daminozide         | 0.05 | 1.00  | ND     | Pass   |
| Diazinon           | 0.05 | 0.20  | ND     | Pass   |
| Dichlorvos         | 0.05 | 1.00  | ND     | Pass   |
| Dimethoate         | 0.05 | 0.20  | ND     | Pass   |
| Dimethomorph       | 0.05 | 1.00  | ND     | Pass   |
| Ethoprophos        | 0.05 | 0.20  | ND     | Pass   |
| Etofenprox         | 0.05 | 0.40  | ND     | Pass   |
| Etoxazole          | 0.05 | 0.20  | ND     | Pass   |
| Fenhexamid         | 0.05 | 1.00  | ND     | Pass   |
| Fenoxycarb         | 0.05 | 0.20  | ND     | Pass   |
| Fenpyroximate      | 0.05 | 0.40  | ND     | Pass   |
| Fipronil           | 0.05 | 0.40  | ND     | Pass   |
| Flonicamid         | 0.05 | 1.00  | ND     | Pass   |
| Fludioxonil        | 0.05 | 0.40  | ND     | Pass   |
| Hexythiazox        | 0.05 | 1.00  | ND     | Pass   |
| Imazalil           | 0.05 | 0.20  | ND     | Pass   |
| Imidacloprid       | 0.05 | 0.40  | ND     | Pass   |
| Indolebutyric Acid | 0.05 | 1.00  | ND     | Pass   |
| Jasmolin 1         |      |       | ND     | Tested |
| Kresoxim Methyl    | 0.05 | 0.40  | ND     | Pass   |
| Malathion          | 0.05 | 0.20  | ND     | Pass   |
| Metalaxyl          | 0.05 | 0.20  | ND     | Pass   |
| Methiocarb         | 0.05 | 0.20  | ND     | Pass   |
| Methomyl           | 0.05 | 0.40  | ND     | Pass   |
| Methyl Parathion   | 0.10 | 0.20  | ND     | Pass   |

Entered By: AT, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003

GC Method: MTHD-008 GC Date Tested: 03/06/2025 03:39


LC Method: MTHD-009 LC Date Tested: 03/07/2025 03:51

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
http://www.drstesting.com  
Lic# OCM-CPL-2022-00011



  
Amanda Thorning  
Laboratory Director

  
Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
6 of 8

## SJR Horticulture

Contact Person: Nick Cusick  
Niagara Falls, NY 14303  
nick@craftcanna.us  
(716) 628-7447  
Lic. #OCM-PROC-24-000030

Sample: 2502RLI0135-0491

Strain: Gushcanna  
Batch#: SW3725J-GC; Batch Size: 2072 units  
Sample Received: 02/27/2025; Report Created: 03/07/2025;

Skyworld Gushcanna 3.5g  
Plant, Flower - Cured

## Sampling

Sample Collection Date/Time: 02/27/25 10:05  
Sample Collection Site: SJR Horticulture  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Pesticides

Pass

| Analyte                 | LOQ  | Limit | Result | Status |
|-------------------------|------|-------|--------|--------|
|                         | PPM  | PPM   | PPM    |        |
| Mevinphos               | 0.05 | 1.00  | ND     | Pass   |
| MGK-264                 | 0.05 | 0.20  | ND     | Pass   |
| Myclobutanil            | 0.05 | 0.20  | ND     | Pass   |
| Naled                   | 0.05 | 0.50  | ND     | Pass   |
| Oxamyl                  | 0.05 | 1.00  | ND     | Pass   |
| Paclobutrazol           | 0.05 | 0.40  | ND     | Pass   |
| Pentachloronitrobenzene | 0.50 | 1.00  | ND     | Pass   |
| Permethrins             | 0.05 | 0.20  | ND     | Pass   |
| Phosmet                 | 0.05 | 0.20  | ND     | Pass   |
| Piperonyl Butoxide      | 0.05 | 2.00  | ND     | Pass   |
| Prallethrin             | 0.05 | 0.20  | ND     | Pass   |
| Propiconazole           | 0.05 | 0.40  | ND     | Pass   |
| Propoxur                | 0.05 | 0.20  | ND     | Pass   |
| Pyrethrin 1             |      |       | ND     | Tested |
| Pyrethrin 2             |      |       | ND     | Tested |
| Pyrethrins              | 0.05 | 1.00  | ND     | Pass   |
| Pyridaben               | 0.05 | 0.20  | ND     | Pass   |
| Spinetoram              | 0.05 | 1.00  | ND     | Pass   |
| Spinetoram J            |      |       | ND     | Tested |
| Spinetoram L            |      |       | ND     | Tested |
| Spinosad                | 0.05 | 0.20  | ND     | Pass   |
| Spinosyn A              |      |       | ND     | Tested |
| Spinosyn D              |      |       | ND     | Tested |
| Spiromesifen            | 0.05 | 0.20  | ND     | Pass   |
| Spirotetramat           | 0.05 | 0.20  | ND     | Pass   |

Entered By: AT, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003

GC Method: MTHD-008 GC Date Tested: 03/06/2025 03:39


LC Method: MTHD-009 LC Date Tested: 03/07/2025 03:51

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
http://www.drstesting.com  
Lic# OCM-CPL-2022-00011



  
Amanda Thorning  
Laboratory Director

  
Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.





# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
7 of 8

## SJR Horticulture

Contact Person: Nick Cusick  
Niagara Falls, NY 14303  
nick@craftcanna.us  
(716) 628-7447  
Lic. #OCM-PROC-24-000030

Sample: 2502RLI0135-0491

Strain: Gushcanna  
Batch#: SW3725J-GC; Batch Size: 2072 units  
Sample Received: 02/27/2025; Report Created: 03/07/2025;

Skyworld Gushcanna 3.5g  
Plant, Flower - Cured

## Sampling

Sample Collection Date/Time: 02/27/25 10:05  
Sample Collection Site: SJR Horticulture  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Pesticides

Pass

| Analyte         | LOQ  | Limit | Result | Status |
|-----------------|------|-------|--------|--------|
|                 | PPM  | PPM   | PPM    |        |
| Spiroxamine     | 0.05 | 0.20  | ND     | Pass   |
| Tebuconazole    | 0.05 | 0.40  | ND     | Pass   |
| Thiacloprid     | 0.05 | 0.20  | ND     | Pass   |
| Thiamethoxam    | 0.05 | 0.20  | ND     | Pass   |
| Trifloxystrobin | 0.05 | 0.20  | ND     | Pass   |

Entered By: AT, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003  
GC Method: MTHD-008 GC Date Tested: 03/06/2025 03:39  
LC Method: MTHD-009 LC Date Tested: 03/07/2025 03:51  
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.  
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-2022-00011



Amanda Thorning  
Laboratory Director

Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
8 of 8

## SJR Horticulture

Contact Person: Nick Cusick  
Niagara Falls, NY 14303  
nick@craftcanna.us  
(716) 628-7447  
Lic. #OCM-PROC-24-000030

Sample: 2502RLI0135-0491

Strain: Gushcanna

Batch#: SW3725J-GC; Batch Size: 2072 units

Sample Received: 02/27/2025; Report Created: 03/07/2025;

Skyworld Gushcanna 3.5g  
Plant, Flower - Cured

## Sampling

Sample Collection Date/Time: 02/27/25 10:05  
Sample Collection Site: SJR Horticulture  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

Moisture Date/Time Tested: 02/28/2025; 16:22  
Moisture Method: MTHD-003

Water Activity Date/Time Tested: 02/28/2025; 9:29  
Water Activity Method: MTHD-002

0.45 aw

Limit: 0.65 aw

Pass

Water Activity

12.8%

Limit: 15.0 %

Pass

Moisture

## Foreign Matter

Foreign Matter Method: MTHD-004

Foreign Matter Date/Time Tested: 02/28/2025; 13:31

Pass

| Analyte          | Limit    | Result | Status |
|------------------|----------|--------|--------|
| Mammal Excrement | 0.00022% | 0      | Pass   |
| FM Stems         | 5%       | 0      | Pass   |
| FM Other         | 2%       | 0      | Pass   |

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-2022-00011



Amanda Thorning  
Laboratory Director

Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.