

GTI

Order No.: ONYGTINY1127-0003623  
85 John Hicks Drive  
New York, 10990  
cole.miller@gtigrows.com  
6147380382

Sample: SNYGTINY1127-CVAP-0011285

Strain: Head Cracker x VelcroZ, Unit Weight: 1.0000g  
Batch#: 20241121HCVZ-LLR-1.0, Batch Size: 2100  
Sample Received: 11/27/2024 04:15  
Report Created: 12/03/2024 20:46  
Sampling SOP 204-NY

Head Cracker x VelcroZ Cartridge (Live Resin) 1000mg - Rythm (Hybrid)

Concentrates &amp; Extracts, Vape



## Results

**3.610 mg/dose**  
D9-THC

**0.100 mg/dose**  
CBG

**0 mg/dose**  
Total CBD

**3.61 mg/dose**  
Total THC


**3.74 mg/dose**  
Total Cannabinoids

**9.867%**  
Total Terpenes

## Tests Summary

<b>Cannabinoids</b> Tested	<b>Moisture</b> Not Tested	<b>Microbials</b> Pass
<b>Water Activity</b> Not Tested	<b>Homogeneity</b> Not Tested	<b>Terpenes</b> Pass
<b>Residual Solvents</b> Pass	<b>Mycotoxins</b> Pass	<b>Heavy Metals</b> Pass
<b>Pesticides</b> Pass		

## Dominant Terpenes





# Certificate of Analysis

Compliance

Medical Use

OCM-CPL-2022-00001  
ACT Laboratories (NY)  
16 Corporate Drive, Halfmoon, New York  
5172272612  
kimberlyk@actlab.com

2 of 7

GTI

Order No.: ONYGTINY1127-0003623  
85 John Hicks Drive  
New York, 10990  
cole.miller@gtigrows.com  
6147380382

Sample: SNYGTINY1127-CVAP-0011285

Strain: Head Cracker x VelcroZ, Unit Weight: 1.0000g  
Batch#: 20241121HCVZ-LLR-1.0, Batch Size: 2100  
Sample Received: 11/27/2024 04:15  
Report Created: 12/03/2024 20:46  
Sampling SOP 204-NY

Head Cracker x VelcroZ Cartridge (Live Resin) 1000mg - Rythm (Hybrid)

Concentrates & Extracts, Vape



## Cannabinoids

SOP 801-NY

Date/Time Tested: 12/02/2024 15:01

Tested

Analyte	LOQ (ug/mL)	mg/g	%	mg/dose	mg/unit
CBDV	4,567.01	ND	ND	ND	ND
CBDa	4,567.01	ND	ND	ND	ND
CBGa	4,567.01	ND	ND	ND	ND
CBG	4,567.01	20.74	2.07	0.10	20.74
CBD	4,567.01	ND	ND	ND	ND
THCV	4,567.01	ND	ND	ND	ND
CBN	4,567.01	ND	ND	ND	ND
D9-THC	4,567.01	721.27	72.13	3.61	721.27
D8-THC	4,567.01	ND	ND	ND	ND
(6aR,9S)-d10-THC	4,567.01	ND	ND	ND	ND
(6aR,9R)-d10-THC	4,567.01	ND	ND	ND	ND
CBC	4,567.01	6.94	0.69	0.03	6.94
THCa	4,567.01	ND	ND	ND	ND
Total CBD		0.00	0.00	0.00	0.00
Total THC		721.27	72.13	3.61	721.27
Total Cannabinoids		748.95	74.90	3.74	748.95

### Notes:

Total THC = THCa \* 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC  
Total CBD = CBDa \* 0.877 + CBD  
Total Cannabinoids = Sum of all cannabinoids  
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

## Microbials

SOP 401-NY SOP 619-NY

Date/Time Tested: 12/02/2024 15:31

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria		10,000	ND	Passed
E. Coli		0	ND	Passed
Yeast & Mold		1,000	ND	Passed
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

### Notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky

Kimberly Krisolofsky  
Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



# Certificate of Analysis

Compliance

Medical Use

OCM-CPL-2022-00001  
ACT Laboratories (NY)  
16 Corporate Drive, Halfmoon, New York  
5172272612  
kimberlyk@actlab.com

3 of 7

GTI

Order No.: ONYGTINY1127-0003623  
85 John Hicks Drive  
New York, 10990  
cole.miller@gtigrows.com  
6147380382

Sample: SNYGTINY1127-CVAP-0011285

Strain: Head Cracker x VelcroZ, Unit Weight: 1.0000g  
Batch#: 20241121HCVZ-LLR-1.0, Batch Size: 2100  
Sample Received: 11/27/2024 04:15  
Report Created: 12/03/2024 20:46  
Sampling SOP 204-NY

Head Cracker x VelcroZ Cartridge (Live Resin) 1000mg - Rythm (Hybrid)

Concentrates & Extracts, Vape



## Terpenes

SOP 620-NY

Date/Time Tested: 11/30/2024 12:43

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	9.867	Passed	Isoborneol	155		ND	Tested
Limonene	155		3.793	Tested	DL-Menthol	155		ND	Tested
b-Myrcene	155		1.457	Tested	Camphor	155		ND	Tested
b-Caryophyllene	155		1.307	Tested	a-Terpinene	155		< LOQ	Tested
a-Humulene	155		0.505	Tested	Pulegone	155		ND	Tested
cis-Nerolidol	155		0.448	Tested	Geraniol	155		ND	Tested
Fenchol	155		0.398	Tested	Geranyl Acetate	155		ND	Tested
a-Pinene	155		0.351	Tested	a-Cedrene	155		ND	Tested
trans-b-Farnesene	155		0.301	Tested	a-Phellandrene	155		ND	Tested
Terpineol	155		0.301	Tested	Fenchone	155		< LOQ	Tested
trans-Nerolidol	155		0.226	Tested	Valencene	155		ND	Tested
b-Pinene	155		0.216	Tested	Sabinene	155		ND	Tested
Linalool	155		0.214	Tested	Sabinene Hydrate	155		ND	Tested
a-Bisabolol	155		0.098	Tested	Guaiol	155		ND	Tested
Borneol	155		0.094	Tested	d-3-Carene	155		ND	Tested
Terpinolene	155		0.079	Tested	Cedrol	155		ND	Tested
Camphene	155		0.061	Tested	g-Terpinene	155		< LOQ	Tested
Caryophyllene Oxide	155		0.017	Tested	trans-b-Ocimene	155		< LOQ	Tested
Nerol	155		ND	Tested	Eucalyptol	155		ND	Tested
p-Cymene	155		ND	Tested	Isopulegol	155		ND	Tested

### Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



*Kimberly Krisolofsky*

Kimberly Krisolofsky  
Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



# Certificate of Analysis

Compliance

Medical Use

OCM-CPL-2022-00001  
ACT Laboratories (NY)  
16 Corporate Drive, Halfmoon, New York  
5172272612  
kimberlyk@actlab.com

4 of 7

GTI

Order No.: ONYGTINY1127-0003623  
85 John Hicks Drive  
New York, 10990  
cole.miller@gtigrows.com  
6147380382

Sample: SNYGTINY1127-CVAP-0011285

Strain: Head Cracker x VelcroZ, Unit Weight: 1.0000g  
Batch#: 20241121HCVZ-LLR-1.0, Batch Size: 2100  
Sample Received: 11/27/2024 04:15  
Report Created: 12/03/2024 20:46  
Sampling SOP 204-NY

Head Cracker x VelcroZ Cartridge (Live Resin) 1000mg - Rythm (Hybrid)

Concentrates & Extracts, Vape



## Residual Solvents

SOP 612-NY

Date/Time Tested: 11/30/2024 17:49

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	40	5,000	< LOQ	Passed
Acetonitrile	16	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	345	5,000	2,606.5	Passed
Chloroform	2	60	ND	Passed
Ethanol	200	5,000	< LOQ	Passed
Ethyl Acetate	200	5,000	< LOQ	Passed
Ethyl Ether	20	5,000	ND	Passed
DMSO	100	5,000	ND	Passed
Heptane	20	5,000	ND	Passed
Hexanes	6	290	< LOQ	Passed
Isopropyl Alcohol	200	5,000	< LOQ	Passed
Methanol	120	3,000	ND	Passed
Methylene Chloride	2	600	ND	Passed
Pentanes	60	5,000	< LOQ	Passed
Propane	20	5,000	< LOQ	Passed
Toluene	4	890	ND	Passed
Trichloroethane	4,990	1,500	ND	Passed
Xylenes	263	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	20	1,000	ND	Passed

### Notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

## Mycotoxins

SOP 808-NY

Date/Time Tested: 12/02/2024 16:55

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status	Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.8	ND	Tested		Ochratoxin A	4.8	20.0	ND	Passed
B2	4.8	ND	Tested		Total Aflatoxins		20.0	ND	Passed
G1	4.8	ND	Tested		Total Mycotoxins			ND	Tested
G2	4.8	ND	Tested						

### Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



*Kimberly Krisolofsky*

Kimberly Krisolofsky  
Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



# Certificate of Analysis

Compliance

Medical Use

OCM-CPL-2022-00001  
ACT Laboratories (NY)  
16 Corporate Drive, Halfmoon, New York  
5172272612  
kimberlyk@actlab.com

5 of 7

GTI

Order No.: ONYGTINY1127-0003623  
85 John Hicks Drive  
New York, 10990  
cole.miller@gtigrows.com  
6147380382

Sample: SNYGTINY1127-CVAP-0011285

Strain: Head Cracker x VelcroZ, Unit Weight: 1.0000g  
Batch#: 20241121HCVZ-LLR-1.0, Batch Size: 2100  
Sample Received: 11/27/2024 04:15  
Report Created: 12/03/2024 20:46  
Sampling SOP 204-NY

Head Cracker x VelcroZ Cartridge (Live Resin) 1000mg - Rythm (Hybrid)

Concentrates & Extracts, Vape



## Heavy Metals

SOP 250-NY

Date/Time Tested: 12/02/2024 11:26

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.170	2.000	ND	Passed
Arsenic	0.170	0.200	ND	Passed
Cadmium	0.170	0.200	ND	Passed
Chromium	0.170	110.000	< LOQ	Passed
Copper	0.204	30.000	ND	Passed
Mercury	0.041	0.100	ND	Passed
Nickel	0.204	2.000	< LOQ	Passed
Lead	0.170	0.500	ND	Passed

### Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky  
Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



# Certificate of Analysis

Compliance

Medical Use

OCM-CPL-2022-00001  
ACT Laboratories (NY)  
16 Corporate Drive, Halfmoon, New York  
5172272612  
kimberlyk@actlab.com

6 of 7

GTI

Order No.: ONYGTINY1127-0003623  
85 John Hicks Drive  
New York, 10990  
cole.miller@gtigrows.com  
6147380382

Sample: SNYGTINY1127-CVAP-0011285

Strain: Head Cracker x VelcroZ, Unit Weight: 1.0000g  
Batch#: 20241121HCVZ-LLR-1.0, Batch Size: 2100  
Sample Received: 11/27/2024 04:15  
Report Created: 12/03/2024 20:46  
Sampling SOP 204-NY

Head Cracker x VelcroZ Cartridge (Live Resin) 1000mg - Rythm (Hybrid)

Concentrates & Extracts, Vape



## Pesticides

SOP 814-NY

Date/Time Tested: 11/29/2024 14:14

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.37	0.50	ND	Passed
Acephate	0.10	0.40	ND	Passed
Acequinocyl	0.10	2.00	ND	Passed
Acetamiprid	0.10	0.20	ND	Passed
Aldicarb	0.10	0.40	ND	Passed
Azoxystrobin	0.10	0.20	ND	Passed
Bifenazate	0.10	0.20	ND	Passed
Bifenthrin	0.10	0.20	ND	Passed
Boscalid	0.10	0.40	ND	Passed
Carbaryl	0.10	0.20	ND	Passed
Carbofuran	0.10	0.20	ND	Passed
Chlorantraniliprole	0.10	0.20	ND	Passed
Chlorpyrifos	0.10	0.20	ND	Passed
Clofentezine	0.10	0.20	ND	Passed
Coumaphos	0.10	1.00	ND	Passed
Cyfluthrin	0.48	1.00	ND	Passed
Cypermethrin	0.10	1.00	ND	Passed
Daminozide	0.10	1.00	ND	Passed
Diazinon	0.10	0.20	ND	Passed
Dichlorvos	0.10	1.00	ND	Passed
Dimethoate	0.10	0.20	ND	Passed
Dimethomorph	0.10	1.00	ND	Passed
Ethoprophos	0.10	0.20	ND	Passed
Etofenprox	0.10	0.40	ND	Passed
Etoxazole	0.10	0.20	ND	Passed
Fenhexamid	0.10	1.00	ND	Passed
Fenoxycarb	0.10	0.20	ND	Passed
Fenpyroximate	0.10	0.40	ND	Passed
Fipronil	0.10	0.40	ND	Passed
Flonicamid	0.10	1.00	ND	Passed
Fludioxonil	0.10	0.40	ND	Passed
Hexythiazox	0.10	1.00	ND	Passed
Imazalil	0.10	0.20	ND	Passed
Imidacloprid	0.10	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.10	0.40	ND	Passed
Malathion	0.10	0.20	ND	Passed
Mevinphos	0.10	1.00	ND	Passed
Metaxyl	0.10	0.20	ND	Passed
Methiocarb	0.10	0.20	ND	Passed
Methomyl	0.10	0.40	ND	Passed



*Kimberly Krisolofsky*

**Kimberly Krisolofsky**  
Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



# Certificate of Analysis

Compliance

Medical Use

OCM-CPL-2022-00001  
ACT Laboratories (NY)  
16 Corporate Drive, Halfmoon, New York  
5172272612  
kimberlyk@actlab.com

7 of 7

GTI

Order No.: ONYGTINY1127-0003623  
85 John Hicks Drive  
New York, 10990  
cole.miller@gtigrows.com  
6147380382

Sample: SNYGTINY1127-CVAP-0011285

Strain: Head Cracker x VelcroZ, Unit Weight: 1.0000g  
Batch#: 20241121HCVZ-LLR-1.0, Batch Size: 2100  
Sample Received: 11/27/2024 04:15  
Report Created: 12/03/2024 20:46  
Sampling SOP 204-NY

Head Cracker x VelcroZ Cartridge (Live Resin) 1000mg - Rythm (Hybrid)

Concentrates & Extracts, Vape



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.10	0.20	ND	Passed
Naled	0.10	0.50	ND	Passed
Oxamyl	0.10	1.00	ND	Passed
Paclobutrazol	0.10	0.40	ND	Passed
Permethrin	0.10	0.20	ND	Passed
Phosmet	0.10	0.20	ND	Passed
Piperonyl Butoxide	0.10	2.00	ND	Passed
Prallethrin	0.10	0.20	ND	Passed
Propiconazole	0.10	0.40	ND	Passed
Propoxur	0.10	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.10	0.20	ND	Passed
Spinetoram	0.10	1.00	ND	Passed
Spinosyn AD	0.10	0.20	ND	Passed
Spiromesifen	0.10	0.20	ND	Passed
Spirotetramat	0.10	0.20	ND	Passed
Spiroxamine	0.10	0.20	ND	Passed
Tebuconazole	0.10	0.40	ND	Passed
Thiacloprid	0.10	0.20	ND	Passed
Thiamethoxam	0.10	0.20	ND	Passed
Trifloxystrobin	0.10	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.10	0.20	ND	Passed
Chlordane	0.10	1.00	ND	Passed
Chlorfenapyr	0.10	1.00	ND	Passed
PCNB	0.10	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

## Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.



*Kimberly Krisolofsky*

**Kimberly Krisolofsky**  
Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.