

GTI

Order No.: ONYGTINY0212-0004837  
85 John Hicks Drive  
Warwick, New York, 10990  
cole.miller@gtigrows.com  
6147380382

Sample: SNYGTINY0212-CVAP-0012797

Strain: Slapz, Unit Weight: .5000g  
Batch#: 20250210SZ-LS-0.5, Batch Size: 1400  
Sample Received: 02/12/2025 03:13  
Report Created: 02/18/2025 20:41  
Sampling SOP 204-NY

Slapz Pen (Live Sauce CD) 500mg - Rythm (Hybrid)  
Concentrates & Extracts, Vape



## Results

**4.05 mg/dose**  
D9-THC

**0.17 mg/dose**  
CBG

**0 mg/dose**  
Total CBD

**4.05 mg/dose**  
Total THC



**4.26 mg/dose**  
Total Cannabinoids

**2.956%**  
Total Terpenes

## Tests Summary

<b>Cannabinoids</b> Tested	<b>Moisture</b> Not Tested	<b>Microbials</b> Pass
<b>Water Activity</b> Not Tested	<b>Homogeneity</b> Not Tested	<b>Terpenes</b> Pass
<b>Residual Solvents</b> Pass	<b>Mycotoxins</b> Pass	<b>Heavy Metals</b> Pass
<b>Pesticides</b> Pass		

## Dominant Terpenes





# Certificate of Analysis

Compliance

Medical Use

OCM-CPL-2022-00001  
ACT Laboratories (NY)  
16 Corporate Drive, Halfmoon, New York  
5172272612  
kimberlyk@actlab.com

2 of 7

GTI

Order No.: ONYGTINY0212-0004837  
85 John Hicks Drive  
Warwick, New York, 10990  
cole.miller@gtigrows.com  
6147380382

Sample: SNYGTINY0212-CVAP-0012797

Strain: Slapz, Unit Weight: .5000g  
Batch#: 20250210SZ-LS-0.5, Batch Size: 1400  
Sample Received: 02/12/2025 03:13  
Report Created: 02/18/2025 20:41  
Sampling SOP 204-NY

Slapz Pen (Live Sauce CD) 500mg - Rythm (Hybrid)

Concentrates & Extracts, Vape



## Cannabinoids

SOP 801-NY

Date/Time Tested: 02/15/2025 10:14

Tested

Analyte	LOQ (ug/mL)	%	mg/g	mg/dose	mg/unit
CBDV	4,164.64	ND	ND	ND	ND
CBDa	4,164.64	ND	ND	ND	ND
CBGa	4,164.64	ND	ND	ND	ND
CBG	4,164.64	3.48	34.81	0.17	17.40
CBD	4,164.64	< LOQ	< LOQ	< LOQ	< LOQ
THCV	4,164.64	< LOQ	< LOQ	< LOQ	< LOQ
CBN	4,164.64	< LOQ	< LOQ	< LOQ	< LOQ
D9-THC	4,164.64	81.08	810.83	4.05	405.41
D8-THC	4,164.64	ND	ND	ND	ND
(6aR,9S)-d10-THC	4,164.64	ND	ND	ND	ND
(6aR,9R)-d10-THC	4,164.64	ND	ND	ND	ND
CBC	4,164.64	0.72	7.18	0.04	3.59
THCa	4,164.64	ND	ND	ND	ND
Total CBD		0.00	0.00	0.00	0.00
Total THC		81.08	810.83	4.05	405.41
Total Cannabinoids		85.28	852.82	4.26	426.41

### Notes:

Total THC = THCa \* 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC  
Total CBD = CBDa \* 0.877 + CBD  
Total Cannabinoids = Sum of all cannabinoids  
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

## Microbials

SOP 401-NY SOP 418-NY

Date/Time Tested: 02/18/2025 09:57

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	1,000	10,000	ND	Passed
E. Coli		0	ND	Passed
Yeast & Mold	100	1,000	ND	Passed
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

### Notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



*Kimberly Krisolofsky*

Kimberly Krisolofsky  
Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

GTI

Order No.: ONYGTINY0212-0004837  
 85 John Hicks Drive  
 Warwick, New York, 10990  
 cole.miller@gtigrows.com  
 6147380382

Sample: SNYGTINY0212-CVAP-0012797

Strain: Slapz, Unit Weight: .5000g  
 Batch#: 20250210SZ-LS-0.5, Batch Size: 1400  
 Sample Received: 02/12/2025 03:13  
 Report Created: 02/18/2025 20:41  
 Sampling SOP 204-NY

Slapz Pen (Live Sauce CD) 500mg - Rythm (Hybrid)

Concentrates &amp; Extracts, Vape



## Terpenes

SOP 620-NY

Date/Time Tested: 02/15/2025 18:05

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	<b>2.956</b>	Passed	g-Terpinene	160		ND	Tested
Limonene	160		<b>0.758</b>	Tested	Camphor	160		ND	Tested
b-Caryophyllene	160		<b>0.435</b>	Tested	Isopulegol	160		ND	Tested
Linalool	160		<b>0.374</b>	Tested	Nerol	160		ND	Tested
trans-b-Farnesene	160		<b>0.232</b>	Tested	Pulegone	160		ND	Tested
Geranyl Acetate	160		<b>0.152</b>	Tested	DL-Menthol	160		ND	Tested
b-Myrcene	160		<b>0.130</b>	Tested	a-Terpinene	160		ND	Tested
Fenchol	160		<b>0.120</b>	Tested	a-Cedrene	160		ND	Tested
a-Humulene	160		<b>0.120</b>	Tested	d-3-Carene	160		ND	Tested
b-Pinene	160		<b>0.112</b>	Tested	a-Phellandrene	160		ND	Tested
Terpineol	160		<b>0.112</b>	Tested	Valencene	160		ND	Tested
a-Pinene	160		<b>0.090</b>	Tested	Fenchone	160		< LOQ	Tested
cis-Nerolidol	160		<b>0.081</b>	Tested	Eucalyptol	160		ND	Tested
trans-Nerolidol	160		<b>0.068</b>	Tested	Guaiol	160		ND	Tested
a-Bisabolol	160		<b>0.055</b>	Tested	Isoborneol	160		ND	Tested
Borneol	160		<b>0.029</b>	Tested	Cedrol	160		ND	Tested
Terpinolene	160		<b>0.024</b>	Tested	Sabinene Hydrate	160		ND	Tested
Camphene	160		<b>0.023</b>	Tested	trans-b-Ocimene	160		ND	Tested
Geraniol	160		<b>0.021</b>	Tested	Sabinene	160		ND	Tested
Caryophyllene Oxide	160		<b>0.019</b>	Tested	p-Cymene	160		ND	Tested

### Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



# Certificate of Analysis

Compliance

Medical Use

OCM-CPL-2022-00001  
ACT Laboratories (NY)  
16 Corporate Drive, Halfmoon, New York  
5172272612  
kimberlyk@actlab.com

4 of 7

GTI

Order No.: ONYGTINY0212-0004837  
85 John Hicks Drive  
Warwick, New York, 10990  
cole.miller@gtigrows.com  
6147380382

Sample: SNYGTINY0212-CVAP-0012797

Strain: Slapz, Unit Weight: .5000g  
Batch#: 20250210SZ-LS-0.5, Batch Size: 1400  
Sample Received: 02/12/2025 03:13  
Report Created: 02/18/2025 20:41  
Sampling SOP 204-NY

Slapz Pen (Live Sauce CD) 500mg - Rythm (Hybrid)  
Concentrates & Extracts, Vape



## Residual Solvents

SOP 612-NY  
Date/Time Tested: 02/13/2025 14:05

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	42	5,000	< LOQ	Passed
Acetonitrile	50	410	ND	Passed
Benzene	6	2	ND	Passed
Butane	125	5,000	392.3	Passed
Chloroform	2	60	ND	Passed
Ethanol	623	5,000	< LOQ	Passed
Ethyl Acetate	623	5,000	ND	Passed
Ethyl Ether	62	5,000	ND	Passed
DMSO	312	5,000	ND	Passed
Heptane	62	5,000	ND	Passed
Hexanes	6	290	ND	Passed
Isopropyl Alcohol	623	5,000	ND	Passed
Methanol	374	3,000	< LOQ	Passed
Methylene Chloride	8	600	ND	Passed
Pentanes	187	5,000	ND	Passed
Propane	62	5,000	ND	Passed
Toluene	11	890	ND	Passed
Trichloroethane	15,576	1,500	ND	Passed
Xylenes	275	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	62	1,000	ND	Passed

### Notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

## Mycotoxins

SOP 808-NY  
Date/Time Tested: 02/13/2025 13:19

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status	Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	5.0	ND	Tested		Ochratoxin A	5.0	20.0	ND	Passed
B2	5.0	ND	Tested		Total Aflatoxins		20.0	ND	Passed
G1	5.0	ND	Tested		Total Mycotoxins			ND	Tested
G2	5.0	ND	Tested						

### Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



*Kimberly Krisolofsky*

Kimberly Krisolofsky  
Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



# Certificate of Analysis

Compliance

Medical Use

OCM-CPL-2022-00001  
ACT Laboratories (NY)  
16 Corporate Drive, Halfmoon, New York  
5172272612  
kimberlyk@actlab.com

5 of 7

GTI

Order No.: ONYGTINY0212-0004837  
85 John Hicks Drive  
Warwick, New York, 10990  
cole.miller@gtigrows.com  
6147380382

Sample: SNYGTINY0212-CVAP-0012797

Strain: Slapz, Unit Weight: .5000g  
Batch#: 20250210SZ-LS-0.5, Batch Size: 1400  
Sample Received: 02/12/2025 03:13  
Report Created: 02/18/2025 20:41  
Sampling SOP 204-NY

Slapz Pen (Live Sauce CD) 500mg - Rythm (Hybrid)  
Concentrates & Extracts, Vape



## Heavy Metals

SOP 250-NY

Date/Time Tested: 02/14/2025 12:15

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.185	2.000	ND	Passed
Arsenic	0.185	0.200	ND	Passed
Cadmium	0.185	0.200	ND	Passed
Chromium	0.185	110.000	< LOQ	Passed
Copper	0.222	30.000	ND	Passed
Mercury	0.044	0.100	ND	Passed
Nickel	0.222	2.000	< LOQ	Passed
Lead	0.185	0.500	ND	Passed

### Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky  
Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



# Certificate of Analysis

Compliance

Medical Use

OCM-CPL-2022-00001  
ACT Laboratories (NY)  
16 Corporate Drive, Halfmoon, New York  
5172272612  
kimberlyk@actlab.com

6 of 7

GTI

Order No.: ONYGTINY0212-0004837  
85 John Hicks Drive  
Warwick, New York, 10990  
cole.miller@gtigrows.com  
6147380382

Sample: SNYGTINY0212-CVAP-0012797

Strain: Slapz, Unit Weight: .5000g  
Batch#: 20250210SZ-LS-0.5, Batch Size: 1400  
Sample Received: 02/12/2025 03:13  
Report Created: 02/18/2025 20:41  
Sampling SOP 204-NY

Slapz Pen (Live Sauce CD) 500mg - Rythm (Hybrid)  
Concentrates & Extracts, Vape



## Pesticides

SOP 814-NY  
Date/Time Tested: 02/13/2025 14:01

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.38	0.50	ND	Passed
Acephate	0.10	0.40	ND	Passed
Acequinocyl	0.10	2.00	ND	Passed
Acetamiprid	0.10	0.20	ND	Passed
Aldicarb	0.10	0.40	ND	Passed
Azoxystrobin	0.10	0.20	ND	Passed
Bifenazate	0.10	0.20	ND	Passed
Bifenthrin	0.10	0.20	ND	Passed
Boscalid	0.10	0.40	ND	Passed
Carbaryl	0.10	0.20	ND	Passed
Carbofuran	0.10	0.20	ND	Passed
Chlorantraniliprole	0.10	0.20	ND	Passed
Chlorpyrifos	0.10	0.20	ND	Passed
Clofentezine	0.10	0.20	ND	Passed
Coumaphos	0.10	1.00	ND	Passed
Cyfluthrin	0.49	1.00	ND	Passed
Cypermethrin	0.10	1.00	ND	Passed
Daminozide	0.10	1.00	ND	Passed
Diazinon	0.10	0.20	ND	Passed
Dichlorvos	0.10	1.00	ND	Passed
Dimethoate	0.10	0.20	ND	Passed
Dimethomorph	0.10	1.00	ND	Passed
Ethoprophos	0.10	0.20	ND	Passed
Etofenprox	0.10	0.40	ND	Passed
Etoxazole	0.10	0.20	ND	Passed
Fenhexamid	0.10	1.00	ND	Passed
Fenoxycarb	0.10	0.20	ND	Passed
Fenpyroximate	0.10	0.40	ND	Passed
Fipronil	0.10	0.40	ND	Passed
Flonicamid	0.10	1.00	ND	Passed
Fludioxonil	0.10	0.40	ND	Passed
Hexythiazox	0.10	1.00	ND	Passed
Imazalil	0.10	0.20	ND	Passed
Imidacloprid	0.10	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.10	0.40	ND	Passed
Malathion	0.10	0.20	ND	Passed
Mevinphos	0.10	1.00	ND	Passed
Metalaxyl	0.10	0.20	ND	Passed
Methiocarb	0.10	0.20	ND	Passed
Methomyl	0.10	0.40	ND	Passed



*Kimberly Krisolofsky*

Kimberly Krisolofsky  
Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



# Certificate of Analysis

Compliance

Medical Use

OCM-CPL-2022-00001  
ACT Laboratories (NY)  
16 Corporate Drive, Halfmoon, New York  
5172272612  
kimberlyk@actlab.com

7 of 7

GTI

Order No.: ONYGTINY0212-0004837  
85 John Hicks Drive  
Warwick, New York, 10990  
cole.miller@gtigrows.com  
6147380382

Sample: SNYGTINY0212-CVAP-0012797

Strain: Slapz, Unit Weight: .5000g  
Batch#: 20250210SZ-LS-0.5, Batch Size: 1400  
Sample Received: 02/12/2025 03:13  
Report Created: 02/18/2025 20:41  
Sampling SOP 204-NY

Slapz Pen (Live Sauce CD) 500mg - Rythm (Hybrid)

Concentrates & Extracts, Vape



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.10	0.20	ND	Passed
Naled	0.10	0.50	ND	Passed
Oxamyl	0.10	1.00	ND	Passed
Paclobutrazol	0.10	0.40	ND	Passed
Permethrin	0.10	0.20	ND	Passed
Phosmet	0.10	0.20	ND	Passed
Piperonyl Butoxide	0.10	2.00	ND	Passed
Prallethrin	0.10	0.20	ND	Passed
Propiconazole	0.10	0.40	ND	Passed
Propoxur	0.10	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.10	0.20	ND	Passed
Spinetoram	0.10	1.00	ND	Passed
Spinosyn AD	0.10	0.20	ND	Passed
Spiromesifen	0.10	0.20	ND	Passed
Spirotetramat	0.10	0.20	ND	Passed
Spiroxamine	0.10	0.20	ND	Passed
Tebuconazole	0.10	0.40	ND	Passed
Thiacloprid	0.10	0.20	ND	Passed
Thiamethoxam	0.10	0.20	ND	Passed
Trifloxystrobin	0.10	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.10	0.20	ND	Passed
Chlordane	0.10	1.00	ND	Passed
Chlorfenapyr	0.10	1.00	ND	Passed
PCNB	0.10	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

## Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.



*Kimberly Krisolofsky*

Kimberly Krisolofsky  
Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.