

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Sample Result: PASS

Date Reported:	3/21/2025	Sample ID:	20250310-EMNY-028
Client Name:	Empire Standard LLC	Sample Name:	JPPDIF-0425-004
Sampling Location:	Binghamton, New York	Sample Matrix:	Flower
Contact Name:	Empire Standard LLC	Sample Sub Type:	Infused Flower
Contact Email:	info@empirestandardny.com	Package ID:	JPPDIF-0425-004
License Number:	OCM-PROC-24-000202	Batch Lot ID:	JPPDIF-0425-004
Medical/Adult Use:	Adult Use	Batch Size:	3200
Sampling Date:	03/10/2025 02:20:00 PM	Serving Size (g):	3.5

Potency	T	Pesticides	P	Heavy Metals	P	Mycotoxins	P
Water Activity	P	Microbiological	P	Residual Solvents	P	Terpenes	P
		Moisture	P	Filth & Foreign Material	P		

"-" = Not Tested; "T" = Tested; "P" = Pass; "F" = Fail

Cannabinoids: JPPDIF-0425-004 (20250310-EMNY-028)

Potency analysis utilizing HPLC (HPLC-UV: SOP-073-GA)

Analyte	% w/w	mg/serving	MRL (% w/w)
CBDV	< MRL	< MRL	0.326
CBDA	< MRL	< MRL	0.326
CBGA	0.608	21.281	0.326
CBG	< MRL	< MRL	0.326
CBD	< MRL	< MRL	0.326
THCV	< MRL	< MRL	0.326
CBN	< MRL	< MRL	0.326
D9-THC	1.313	45.958	0.326
D8-THC	< MRL	< MRL	0.326
D10-THC-S	< MRL	< MRL	0.326
D10-THC-R	< MRL	< MRL	0.326
CBC	< MRL	< MRL	0.326
THCA	53.246	1863.593	0.326

MRL = Minimum reporting limit/limit of quantification
mg/serving = % w/w x10 x serving size weight (g)
Reported on a dry-weight basis based on the calculation:
(wet sample % x 100)/(100 - %MC)

Test ID: #99159 | Date Tested: 03/14/2025 05:11 PM

Potency Summary	% w/w	mg/serving
Total THC [$\Delta 8$ -THC + $\Delta 9$ -THC + $\Delta 10$ -THC + (THCA * 0.877)]	48.009	1680.329
Total CBD [CBD + (CBDA * 0.877)]	< MRL	< MRL
Total Cannabinoids	55.167	1930.832



Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Terpenes: JPPDIF-0425-004 (20250310-EMNY-028)

Terpenes analysis utilizing GC-MS (GC-MS: SOP-063-GA, SOP-069-GA)

Analyte	Result (% w/w)	MRL (% w/w)
alpha-Pinene	< MRL	0.09
Camphene	< MRL	0.09
Sabinene	< MRL	0.09
beta-Pinene	< MRL	0.09
beta-Myrcene	0.20	0.09
Alpha-phellandrene	< MRL	0.09
Carene	< MRL	0.09
alpha-terpinene	< MRL	0.09
p-Cymene	< MRL	0.09
Limonene	0.22	0.09
Eucalyptol	< MRL	0.09
Ocimene	< MRL	0.06
gamma-Terpinene	< MRL	0.09
Sabinene Hydrate	< MRL	0.09
Terpinolene	< MRL	0.09
Linalool	0.10	0.09
Fenchol	< MRL	0.09
Menthol	< MRL	0.09
Terpineol	< MRL	0.09
Citronellol	< MRL	0.09
Isopulegol	< MRL	0.09
Geraniol	< MRL	0.09
Alpha-cedrene	< MRL	0.07
Beta-Caryophyllene	0.36	0.09
Farnesene	< MRL	0.09
alpha-Humulene	0.18	0.09
Valencene	< MRL	0.09
cis-Nerolidol	< MRL	0.03
trans-Nerolidol	< MRL	0.05
Caryophyllene oxide	< MRL	0.09
Guaiol	0.12	0.09
alpha-Bisabolol	0.13	0.09

MRL = Minimum reporting limit/limit of quantification

Test ID: #99165 | Date Tested: 03/13/2025 09:22 AM

Terpenes Summary	Result	Limit	Pass/Fail
Total Terpenes (% w/w)	1.31	10	PASS



Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Residual Solvents: JPPDIF-0425-004 (20250310-EMNY-028)

PASS

Residual solvents and processing chemicals analysis utilizing Headspace Gas Chromatography – Mass Spectrometry (GC-MS: SOP-067-GA, SOP-010-GA)

Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
1,2-Dichloroethane	PASS	< MRL	5	4.239
2-Propanol	PASS	< MRL	5000	635.068
Acetone	PASS	< MRL	5000	127.014
Acetonitrile	PASS	< MRL	410	52.076
Butanes, total	PASS	< MRL	5000	635.068
Benzene	PASS	< MRL	2	0.848
Chloroform	PASS	< MRL	60	7.621
Dichloromethane	PASS	< MRL	600	76.208
Dimethyl Sulfoxide	PASS	< MRL	5000	1143.122
Ethanol	PASS	< MRL	5000	635.068
Ethyl acetate	PASS	< MRL	5000	635.068
Ethyl ether	PASS	< MRL	5000	635.068
n-Heptane	PASS	< MRL	5000	635.068
Hexanes, total	PASS	< MRL	290	36.834
Methanol	PASS	< MRL	3000	381.041
Pentanes, total	PASS	< MRL	5000	635.068
Propane	PASS	< MRL	5000	635.068
Tetrafluoroethane (1,1,1,2-) (HFC-134a)	PASS	< MRL	1000	411.524
Toluene	PASS	< MRL	890	113.042
Trichloroethane	PASS	< MRL	1500	1143.122
Xylenes, total	PASS	< MRL	2170	275.620

MRL = Minimum reporting limit/limit of quantification

Test ID: #99163 | Date Tested: 03/13/2025 07:03 AM



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits.

Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Pesticides: JPPDIF-0425-004 (20250310-EMNY-028)

PASS

Residual pesticide analysis utilizing Liquid Chromatography - Mass Spectrometry (LC-MS/MS: SOP-062-GA, SOP-070-GA)

Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
Abamectin	PASS	< MRL	0.50	0.100
Acephate	PASS	< MRL	0.40	0.100
Acequinocyl	PASS	< MRL	2.00	0.100
Acetamiprid	PASS	< MRL	0.20	0.100
Aldicarb	PASS	< MRL	0.40	0.100
Azadirachtin	PASS	< MRL	1.00	0.250
Azoxystrobin	PASS	< MRL	0.20	0.100
Bifenazate	PASS	< MRL	0.20	0.100
Bifenthrin	PASS	< MRL	0.20	0.100
Boscalid	PASS	< MRL	0.40	0.100
Captan	PASS	< MRL	1.00	0.500
Carbaryl	PASS	< MRL	0.20	0.100
Carbofuran	PASS	< MRL	0.20	0.100
Chlorantranilprole	PASS	< MRL	0.20	0.100
Chlordane	PASS	< MRL	1.00	0.250
Chlorfenapyr	PASS	< MRL	1.00	0.050
Chlormequat chloride	PASS	< MRL	1.00	0.100
Chlorpyrifos	PASS	< MRL	0.20	0.100
Clofentezine	PASS	< MRL	0.20	0.100
Coumaphos	PASS	< MRL	1.00	0.100
Cyfluthrin	PASS	< MRL	1.00	0.100
Cypermethrin	PASS	< MRL	1.00	0.100
Daminozide	PASS	< MRL	1.00	0.100
Diazinon	PASS	< MRL	0.20	0.100
Dichlorvos	PASS	< MRL	1.00	0.100
Dimethoate	PASS	< MRL	0.20	0.100
Dimethomorph	PASS	< MRL	1.00	0.100
Ethoprophos	PASS	< MRL	0.20	0.100
Etofenprox	PASS	< MRL	0.40	0.100
Etoxazole	PASS	< MRL	0.20	0.100
Fenhexamid	PASS	< MRL	1.00	0.100
Fenoxycarb	PASS	< MRL	0.20	0.100
Fenpyroximate	PASS	< MRL	0.40	0.100
Fipronil	PASS	< MRL	0.40	0.100
Flonicamid	PASS	< MRL	1.00	0.100
Fludioxonil	PASS	< MRL	0.40	0.100
Hexythiazox	PASS	< MRL	1.00	0.100
Imazalil	PASS	< MRL	0.20	0.100
Imidacloprid	PASS	< MRL	0.40	0.100
Indole-3-butyric acid	PASS	< MRL	1.00	0.250
Kresoxim-methyl	PASS	< MRL	0.40	0.100
Malathion	PASS	< MRL	0.20	0.100
Metalaxyl	PASS	< MRL	0.20	0.100
Methiocarb	PASS	< MRL	0.20	0.100
Methomyl	PASS	< MRL	0.40	0.100
Methyl Parathion	PASS	< MRL	0.20	0.050
Mevinphos	PASS	< MRL	1.00	0.100
MGK-264 I/II	PASS	< MRL	0.20	0.100
Myclobutanil	PASS	< MRL	0.20	0.100
Naled	PASS	< MRL	0.50	0.100
Oxamyl	PASS	< MRL	1.00	0.100
Paclobutrazol	PASS	< MRL	0.40	0.100
Pentachloronitrobenzene	PASS	< MRL	1.00	0.250
Permethrins, total	PASS	< MRL	0.20	0.100
Phosmet	PASS	< MRL	0.20	0.100
Piperonyl butoxide	PASS	< MRL	2.00	0.100
Prallethrin	PASS	< MRL	0.20	0.100
Propiconazole	PASS	< MRL	0.40	0.100
Propoxur	PASS	< MRL	0.20	0.100
Pyrethrins	PASS	< MRL	1.00	0.100
Pyridaben	PASS	< MRL	0.20	0.100
Spinetoram, Total	PASS	< MRL	1.00	0.100
Spinosad, Total	PASS	< MRL	0.20	0.100
Spiromesifen	PASS	< MRL	0.20	0.100
Spirotetramat	PASS	< MRL	0.20	0.100
Spiroxamine	PASS	< MRL	0.20	0.100
Tebuconazole	PASS	< MRL	0.40	0.100
Thiacloprid	PASS	< MRL	0.20	0.100
Thiamethoxam	PASS	< MRL	0.20	0.100
Trifloxystrobin	PASS	< MRL	0.20	0.100

MRL = Minimum reporting limit/limit of quantification

Test ID: #99164 | Date Tested: 03/15/2025 07:47 AM



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Mycotoxins: JPPDIF-0425-004 (20250310-EMNY-028)

PASS

Mycotoxin analysis utilizing Liquid Chromatography - Mass Spectrometry (LC-MS/MS: SOP-062-GA, SOP-070-GA)

Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
Ochratoxin	PASS	< MRL	0.02	0.010
Total Aflatoxins	PASS	< MRL	0.02	0.010

MRL = Minimum reporting limit/limit of quantification

Test ID: #99160 | Date Tested: 03/15/2025 07:48 AM

Heavy Metals: JPPDIF-0425-004 (20250310-EMNY-028)

PASS

Heavy Metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (ICP-MS: SOP-061-NY, SOP-072-GA)

Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
Chromium	PASS	< MRL	110.0	8.00
Nickel	PASS	< MRL	5.0	1.00
Copper	PASS	< MRL	30.0	8.00
Arsenic	PASS	< MRL	0.2	0.10
Cadmium	PASS	< MRL	0.2	0.10
Antimony	PASS	< MRL	2.0	1.00
Mercury	PASS	< MRL	0.1	0.05
Lead	PASS	< MRL	0.5	0.20

MRL = Minimum reporting limit/limit of quantification

Test ID: #99161 | Date Tested: 03/12/2025 07:39 AM

Microbiological Screen: JPPDIF-0425-004 (20250310-EMNY-028)

PASS

Microbial analysis utilizing quantitative Polymerase Chain Reaction and microbial enumeration (qPCR; SOP-700-NY, SOP-701-NY)

Analyte	Pass/Fail	Results (CFU/g)	Limit (CFU/g)	MRL (CFU/g)
Total Aerobic Bacteria	PASS	2091	None	100
Total Yeast & Mold	PASS	48728	None	100
Salmonella spp	PASS	Absent	Absent	1
Shiga toxin-producing E. coli	PASS	Absent	Absent	1
Aspergillus (fumigatus, flavus, niger, terreus)	PASS	Absent	Absent	1

MRL = Minimum reporting limit/limit of quantification

Test ID: #99167 | Date Tested: 03/17/2025 01:57 PM

Moisture Content: JPPDIF-0425-004 (20250310-EMNY-028)

PASS

Moisture content analysis utilizing Moisture Balance (MB; SOP-055-GA)

Analyte	Pass/Fail	Result (%)	Limit (%)
Moisture	PASS	5.2	15

MRL = Minimum reporting limit/limit of quantification

Test ID: #99166 | Date Tested: 03/20/2025 06:00 AM

Water Activity: JPPDIF-0425-004 (20250310-EMNY-028)

PASS

Water activity analysis utilizing a chilled mirror dew point sensor (SOP-059-GA)

Analyte	Pass/Fail	Result (a _w)	Limit (a _w)
Water Activity	PASS	0.22	0.65

MRL = Minimum reporting limit/limit of quantification

Test ID: #99168 | Date Tested: 03/20/2025 06:00 AM



Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Filth and Foreign Material: JPPDIF-0425-004 (20250310-EMNY-028)**PASS**

Filth and Foreign Material analysis utilizing microscopy (SOP-057-NY)

Analyte	Results	Limit	Pass/Fail
Foreign Material (other, % m/m)	ND	2	PASS
Foreign Material (stems, % m/m)	ND	5	PASS
Mammalian Excreta (mg/lb)	ND	1	PASS

ND = Not Detected

Test ID: #99162 | Date Tested: 03/20/2025 06:00 AM



Matthew Elmes
Lab Director
3/21/2025

