FIZZY LIFTING CRYSTALS LOT# 0035

greenanalytics my.llc

Green Analytics NY, LLC
455 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License no. OCM-CPL-00013
ISO 17025 Certificate No.: 4356.01

Certificate of Analysis
Full Compliance Test

Sample Result: PASS

Date Reported:	3/1/2025	**Sample ID:**	20250212-GZGO-002
Client Name:	Gezoont Goodies NY LLC	**Sample Name:**	Fizzy Lifting Crystals
Sampling Location:	Rockaway, New York	**Sample Matrix:**	Edible
Contact Name:	Kenny Bodmer	**Sample Sub Type:**	Edible
Contact Email:	kennethbodmer@live.com	**Package ID:**	
License Number:	OCM-PROC-23-000041	**Batch Lot ID:**	0035
Phone:	914-621-8545	**Batch Size:**	2500
Medical/Adult Use:	Adult Use	**Serving Size (g):**	4.5
Sampling Date:	02/12/2025 09:34:00 AM		

Potency	T	Pesticides	P	Heavy Metals	P
Mycotoxins	P	Water Activity	P	Microbiological	P
Residual Solvents	P	Terpenes	P	Moisture	
Filth & Foreign Material					

"T" = Not Tested, "T" = Tested, "P" = Pass, "F" = Fail

Cannabinoids: Fizzy Lifting Crystals (20250212-GZGO-002)

Potency analysis utilizing HPLC (HPLC-UV, SOP-013-GA)

Analyte	% w/w	mg/serving	MRL (% w/w)
CBDV	< MRL	< MRL	0.062
CBDA	< MRL	< MRL	0.062
CBGA	< MRL	< MRL	0.062
CBG	< MRL	< MRL	0.062
CBN	< MRL	< MRL	0.062
THCV	0.013	0.063	0.062
CBN	< MRL	< MRL	0.062
D9-THC	< MRL	< MRL	0.062
D8-THC	< MRL	< MRL	0.062
D10-THC S	< MRL	< MRL	0.062
D10-THC R	< MRL	< MRL	0.062
CBD	< MRL	< MRL	0.062
THCA	< MRL	< MRL	0.062

MRL = Minimum reporting limit/limit of quantification
mg/serving = % w/w x 0.5 x net wtg. x 1000 (g)

Potency Summary	% w/w	mg/serving
Total THC (Δ9-THC+0.877*Δ9-THCA+THCV+0.877*THCVA)	0.200	10.000
Total CBD (CBD+0.877*CBDA+CBDV+0.877*CBDVA)	< MRL	< MRL
Total Cannabinoids	3.763	12.063

Results pertain to the sample received according to sampling procedures SOP-002-NY & SOP-003-NY and relate only to items tested. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Page 1 of 5

greenanalytics my.llc

Green Analytics NY, LLC
455 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License no. OCM-CPL-00013
ISO 17025 Certificate No.: 4356.01

Certificate of Analysis
Full Compliance Test

Terpenes: Fizzy Lifting Crystals (20250212-GZGO-002)

Terpenes analysis utilizing GC-MS (GC-MS, SOP-062-GA, SOP-066-GA)

Analyte	Result (% w/w)	MRL (% w/w)
alpha-Pinene	< MRL	0.10
Camphene	< MRL	0.10
Sabinene	< MRL	0.10
beta-Pinene	< MRL	0.10
beta-Myrcene	< MRL	0.10
alpha-Phellandrene	< MRL	0.10
Carene	< MRL	0.10
alpha-terpinene	< MRL	0.10
Limonene	< MRL	0.10
Linalool	< MRL	0.10
Eucalptol	< MRL	0.10
Ocimene	< MRL	0.10
gamma-Terpinene	< MRL	0.10
Sabinene Hydrate	< MRL	0.10
Terpinolene	< MRL	0.10
Linalool	< MRL	0.10
Fenchol	< MRL	0.10
Camphor	< MRL	0.10
Isopinol	< MRL	0.10
Citronellal	< MRL	0.10
Menthol	< MRL	0.10
Borneol	< MRL	0.10
alpha-cedrene	< MRL	0.08
Caryophyllene	< MRL	0.08
Fenchone	< MRL	0.10
alpha-Humulene	< MRL	0.10
Terpinene	< MRL	0.10
dl-Nerolidol	< MRL	0.04
trans-Nerolidol	< MRL	0.06
Caryophyllene oxide	< MRL	0.10
Guaiol	< MRL	0.10
alpha-Bisabolol	< MRL	0.10

MRL = Minimum reporting limit/limit of quantification

Terpenes Summary	Result	Limit	Pass/Fail
Total Terpenes (% w/w)	< MRL	10	PASS

Results pertain to the sample received according to sampling procedures SOP-002-NY & SOP-003-NY and relate only to items tested. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Page 2 of 5

greenanalytics my.llc

Green Analytics NY, LLC
455 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License no. OCM-CPL-00013
ISO 17025 Certificate No.: 4356.01

Certificate of Analysis
Full Compliance Test

Residual Solvents: Fizzy Lifting Crystals (20250212-GZGO-002) PASS

Residual solvents and processing chemicals analysis utilizing Headspace Gas Chromatography - Mass Spectrometry (GC-MS, SOP-067-GA, SOP-015-GA)

Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
1,1-Dichloroethene	PASS	< MRL	8	0.154
2-Propanol	PASS	< MRL	5000	32.083
Acetone	PASS	< MRL	5000	32.083
Acetonitrile	PASS	< MRL	410	2.631
Butanes, total	PASS	< MRL	5000	32.083
Benzene	PASS	< MRL	2	0.154
Chloroform	PASS	< MRL	60	0.385
Dichloromethane	PASS	< MRL	600	3.850
Ethyl ether	PASS	< MRL	5000	32.083
Ethanol	PASS	< MRL	5000	32.083
Ethyl acetate	PASS	< MRL	5000	32.083
Ethyl ether	PASS	< MRL	5000	32.083
n-Hexane	PASS	< MRL	5000	32.083
Hexanes, total	PASS	< MRL	290	1.861
Methanol	PASS	< MRL	3000	19.250
Pentanes, total	PASS	< MRL	5000	32.083
Propane	PASS	< MRL	5000	32.083
Propane, 2-methoxy-2-methyl- (MTBE)	PASS	< MRL	5000	32.083
Toluene	PASS	< MRL	890	5.712
Trichloroethene	PASS	< MRL	3920	51.750
Xylenes, total	PASS	< MRL	2170	13.924

MRL = Minimum reporting limit/limit of quantification

Results pertain to the sample received according to sampling procedures SOP-002-NY & SOP-003-NY and relate only to items tested. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Page 3 of 5

greenanalytics my.llc

Green Analytics NY, LLC
455 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License no. OCM-CPL-00013
ISO 17025 Certificate No.: 4356.01

Certificate of Analysis
Full Compliance Test

Pesticides: Fizzy Lifting Crystals (20250212-GZGO-002) PASS

Pesticid pesticide analysis utilizing Liquid Chromatography - Mass Spectrometry (LC-MS/MS, SOP-042-GA, SOP-015-GA)

Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
Abamectin	PASS	< MRL	0.50	0.100
Acephate	PASS	< MRL	0.20	0.100
Acequinocyl	PASS	< MRL	2.00	0.100
Acetamiprid	PASS	< MRL	0.20	0.100
Aldicarb	PASS	< MRL	0.20	0.100
Azoxystrobin	PASS	< MRL	2.00	0.100
Bifenazate	PASS	< MRL	0.20	0.100
Bifenthrin	PASS	< MRL	0.20	0.100
Boscalid	PASS	< MRL	0.40	0.100
Brodifacoum	PASS	< MRL	0.40	0.100
Captan	PASS	< MRL	1.00	0.500
Carbaryl	PASS	< MRL	0.20	0.100
Carbofuran	PASS	< MRL	0.20	0.100
Chlorantraniliprole	PASS	< MRL	0.20	0.100
Clofentezine	PASS	< MRL	0.20	0.100
Chlothianidin	PASS	< MRL	1.00	0.250
Cyfluthrin, total	PASS	< MRL	1.00	0.500
Chlorpyrifos	PASS	< MRL	0.20	0.100
Clofentezine	PASS	< MRL	0.20	0.100
Coumaphos	PASS	< MRL	1.00	0.100
Cyfluthrin	PASS	< MRL	1.00	0.100
Cyhalothrin	PASS	< MRL	0.20	0.100
Cypermethrin	PASS	< MRL	1.00	0.100
Daminozide	PASS	< MRL	1.00	0.100
Diazinon	PASS	< MRL	0.20	0.100
Dichlorvos	PASS	< MRL	1.00	0.100
Dimethoate	PASS	< MRL	0.20	0.100
Dimethomorph	PASS	< MRL	2.00	0.100
Ethoprophos	PASS	< MRL	0.20	0.100
Etofenprox	PASS	< MRL	0.20	0.100
Etoxazole	PASS	< MRL	0.20	0.100
Fenhexamid	PASS	< MRL	1.00	0.100
Fenpyroximate	PASS	< MRL	0.40	0.100
Fenpyrazamine	PASS	< MRL	0.40	0.100
Flonicamid	PASS	< MRL	1.00	0.100
Fludioxonil	PASS	< MRL	0.40	0.100
Hexythiazox	PASS	< MRL	0.20	0.100
Imidacloprid	PASS	< MRL	0.20	0.100
Indoxacarb	PASS	< MRL	0.40	0.100
Kresoxim-methyl	PASS	< MRL	0.40	0.100
Malathion	PASS	< MRL	0.20	0.100
Metalaxyl	PASS	< MRL	0.20	0.100
Methiocarb	PASS	< MRL	0.20	0.100
Methomyl	PASS	< MRL	1.00	0.100
Methyl Parathion	PASS	< MRL	0.20	0.050
Mevinphos	PASS	< MRL	0.20	0.100
Myclobutanil	PASS	< MRL	0.20	0.100
Naled	PASS	< MRL	0.50	0.100
Oxamyl	PASS	< MRL	1.00	0.100
Pyrethrins	PASS	< MRL	1.00	0.100
Pyridaben	PASS	< MRL	0.20	0.100
Spinetoram, total	PASS	< MRL	0.20	0.100
Spinosad, total	PASS	< MRL	0.20	0.100
Spiromesifen	PASS	< MRL	0.20	0.100
Spirotetramat	PASS	< MRL	0.20	0.100
Spiroxamine	PASS	< MRL	0.20	0.100
Tebuconazole	PASS	< MRL	0.40	0.100
Thiacloprid	PASS	< MRL	0.20	0.100
Thiamethoxam	PASS	< MRL	0.20	0.100
Trifloxystrobin	PASS	< MRL	0.20	0.100

MRL = Minimum reporting limit/limit of quantification

Results pertain to the sample received according to sampling procedures SOP-002-NY & SOP-003-NY and relate only to items tested. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Page 4 of 5

greenanalytics my.llc

Green Analytics NY, LLC
455 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License no. OCM-CPL-00013
ISO 17025 Certificate No.: 4356.01

Certificate of Analysis
Full Compliance Test

Mycotoxins: Fizzy Lifting Crystals (20250212-GZGO-002) PASS

Mycotoxin analysis utilizing Liquid Chromatography - Mass Spectrometry (LC-MS/MS, SOP-062-GA, SOP-015-GA)

Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
Ochratoxin	PASS	< MRL	0.02	0.010
TotalAflatoxins	PASS	< MRL	0.02	0.010

MRL = Minimum reporting limit/limit of quantification

Heavy Metals: Fizzy Lifting Crystals (20250212-GZGO-002) PASS

Heavy Metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (ICP-MS, SOP-062-NY, SOP-015-GA)

Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
Chromium	PASS	< MRL	110.0	0.50
Nickel	PASS	< MRL	20.0	0.50
Copper	PASS	< MRL	300.0	0.50
Arsenic	PASS	< MRL	1.5	0.10
Cadmium	PASS	< MRL	0.5	0.05
Antimony	PASS	< MRL	320.0	1.00
Mercury	PASS	< MRL	3.0	0.05
Lead	PASS	< MRL	0.5	0.20

MRL = Minimum reporting limit/limit of quantification

Microbiological Screen: Fizzy Lifting Crystals (20250212-GZGO-002) PASS

Microbial analysis utilizing quantitative Polymerase Chain Reaction and microbial enumeration (qPCR, SOP-700-NY, SOP-701-NY)

Analyte	Pass/Fail	Result (CFU/g)	Limit (CFU/g)	MRL (CFU/g)
Aerobic Bacteria Screen	PASS	Absent	10000	10
Total Yeast & Mold	PASS	< MRL	1000	10
Salmonella spp	PASS	Absent	Absent	1
Shiga toxin producing E. coli	PASS	Absent	Absent	1
Aspergillus (fumigatus, flavus, niger, terreus)	PASS	Absent	Absent	1

MRL = Minimum reporting limit/limit of quantification

Water Activity: Fizzy Lifting Crystals (20250212-GZGO-002) PASS

Water activity analysis utilizing a chilled mirror dew point sensor (SOP-003-GA)

Analyte	Pass/Fail	Result (a_w)	Limit (a_w)
Water Activity	PASS	0.36	0.85

MRL = Minimum reporting limit/limit of quantification

Matthew Elkins
Lab Director
3/1/2025

Results pertain to the sample received according to sampling procedures SOP-002-NY & SOP-003-NY and relate only to items tested. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Page 5 of 5

Copyright © 2025 Gezoont Goodies - All Rights Reserved.
Powered by GoDaddy Airo