


Certificate of Analysis

FOR COMPLIANCE

Laboratory Sample ID: AL50217004-004



Production Method: Cured

Harvest/Lot ID: ACO-3.5-MZK

Batch#: ACO-3.5-MZK

Seed to Sale#: NA

Sample Size Received: 8 units

Total Amount: 900 units

Retail Product Size: 3.5 gram

Retail Serving Size: 1 gram

Servings: 3.5

Sampled: 02/17/25 01:05 PM

Sampling Start: 01:05 PM

Sampling End: 01:30 PM

Revision Date: 03/27/25

Sampling Method: SOP.T.20.010.NY

Adonis

License # : OCM-PROC-24-000063

34 W Fulton St

Gloversville, NY, 12078, US

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
PASSED

MISC.



Cannabinoid

PASSED



Total THC

29.0423%

Total THC/Container : 1016.4805 mg



Total CBD

<0.1000

Total CBD/Container : 0.0000 mg



Total Cannabinoids

34.7443%

Total Cannabinoids/Container :
1216.0505 mg

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	D8-THC	CBGA	CBN	D9-THC	THCA	THCV
%	<0.1000	<0.1000	<0.1000	<0.1000	<0.1000	<0.1000	<0.1000	<0.1000	1.8153	<0.1000	1.3304	31.5986	<0.1000
mg/unit	<3.500	<3.500	<3.500	<3.500	<3.500	<3.500	<3.500	<3.500	63.536	<3.500	46.564	1105.951	<3.500
LOQ	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000
%	%	%	%	%	%	%	%	%	%	%	%	%	%

Weight:
0.1544g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 02/19/25 08:21:19

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164



Signature
02/24/25

Revision: #1 - Report revised to correct overall pass/fail designation of the sample.
Revision: #2 - Report has been revised to include remediated micro results (run as AL50324001-001). Remediation results supersede and overwrite initial microbial results.

Revision: #2 This revision supersedes any and all previous versions of this document.



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs

Mandarin Zookies
Mandarin Zookies
Matrix : Flower
Type: Flower - Cured



Certificate of Analysis

PASSED

Adonis

34 W Fulton St
Gloversville, NY, 12078, US
Telephone: (443) 286-7108
Email: adugan@adonisny.com
License # : OCM-PROC-24-000063

Sample : AL50217004-004
Harvest/Lot ID: ACO-3.5-MZK
Batch# : ACO-3.5-MZK
Sampled : 02/17/25 01:05 PM

Sample Size Received : 8 units
Total Amount : 900 units
Sampling Method : SOP.T.20.010.NY

Page 2 of 5



Terpenes

PASSED

Terpenes	LOQ (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOQ (%)	Pass/Fail	mg/unit	Result (%)
BETA-MYRCENE	0.00	PASS	17.150	0.4900	BETA-MYRCENE	0.00	PASS	17.150	0.4900
BETA-CARYOPHYLLENE	0.00	PASS	16.450	0.4700	BETA-CARYOPHYLLENE	0.00	PASS	16.450	0.4700
LIMONENE	0.00	PASS	7.700	0.2200	LIMONENE	0.00	PASS	7.700	0.2200
ALPHA-HUMULENE	0.00	PASS	4.900	0.1400	ALPHA-HUMULENE	0.00	PASS	4.900	0.1400
ALPHA-PINENE	0.00	PASS	4.900	0.1400	ALPHA-PINENE	0.00	PASS	4.900	0.1400
BETA-PINENE	0.00	PASS	3.500	0.1000	BETA-PINENE	0.00	PASS	3.500	0.1000
LINALOOL	0.00	PASS	2.100	0.0600	LINALOOL	0.00	PASS	2.100	0.0600
ALPHA-TERPINEOL	0.00	PASS	1.050	0.0300	ALPHA-TERPINEOL	0.00	PASS	1.050	0.0300
CARYOPHYLLENE OXIDE	0.00	PASS	1.050	0.0300	CARYOPHYLLENE OXIDE	0.00	PASS	1.050	0.0300
FENCHYL ALCOHOL	0.00	PASS	1.050	0.0300	FENCHYL ALCOHOL	0.00	PASS	1.050	0.0300
VALERIC ACID	0.00	PASS	1.050	0.0300	VALERIC ACID	0.00	PASS	1.050	0.0300
ALPHA-BISABOLOL	0.00	PASS	1.350	0.0300	ALPHA-BISABOLOL	0.00	PASS	1.350	0.0300
GERANIOL	0.00	PASS	0.700	0.0200	GERANIOL	0.00	PASS	0.700	0.0200
CAMPHENE	0.00	PASS	0.350	0.0100	CAMPHENE	0.00	PASS	0.350	0.0100
OCIMENE	0.00	PASS	0.350	0.0100	OCIMENE	0.00	PASS	0.350	0.0100
FARNESENE	0.10	PASS	<3.500	<0.1000	FARNESENE	0.10	PASS	<3.500	<0.1000
TERPINOLENE	0.00	PASS	<0.140	<0.0040	TERPINOLENE	0.00	PASS	<0.140	<0.0040
ALPHA-PHELLANDRENE	0.00	PASS	<0.140	<0.0040	ALPHA-PHELLANDRENE	0.00	PASS	<0.140	<0.0040
GUAIOL	0.00	PASS	<0.140	<0.0040	GUAIOL	0.00	PASS	<0.140	<0.0040
MENTHOL	0.00	PASS	<0.140	<0.0040	MENTHOL	0.00	PASS	<0.140	<0.0040
ALPHA-TERPINENE	0.00	PASS	<0.140	<0.0040	ALPHA-TERPINENE	0.00	PASS	<0.140	<0.0040
Total (%)			1.8100		Total (%)			1.8100	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
02/24/25

Revision: #1 - Report revised to correct overall pass/fail designation of the sample.
Revision: #2 - Report has been revised to include remediated micro results (run as AL50324001-001). Remediation results supersede and overwrite initial microbial results.

Revision: #2 This revision supersedes any and all previous versions of this document.



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs

Mandarin Zookies
Mandarin Zookies
Matrix : Flower
Type: Flower - Cured



Certificate of Analysis

PASSED

Adonis

34 W Fulton St
Gloversville, NY, 12078, US
Telephone: (443) 286-7108
Email: adugan@adonisny.com
License #: OCM-PROC-24-000063

Sample : AL50217004-004
Harvest/Lot ID: ACO-3.5-MZK
Batch #: ACO-3.5-MZK
Sampled : 02/17/25 01:05 PM

Sample Size Received : 8 units
Total Amount : 900 units
Sampling Method : SOP.T.20.010.NY

Page 3 of 5



Pesticides

PASSED

Pesticide	LOQ	Units	Action Level	Pass/Fail	Result	Pesticide	LOQ	Units	Action Level	Pass/Fail	Result
ACEQUINOXYL	0.1000	ppm	2	PASS	<0.1000	OXAMYL	0.1000	ppm	1	PASS	<0.1000
PRALLETHRIN	0.1000	ppm	0.2	PASS	<0.1000	PACLOBUTRAZOL	0.1000	ppm	0.4	PASS	<0.1000
PYRETHRINS, TOTAL	0.1000	ppm	1	PASS	<0.1000	PERMETHRIN	0.1000	ppm	0.2	PASS	<0.1000
AZADIRACTHIN	0.1000	ppm	1	PASS	<0.1000	PHOSMET	0.1000	ppm	0.2	PASS	<0.1000
INDOLE-3-BUTYRIC ACID	0.1000	ppm	1	PASS	<0.1000	PROPOCONAZOLE	0.1000	ppm	0.4	PASS	<0.1000
MYCLOBUTANIL	0.1000	ppm	0.2	PASS	<0.1000	PROPOXUR	0.1000	ppm	0.2	PASS	<0.1000
PIPERONYL BUTOXIDE	0.1000	ppm	2	PASS	<0.1000	PYRIDABEN	0.1000	ppm	0.2	PASS	<0.1000
ABAMECTIN B1A	0.1000	ppm	0.5	PASS	<0.1000	SPINETORAM, TOTAL	0.1000	ppm	1	PASS	<0.1000
ACEPHATE	0.1000	ppm	0.4	PASS	<0.1000	SPINOSAD, TOTAL	0.1000	ppm	0.2	PASS	<0.1000
ACETAMIPRID	0.1000	ppm	0.2	PASS	<0.1000	SPIROMESIFEN	0.1000	ppm	0.2	PASS	<0.1000
ALDICARB	0.1000	ppm	0.4	PASS	<0.1000	SPIROTRAMAT	0.1000	ppm	0.2	PASS	<0.1000
AZOXYSTROBIN	0.1000	ppm	0.2	PASS	<0.1000	SPIROXAMINE	0.1000	ppm	0.2	PASS	<0.1000
CHLORMEQUAT CHLORIDE	0.1000	ppm	1	PASS	<0.1000	TEBUCONAZOLE	0.1000	ppm	0.4	PASS	<0.1000
BIFENAZATE	0.1000	ppm	0.2	PASS	<0.1000	THIACLOPRID	0.1000	ppm	0.2	PASS	<0.1000
BIFENTHRIN	0.1000	ppm	0.2	PASS	<0.1000	THIAMETHOXAM	0.1000	ppm	0.2	PASS	<0.1000
CARBARYL	0.1000	ppm	0.2	PASS	<0.1000	TRIFLOXYSTROBIN	0.1000	ppm	0.2	PASS	<0.1000
COUMAPHOS	0.1000	ppm	1	PASS	<0.1000	CAPTAN *	0.1000	ppm	1	PASS	<0.1000
CHLORPYRIFOS	0.1000	ppm	0.2	PASS	<0.1000	CHLORDANE *	0.1000	ppm	1	PASS	<0.1000
CARBOFURAN	0.1000	ppm	0.2	PASS	<0.1000	CHLORFENAPYR *	0.1000	ppm	1	PASS	<0.1000
DAMINOZIDE	0.1000	ppm	1	PASS	<0.1000	CYFLUTHRIN *	0.1000	ppm	1	PASS	<0.1000
BOSCALID	0.1000	ppm	0.4	PASS	<0.1000	CYPERMETHRIN *	0.1000	ppm	1	PASS	<0.1000
DIAZINON	0.1000	ppm	0.2	PASS	<0.1000	METHYL PARATHION *	0.1000	ppm	0.2	PASS	<0.1000
CLOFENTEZINE	0.1000	ppm	0.2	PASS	<0.1000	MGK-264 *	0.1000	ppm	0.2	PASS	<0.1000
CHLORANTHANILIPROLE	0.1000	ppm	0.2	PASS	<0.1000	PENTACHLORONITROBENZENE *	0.1000	ppm	1	PASS	<0.1000
DICHLORVOS	0.1000	ppm	1	PASS	<0.1000						
DIMETHOATE	0.1000	ppm	0.2	PASS	<0.1000	Weight:					
DIMETHOMORPH	0.1000	ppm	1	PASS	<0.1000	0.9531g					
ETHOPROPHOS	0.1000	ppm	0.2	PASS	<0.1000	Analysis Method : SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY					
ETOFENPROX	0.1000	ppm	0.4	PASS	<0.1000	Analyzed Date : 02/19/25 13:10:12					
ETOXAZOLE	0.1000	ppm	0.2	PASS	<0.1000						
FENHEXAMID	0.1000	ppm	1	PASS	<0.1000	Weight:					
FENOXICARB	0.1000	ppm	0.2	PASS	<0.1000	0.9531g					
FENPYROXIMATE	0.1000	ppm	0.4	PASS	<0.1000	Analysis Method : SOP.T.40.154.NY					
FIPRONIL	0.1000	ppm	0.4	PASS	<0.1000	Analyzed Date : 02/19/25 12:24:09					
FLONICAMID	0.1000	ppm	1	PASS	<0.1000						
FLUDIOXONIL	0.1000	ppm	0.4	PASS	<0.1000						
HEXYTHIAZOX	0.1000	ppm	1	PASS	<0.1000						
IMAZALIL	0.1000	ppm	0.2	PASS	<0.1000						
IMIDACLOPRID	0.1000	ppm	0.4	PASS	<0.1000						
KRESOXIM METHYL	0.1000	ppm	0.4	PASS	<0.1000						
MALATHION	0.1000	ppm	0.2	PASS	<0.1000						
METALAXYL	0.1000	ppm	0.2	PASS	<0.1000						
METHIOCARB	0.1000	ppm	0.2	PASS	<0.1000						
METHOMYL	0.1000	ppm	0.4	PASS	<0.1000						
MEVINPHOS	0.1000	ppm	1	PASS	<0.1000						
NALED	0.1000	ppm	0.5	PASS	<0.1000						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Revision: #2 This revision supersedes any and all previous versions of this document.

Erica Troy
Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
02/24/25

Revision: #1 - Report revised to correct overall pass/fail designation of the sample.
Revision: #2 - Report has been revised to include remediated micro results (run as AL50324001-001). Remediation results supersede and overwrite initial microbial results.



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs

Mandarin Zookies

Mandarin Zookies

Matrix : Flower

Type: Flower - Cured



Certificate of Analysis

PASSED


Adonis


34 W Fulton St
Gloversville, NY, 12078, US
Telephone: (443) 286-7108
Email: adugan@adonisny.com
License #: OCM-PROC-24-000063


Sample : AL50217004-004
Harvest/Lot ID: ACO-3.5-MZK
Batch #: ACO-3.5-MZK
Sampled : 02/17/25 01:05 PM

Sample Size Received : 8 units
Total Amount : 900 units
Sampling Method : SOP.T.20.010.NY

Page 4 of 5

	Microbial	PASSED			
Analyte	LOQ	Units	Result	Pass / Fail	Action Level
TOTAL AEROBIC BACTERIA	100	CFU/g	<100	TESTED	
TOTAL YEAST AND MOLD	100	CFU/g	7700	TESTED	
ESCHERICHIA COLI SHIGELLA SPP	1		Not Present	PASS	
SALMONELLA SPECIES	1		Not Present	PASS	
ASPERGILLUS TERREUS	1		Not Present	PASS	
ASPERGILLUS NIGER	1		Not Present	PASS	
ASPERGILLUS FLAVUS	1		Not Present	PASS	
ASPERGILLUS FUMIGATUS	1		Not Present	PASS	
Weight: 0.93g					
Analysis Method : SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.056C, SOP.T.40.209.NY Analyzed Date : 03/27/25 16:22:35					

	Mycotoxins	PASSED			
Analyte	LOQ	Units	Result	Pass / Fail	Action Level
AFLATOXIN G2	0.0025	ppm	<0.0025	PASS	0.02
AFLATOXIN G1	0.0025	ppm	<0.0025	PASS	0.02
AFLATOXIN B2	0.0025	ppm	<0.0025	PASS	0.02
AFLATOXIN B1	0.0025	ppm	<0.0025	PASS	0.02
OCHRATOXIN A+	0.0100	ppm	<0.0100	PASS	0.02
TOTAL AFLATOXINS (B1, B2, G1, G2)	0.0025	ppm	<0.0025	PASS	0.02
Weight: 0.9531g					
Analysis Method : SOP.T.30.104.NY, SOP.T.40.104.NY Analyzed Date : 02/19/25 13:25:29					

	Heavy Metals	PASSED			
Metal	LOQ	Units	Result	Pass / Fail	Action Level
ANTIMONY	0.1000	ug/g	<0.1000	PASS	2
ARSENIC	0.1000	ug/g	<0.1000	PASS	0.2
CADMIUM	0.1000	ug/g	<0.1000	PASS	0.2
CHROMIUM	1.0000	ug/g	<1.0000	PASS	110
COPPER	1.0000	ug/g	11.8809	PASS	30
LEAD	0.1000	ug/g	<0.1000	PASS	0.5
MERCURY	0.0100	ug/g	<0.0100	PASS	0.1
NICKEL	0.1000	ug/g	<0.1000	PASS	5
Weight: 0.5008g					
Analysis Method : SOP.T.30.084.NY, SOP.T.40.084.NY Analyzed Date : 02/19/25 11:40:50					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Revision: #2 This revision supersedes any and all previous versions of this document.

Erica Troy
Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
02/24/25

Revision: #1 - Report revised to correct overall pass/fail designation of the sample.
Revision: #2 - Report has been revised to include remediated micro results (run as AL50324001-001). Remediation results supersede and overwrite initial microbial results.



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs

.....
Mandarin Zookies
Mandarin Zookies
Matrix : Flower
Type: Flower - Cured



Certificate of Analysis

PASSED

Adonis

34 W Fulton St
Gloversville, NY, 12078, US
Telephone: (443) 286-7108
Email: adugan@adonisny.com
License # : OCM-PROC-24-000063

Sample : AL50217004-004
Harvest/Lot ID: ACO-3.5-MZK
Batch# : ACO-3.5-MZK
Sampled : 02/17/25 01:05 PM

Sample Size Received : 8 units
Total Amount : 900 units
Sampling Method : SOP.T.20.010.NY

Page 5 of 5



Filth/Foreign Material

PASSED



Moisture

PASSED

Analyte	LOQ	Units	Result	P/F	Action Level
Stems (>3mm)	1.00	%	ND	PASS	5
Foreign Matter	0.10	%	ND	PASS	2
Mammalian excreta	0.10	mg	ND	PASS	1

Weight:
11.0663g

Analysis Method : SOP.T.40.090
Analyzed Date : 02/18/25 12:30:50

Analyte	LOQ	Units	Result	P/F	Action Level
Moisture Content	1.0	%	6.5	PASS	15

Weight:
1.088g

Analysis Method : SOP.T.40.021
Analyzed Date : 02/18/25 12:57:52



Water Activity

PASSED

Analyte	LOQ	Units	Result	P/F	Action Level
Water Activity	0.10	aw	0.24	PASS	0.65

Weight:
0.238g

Analysis Method : SOP.T.40.019
Analyzed Date : 02/20/25 14:22:39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Revision: #2 This revision supersedes any and all previous versions of this document.

Erica Troy
Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
02/24/25

Revision: #1 - Report revised to correct overall pass/fail designation of the sample.
Revision: #2 - Report has been revised to include remediated micro results (run as AL50324001-001). Remediation results supersede and overwrite initial microbial results.