

Gen V

Order No.: ONYGVL0227-0005100
 4473 Cherry Valley Turnpike
 Lafayette, New York, 13084
 info@ayrloom.com
 3157077760

Sample: SNYGVL0227-IBEV-0013212

Batch#: 022526-BEV0272, Batch Size: 35000
 Sample Received: 02/27/2025 03:07
 Report Created: 03/04/2025 17:20
 Sampling SOP 204-NY

Tune 10mg Lemon Rose

Ingestible, Beverage



Results

10.67 mg/dose D9-THC	
0 mg/dose Total CBD	10.67 mg/dose Total THC
10.67 mg/dose Total Cannabinoids	0% Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Pass
Water Activity Not Tested	Homogeneity Not Tested	Terpenes Tested
Residual Solvents Pass	Mycotoxins Pass	Heavy Metals Pass
Pesticides Pass		

Dominant Terpenes

No terpenes detected



Certificate of Analysis

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Compliance

Adult Use

2 of 7

Gen V

Order No.: ONYGVL0227-0005100
4473 Cherry Valley Turnpike
Lafayette, New York, 13084
info@ayrloom.com
3157077760

Sample: SNYGVL0227-IBEV-0013212

Batch#: 022526-BEV0272, Batch Size: 35000
Sample Received: 02/27/2025 03:07
Report Created: 03/04/2025 17:20
Sampling SOP 204-NY

Tune 10mg Lemon Rose

Ingestible, Beverage



Cannabinoids

SOP 801-NY

Date/Time Tested: 02/28/2025 15:33

Tested

Analyte	LOQ (ug/mL)	%	mg/g	mg/dose
CBDV	3.00	ND	ND	ND
CBDa	3.00	ND	ND	ND
CBGa	3.00	ND	ND	ND
CBG	3.00	< LOQ	< LOQ	< LOQ
CBD	3.00	< LOQ	< LOQ	< LOQ
THCV	3.00	ND	ND	ND
CBN	3.00	ND	ND	ND
D9-THC	3.00	0.00	0.03	10.67
D8-THC	3.00	ND	ND	ND
(6aR,9S)-d10-THC	3.00	ND	ND	ND
(6aR,9R)-d10-THC	3.00	ND	ND	ND
CBC	3.00	ND	ND	ND
THCa	3.00	ND	ND	ND
Total CBD		0.00	0.00	0.00
Total THC		0.00	0.03	10.67
Total Cannabinoids		0.00	0.03	10.67

Notes:

Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
Total CBD = CBDa * 0.877 + CBD
Total Cannabinoids = Sum of all cannabinoids
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Microbials

SOP 401-NY SOP 418-NY

Date/Time Tested: 03/03/2025 17:33

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	1,000	10,000	ND	Passed
E. Coli		0	ND	Passed
Yeast & Mold	100	1,000	ND	Passed
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

Notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

OCM-CPL-2022-00001
 ACT Laboratories (NY)
 16 Corporate Drive, Halfmoon, New York
 5172272612
 kimberlyk@actlab.com

Compliance

Adult Use

3 of 7

Gen V

Order No.: ONYGVL0227-0005100
 4473 Cherry Valley Turnpike
 Lafayette, New York, 13084
 info@ayrloom.com
 3157077760

Sample: SNYGVL0227-IBEV-0013212

Batch#: 022526-BEV0272, Batch Size: 35000
 Sample Received: 02/27/2025 03:07
 Report Created: 03/04/2025 17:20
 Sampling SOP 204-NY

Tune 10mg Lemon Rose

Ingestible, Beverage



Terpenes

SOP 620-NY

Date/Time Tested: 03/02/2025 14:53

Tested

Analyte	LOQ (ug/mL)	%	Analyte	LOQ (ug/mL)	%
Total Terpenes		ND	DL-Menthol	159	ND
a-Pinene	159	ND	Borneol	159	ND
Camphene	159	ND	Terpineol	159	ND
Sabinene	159	ND	Nerol	159	ND
b-Pinene	159	ND	Pulegone	159	ND
b-Myrcene	159	ND	Geraniol	159	ND
a-Phellandrene	159	ND	Geranyl Acetate	159	ND
d-3-Carene	159	ND	a-Cedrene	159	ND
a-Terpinene	159	ND	b-Caryophyllene	159	ND
Limonene	159	ND	a-Humulene	159	ND
Eucalyptol	159	ND	Valencene	159	ND
g-Terpinene	159	ND	cis-Nerolidol	159	ND
Terpinolene	159	ND	trans-Nerolidol	159	ND
Fenchol	159	ND	Guaiol	159	ND
Sabinene Hydrate	159	ND	Caryophyllene Oxide	159	ND
Linalool	159	ND	Cedrol	159	ND
Fenchone	159	ND	a-Bisabolol	159	ND
Isopulegol	159	ND	trans-b-Ocimene	159	ND
Camphor	159	ND	trans-b-Farnesene	159	ND
Isoborneol	159	ND	p-Cymene	159	ND

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Gen V

Order No.: ONYGVL0227-0005100
 4473 Cherry Valley Turnpike
 Lafayette, New York, 13084
 info@ayrloom.com
 3157077760

Sample: SNYGVL0227-IBEV-0013212

Batch#: 022526-BEV0272, Batch Size: 35000
 Sample Received: 02/27/2025 03:07
 Report Created: 03/04/2025 17:20
 Sampling SOP 204-NY

Tune 10mg Lemon Rose

Ingestible, Beverage



Residual Solvents

SOP 612-NY
 Date/Time Tested: 03/01/2025 18:33

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	38	5,000	< LOQ	Passed
Acetonitrile	15	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	38	5,000	< LOQ	Passed
Chloroform	2	60	ND	Passed
Ethanol	187	5,000	257.6	Passed
Ethyl Acetate	187	5,000	ND	Passed
Ethyl Ether	19	5,000	ND	Passed
DMSO	94	5,000	ND	Passed
Heptane	19	5,000	ND	Passed
Hexanes	6	290	ND	Passed
Isopropyl Alcohol	187	5,000	ND	Passed
Methanol	113	3,000	ND	Passed
Methylene Chloride	2	600	ND	Passed
Pentanes	56	5,000	ND	Passed
Propane	19	5,000	ND	Passed
Toluene	3	890	ND	Passed
Trichloroethane	47	1,500	ND	Passed
Xylenes	247	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	19	1,000	ND	Passed

Notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

Mycotoxins


SOP 808-NY
 Date/Time Tested: 03/01/2025 12:28

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status	Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.7		ND	Tested	Ochratoxin A	4.7	20.0	ND	Passed
B2	4.7		ND	Tested	Total Aflatoxins		20.0	ND	Passed
G1	4.7		ND	Tested	Total Mycotoxins			ND	Tested
G2	4.7		ND	Tested					

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Compliance

Adult Use

5 of 7

Gen V

Order No.: ONYGVL0227-0005100
4473 Cherry Valley Turnpike
Lafayette, New York, 13084
info@ayrloom.com
3157077760

Sample: SNYGVL0227-IBEV-0013212

Batch#: 022526-BEV0272, Batch Size: 35000
Sample Received: 02/27/2025 03:07
Report Created: 03/04/2025 17:20
Sampling SOP 204-NY

Tune 10mg Lemon Rose

Ingestible, Beverage



Heavy Metals

SOP 250-NY

Date/Time Tested: 03/03/2025 11:28

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.188	120.000	ND	Passed
Arsenic	0.188	1.500	ND	Passed
Cadmium	0.188	0.500	ND	Passed
Chromium	0.188	1,100.000	ND	Passed
Copper	0.226	300.000	ND	Passed
Mercury	0.045	3.000	ND	Passed
Nickel	0.226	20.000	ND	Passed
Lead	0.188	0.500	ND	Passed

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

OCM-CPL-2022-00001
 ACT Laboratories (NY)
 16 Corporate Drive, Halfmoon, New York
 5172272612
 kimberlyk@actlab.com

Compliance

Adult Use

6 of 7

Gen V

Order No.: ONYGVL0227-0005100
 4473 Cherry Valley Turnpike
 Lafayette, New York, 13084
 info@ayrloom.com
 3157077760

Sample: SNYGVL0227-IBEV-0013212

Batch#: 022526-BEV0272, Batch Size: 35000
 Sample Received: 02/27/2025 03:07
 Report Created: 03/04/2025 17:20
 Sampling SOP 204-NY

Tune 10mg Lemon Rose

Ingestible, Beverage



Pesticides

SOP 814-NY

Date/Time Tested: 03/01/2025 10:23

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.36	0.50	ND	Passed
Acephate	0.09	0.40	ND	Passed
Acequinocyl	0.09	2.00	ND	Passed
Acetamiprid	0.09	0.20	ND	Passed
Aldicarb	0.09	0.40	ND	Passed
Azoxystrobin	0.09	0.20	ND	Passed
Bifenazate	0.09	0.20	ND	Passed
Bifenthrin	0.09	0.20	ND	Passed
Boscalid	0.09	0.40	ND	Passed
Carbaryl	0.09	0.20	ND	Passed
Carbofuran	0.09	0.20	ND	Passed
Chlorantraniliprole	0.09	0.20	ND	Passed
Chlorpyrifos	0.09	0.20	ND	Passed
Clofentezine	0.09	0.20	ND	Passed
Coumaphos	0.09	1.00	ND	Passed
Cyfluthrin	0.47	1.00	ND	Passed
Cypermethrin	0.09	1.00	ND	Passed
Daminozide	0.09	1.00	ND	Passed
Diazinon	0.09	0.20	ND	Passed
Dichlorvos	0.09	1.00	ND	Passed
Dimethoate	0.09	0.20	ND	Passed
Dimethomorph	0.09	1.00	ND	Passed
Ethoprophos	0.09	0.20	ND	Passed
Etofenprox	0.09	0.40	ND	Passed
Etoxazole	0.09	0.20	ND	Passed
Fenhexamid	0.09	1.00	ND	Passed
Fenoxycarb	0.09	0.20	ND	Passed
Fenpyroximate	0.09	0.40	ND	Passed
Fipronil	0.09	0.40	ND	Passed
Fonicamid	0.09	1.00	ND	Passed
Fludioxonil	0.09	0.40	ND	Passed
Hexythiazox	0.09	1.00	ND	Passed
Imazalil	0.09	0.20	ND	Passed
Imidacloprid	0.09	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.09	0.40	ND	Passed
Malathion	0.09	0.20	ND	Passed
Mevinphos	0.09	1.00	ND	Passed
Metalaxyl	0.09	0.20	ND	Passed
Methiocarb	0.09	0.20	ND	Passed
Methomyl	0.09	0.40	ND	Passed



Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Gen V

Order No.: ONYGVL0227-0005100
 4473 Cherry Valley Turnpike
 Lafayette, New York, 13084
 info@ayrloom.com
 3157077760

Sample: SNYGVL0227-IBEV-0013212

Batch#: 022526-BEV0272, Batch Size: 35000
 Sample Received: 02/27/2025 03:07
 Report Created: 03/04/2025 17:20
 Sampling SOP 204-NY

Tune 10mg Lemon Rose

Ingestible, Beverage



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.09	0.20	ND	Passed
Naled	0.09	0.50	ND	Passed
Oxamyl	0.09	1.00	ND	Passed
Paclobutrazol	0.09	0.40	ND	Passed
Permethrin	0.09	0.20	ND	Passed
Phosmet	0.09	0.20	ND	Passed
Piperonyl Butoxide	0.09	2.00	ND	Passed
Prallethrin	0.09	0.20	ND	Passed
Propiconazole	0.09	0.40	ND	Passed
Propoxur	0.09	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.09	0.20	ND	Passed
Spinetoram	0.09	1.00	ND	Passed
Spinosyn AD	0.09	0.20	ND	Passed
Spiromesifen	0.09	0.20	ND	Passed
Spirotetramat	0.09	0.20	ND	Passed
Spiroxamine	0.09	0.20	ND	Passed
Tebuconazole	0.09	0.40	ND	Passed
Thiacloprid	0.09	0.20	ND	Passed
Thiamethoxam	0.09	0.20	ND	Passed
Trifloxystrobin	0.09	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.09	0.20	ND	Passed
Chlordane	0.09	1.00	ND	Passed
Chlorfenapyr	0.09	1.00	ND	Passed
PCNB	0.09	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.