

MFNY PROCESSOR LLC

320 Mt Airy Rd New Windsor, NY
matt@mfny.co
833-420-MFNY
License #: OCM-AUCP-22-000026

Certificate of Analysis

Final



Date Released: 12/22/2024 8:10:20AM

Report #: 35480

Electric Lime 510 resin cart

Sample #: 8312, Weight: 11.00g, Unit Count:
Order #: X241211-0001

Category/Type: Concentrates & Extract, Concentrate

Date Collected: 12/11/2024 5:25:07PM

Date Received: 12/13/2024 3:38:09PM

Date Sampled: 12/11/2024 1:45:00PM

Regulator Sample ID: 510RESELM2

Regulator Source Package ID: 510RESELM2

Regulator Batch ID: 510RESELM2

Size: 7098Units, Unit Count:



Total Cannabinoids
76.49 %
764.9 mg/g



Total THC
73.47 %
734.7 mg/g




Total CBD
0.1720 %
1.720 mg/g



Total Terpenes
9.653 %



Heavy Metals
PASS



Microbials
PASS



Residual Solvents
PASS



Pesticides
PASS



Mycotoxins
PASS

Potency Analysis by HPLC

Total Cannabinoids: **76.49 % - 764.9 mg/g**
Total THC: **73.47 % - 734.7 mg/g**
Total CBD: **0.1720 % - 1.720 mg/g**

Date Completed: 12/14/2024 11:07AM

Compound	CAS#	LOQ (%)	%	mg/g	Relative Concentration
d9-THC	1972-08-3	0.001000	73.47	734.7	<div></div>
CBG	25654-31-3	0.001000	1.764	17.64	<div></div>
CBC	20675-51-8	0.001000	0.6011	6.011	<div></div>
THCV	31262-37-0	0.001000	0.4858	4.858	<div></div>
CBD	13956-29-1	0.001000	0.1720	1.720	<div></div>
THCa	23978-85-0	0.001000	ND	ND	

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E

Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-00007

Dr. Kelly Greenland, Lab Director



MFNY PROCESSOR LLC

320 Mt Airy Rd New Windsor, NY

matt@mfny.co

833-420-MFNY

License #: OCM-AUCP-22-000026


Certificate of Analysis

Final

**Sample #: 8312****Electric Lime 510 resin cart**

Compound	CAS#	LOQ (%)	%	mg/g	Relative Concentration
d8-THC	5957-75-5	0.001000	ND	ND	
d10/R9-THC		0.001000	ND	ND	
d10/S9-THC		0.001000	ND	ND	
CBDa	1244-58-2	0.001000	ND	ND	
CBDV	24274-48-4	0.001000	ND	ND	
CBGa	25555-57-1	0.001000	ND	ND	
CBN	521-35-7	0.001000	ND	ND	

Test Comment: Cannabinoids analyzed by HPLC using P-NY100. The reported result is based on a sample weight using moisture content for flower samples unless moisture is listed as zero or ND. Unless otherwise stated all QC passed.

Terpenes by HS-GC-MS**Date Completed: 12/16/2024 11:51AM**

Compound	CAS#	LOQ (%)	%	Relative Concentration
Beta-myrcene	123-35-3	0.1000	1.877	<div></div>
Beta-caryophyllene	87-44-5	0.1000	1.745	<div></div>
Farnesene	502-61-4	0.1000	1.525	<div></div>
Limonene	5989-27-5	0.1000	1.505	<div></div>
Linalool	78-70-6	0.1000	0.6936	<div></div>
Alpha-humulene	6753-98-6	0.1000	0.6891	<div></div>
Guaiol	489-86-1	0.1000	0.5255	<div></div>
Alpha-bisabolol	515-69-5	0.1000	0.5058	<div></div>

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.

**Keystone State Testing of New York**
1809 Vestal Pkwy EVestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-00007

Dr. Kelly Greenland, Lab Director





Sample #: 8312

Electric Lime 510 resin cart

Compound	CAS#	LOQ (%)	%	Relative Concentration
Terpineol	8006-39-1	0.1000	0.2145	<div></div>
Alpha-pinene	80-56-8	0.1000	0.1952	<div></div>
Fenchol	14575-74-7	0.1000	0.1773	<div></div>
Results based on dry weight				
Beta-pinene	127-91-3	0.1000	ND	
Terpinolene	586-62-9	0.1000	ND	
Ocimene	13877-91-3	0.1000	ND	
Caryophyllene-oxide	1139-30-6	0.1000	ND	
Geraniol	106-24-1	0.1000	ND	
Camphene	79-92-5	0.1000	ND	
Alpha-terpinene	99-86-5	0.1000	ND	
Valencene	4630-07-3	0.1000	ND	
Alpha-phellandrene	99-83-2	0.1000	ND	

Test Comment: Terpenes tested by GCMS using P-NY210. Unless otherwise stated, all QC passed.

Pesticides by LCMSMS		Pass		Analysis Date: 12/20/2024 5:21 pm	
Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status	
Abamectin	0.0100	0.500	ND	Pass	
Acephate	0.0100	0.400	ND	Pass	
Acequinocyl	0.0100	2.00	ND	Pass	
Acetamiprid	0.0100	0.200	ND	Pass	
Aldicarb	0.0100	0.400	ND	Pass	
Azadirachtin	0.0100	1.00	ND	Pass	
Azoxystrobin	0.0100	0.200	ND	Pass	
Bifenazate	0.0100	0.200	ND	Pass	
Bifenthrin	0.0100	0.200	ND	Pass	
Boscalid	0.0100	0.400	ND	Pass	

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.
Results based on simple acceptance, not taking into consideration measurement uncertainty.
If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-00007

Kelly Greenland
Dr. Kelly Greenland, Lab Director



MFNY PROCESSOR LLC

320 Mt Airy Rd New Windsor, NY

matt@mfny.co

833-420-MFNY

License #: OCM-AUCP-22-000026

Certificate of Analysis

Final

**Sample #: 8312****Electric Lime 510 resin cart****Pesticides by LCMSMS****Pass****Analysis Date: 12/20/2024 5:21 pm**

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Captan	0.0100	1.00	ND	Pass
Carbaryl	0.0100	0.200	ND	Pass
Carbofuran	0.0100	0.200	ND	Pass
Chlorantraniliprole	0.0100	0.200	ND	Pass
Chlordane-alpha	0.0100	1.00	ND	Pass
Chlorfenapyr	0.0100	1.00	ND	Pass
Chlormequat Chloride	0.0100	1.00	ND	Pass
Chlorpyrifos	0.0100	0.200	ND	Pass
Clofentezine	0.0100	0.200	ND	Pass
Coumaphos	0.0100	1.00	ND	Pass
Cyfluthrin	0.0100	1.00	ND	Pass
Cypermethrin	0.0100	1.00	ND	Pass
Daminozide	0.0100	1.00	ND	Pass
Diazinon	0.0100	0.200	ND	Pass
Dichlorvos	0.0100	1.00	ND	Pass
Dimethoate	0.0100	0.200	ND	Pass
Dimethomorph	0.0100	1.00	ND	Pass
Ethoprophos	0.0100	0.200	ND	Pass
Etofenprox	0.0100	0.400	ND	Pass
Etoxazole	0.0100	0.200	ND	Pass
Fenhexamid	0.0100	1.00	ND	Pass
Fenoxycarb	0.0100	0.200	ND	Pass
Fenpyroximate	0.0100	0.400	ND	Pass
Fipronil	0.0100	0.400	ND	Pass
Flonicamid	0.0100	1.00	ND	Pass
Fludioxonil	0.0100	0.400	ND	Pass

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E

Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-00007

Dr. Kelly Greenland, Lab Director



MFNY PROCESSOR LLC

320 Mt Airy Rd New Windsor, NY

matt@mfny.co

833-420-MFNY

License #: OCM-AUCP-22-000026

Certificate of Analysis

Final

**Sample #: 8312****Electric Lime 510 resin cart****Pesticides by LCMSMS****Pass****Analysis Date: 12/20/2024 5:21 pm**

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Hexythiazox	0.0100	1.00	ND	Pass
Imazalil	0.0100	0.200	ND	Pass
Imidacloprid	0.0100	0.400	ND	Pass
Indolebutyric Acid	0.0100	1.00	ND	Pass
Kresoxim-methyl	0.0100	0.400	ND	Pass
Malathion	0.0100	0.200	ND	Pass
Metaxalyl	0.0100	0.200	ND	Pass
Methiocarb	0.0100	0.200	ND	Pass
Methomyl	0.0100	0.400	ND	Pass
Methyl Parathion	0.0100	0.200	ND	Pass
Mevinphos	0.0100	1.00	ND	Pass
MGK-264	0.0100	0.200	ND	Pass
Myclobutanil	0.0100	0.200	ND	Pass
Naled	0.0100	0.500	ND	Pass
Oxamyl	0.0100	1.00	ND	Pass
Paclobutrazol	0.0100	0.400	ND	Pass
Pentachloronitrobenzene	0.0100	1.00	ND	Pass
Permethrins, Total	0.0100	0.200	ND	Pass
Phosmet	0.0100	0.200	ND	Pass
Piperonyl Butoxide	0.0100	2.00	ND	Pass
Prallethrin	0.0100	0.200	ND	Pass
Propiconazole	0.0100	0.400	ND	Pass
Propoxur	0.0100	0.200	ND	Pass
Pyrethrins Total	0.0100	1.00	ND	Pass
Pyridaben	0.0100	0.200	ND	Pass
Spinetoram Total	0.0100	1.00	ND	Pass

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E

Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-00007

Dr. Kelly Greenland, Lab Director



MFNY PROCESSOR LLC

320 Mt Airy Rd New Windsor, NY

matt@mfny.co

833-420-MFNY

License #: OCM-AUCP-22-000026

Certificate of Analysis

Final

**Sample #: 8312****Electric Lime 510 resin cart****Pesticides by LCMSMS****Pass****Analysis Date:** 12/20/2024 5:21 pm

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Spinosad Total	0.0100	0.200	ND	Pass
Spiromesifen	0.0100	0.200	ND	Pass
Spirotetramat	0.0100	0.200	ND	Pass
Spiroxamine	0.0100	0.200	ND	Pass
Tebuconazole	0.0100	0.400	ND	Pass
Thiacloprid	0.0100	0.200	ND	Pass
Thiamethoxam	0.0100	0.200	ND	Pass
Trifloxystrobin	0.0100	0.200	ND	Pass

Comment: Pesticides tested by LCMSMS by using P-NY150. Unless otherwise stated, all QC passed.

Residual Solvents by HS-GC-MS**Pass****Analysis Date:** 12/20/2024 10:11 am

Compound	LOQ (ppm)	Limits (ppm)	Result (ppm)	Status
1,2-Dichloroethane	0.0500	5.00	ND	Pass
Acetone	50.00	5000	ND	Pass
Acetonitrile	50.00	410	ND	Pass
Benzene	0.5000	2.00	ND	Pass
Butanes Total	25.00	5000	50.56	Pass
Chloroform	0.5000	60.0	ND	Pass
Dimethyl Sulfoxide (DMSO)	50.00	5000	ND	Pass
Ethanol	50.00	5000	ND	Pass
Ethyl acetate	50.00	5000	ND	Pass
Ethyl ether	50.00	5000	ND	Pass
Freon	50.00	1000	ND	Pass
Heptane	50.00	5000	ND	Pass
Hexanes Total	10.00	290	ND	Pass
Isopropanol	50.00	5000	54.41	Pass

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.

**Keystone State Testing of New York**
1809 Vestal Pkwy EVestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-00007

Dr. Kelly Greenland, Lab Director



MFNY PROCESSOR LLC

320 Mt Airy Rd New Windsor, NY

matt@mfny.co

833-420-MFNY

License #: OCM-AUCP-22-000026

Certificate of Analysis

Final

**Sample #: 8312****Electric Lime 510 resin cart****Residual Solvents by HS-GC-MS****Pass**

Analysis Date: 12/20/2024 10:11 am

Compound	LOQ (ppm)	Limits (ppm)	Result (ppm)	Status
Methanol	50.00	3000	ND	Pass
Methylene chloride	50.00	600	ND	Pass
Pentanes Total	16.70	5000	ND	Pass
Propane	50.00	5000	ND	Pass
Toluene	50.00	890	ND	Pass
Total xylenes	25.00	2170	ND	Pass
Trichloroethane (1,1,1-)	50.00	1500	ND	Pass

Comment: Residual Solvents tested by GCMS using P-NY170. Unless otherwise stated, all QC passed. "TIC" stands for Tentatively Identified Compound but not quantitated.

Mycotoxins by LCMSMS**Pass**

Analysis Date: 12/20/2024 5:21 pm

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Aflatoxin B1	0.0050	0.020	ND	Pass
Aflatoxin B2	0.0050	0.020	ND	Pass
Aflatoxin G1	0.0050	0.020	ND	Pass
Aflatoxin G2	0.0050	0.020	ND	Pass
Ochratoxin A	0.0050	0.020	ND	Pass
Total Aflatoxin	0.0050	0.020	ND	Pass

Comment: Mycotoxin contamination tested by LCMSMS using P-NY125. Unless otherwise stated, all QC passed.

Heavy Metals by ICPMS**Pass**

Analysis Date: 12/14/2024 11:31 am

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Antimony	0.0100	2.00	ND	Pass
Arsenic	0.00100	0.200	ND	Pass
Cadmium	0.00150	0.300	ND	Pass
Chromium	0.280	110	ND	Pass
Copper	0.0750	30.0	0.451	Pass

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.

Keystone State Testing of New York
1809 Vestal Pkwy EVestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-00007

Dr. Kelly Greenland, Lab Director



MFNY PROCESSOR LLC

320 Mt Airy Rd New Windsor, NY

matt@mfny.co

833-420-MFNY

License #: OCM-AUCP-22-000026

Certificate of Analysis

Final

**Sample #: 8312****Electric Lime 510 resin cart****Heavy Metals by ICPMS****Pass****Analysis Date: 12/14/2024 11:31 am**

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Lead	0.00250	0.500	0.0131	Pass
Mercury	0.000500	0.100	ND	Pass
Nickel	0.0100	2.00	0.760	Pass

Comment: Heavy Metal contamination tested by ICPMS using P-NY140. Unless otherwise stated, all QC passed.

Micro by Petri & qPCR**Pass****Analysis Date: 12/14/2024 4:00 pm**

Compound	LOQ (CFU/g)	Limits (CFU/g)	Result (CFU/g)	Status
Aspergillus flavus Qualitative	1	0	Not Detected	Pass
Aspergillus fumigatus Qualitative	1	0	Not Detected	Pass
Aspergillus niger Qualitative	1	0	Not Detected	Pass
Aspergillus terreus Qualitative	1	0	Not Detected	Pass
Salmonella Qualitative	1	0	Not Detected	Pass
Shiga Toxin-Producing E. coli Qualitative	1	0	Not Detected	Pass
Total Aerobic Bacteria	10	10000	<LOQ	Pass
Total Yeast & Mold	10	1000	<LOQ	Pass

Comment: Microbial contamination tested by Petrifilm plates and qPCR using P-NY120. Unless otherwise stated, all QC passed.

Due to COA validation limitations: "Not Detected" = "Absent" and "Detected" = "Presumptive Presence". Acceptance Limits: "0" = "Absence" and "1" = "Presence". "Passed" for an adult-use product implies the results contain less than 1,000,000 cfu/g.

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.**Keystone State Testing of New York**
1809 Vestal Pkwy EVestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-00007

Dr. Kelly Greenland, Lab Director

