



# Certificate of Analysis

## FOR COMPLIANCE



Curaleaf NY, LLC.  
License # : MM1001M  
167 Coeymans Industrial Park Lane  
Ravena, NY, 12143, US



**PASSED**

Pages 1 of 5

### SAFETY RESULTS

  
Pesticides  
**PASSED**

  
Heavy Metals  
**PASSED**

  
Microbials  
**PASSED**

  
Mycotoxins  
**PASSED**

  
Residuals  
Solvents  
**PASSED**

  
Filtration  
**NOT TESTED**

  
Water Activity  
**NOT TESTED**

  
Moisture  
**NOT TESTED**

**MISC.**  
  
Terpenes  
**TESTED**



### Cannabinoid

**PASSED**



**Total THC**  
**81.4307%**  
Total THC/Container : 814.3070 mg



**Total CBD**  
**0.2222%**  
Total CBD/Container : 2.2220 mg



**Total Cannabinoids**  
**87.3576%**  
Total Cannabinoids/Container : 873.5760 mg

|         | (6AR,9R)<br>D10-THC | (6AR,9S)<br>D10-THC | CBC    | CBD    | CBDA    | CBDV    | CBG    | D8-THC  | CBGA   | CBN    | D9-THC  | THCA    | THCV   |
|---------|---------------------|---------------------|--------|--------|---------|---------|--------|---------|--------|--------|---------|---------|--------|
| %       | <0.1000             | <0.1000             | 2.6129 | 0.2222 | <0.1000 | <0.1000 | 1.9003 | <0.1000 | 0.1691 | 0.6037 | 81.4307 | <0.1000 | 0.4187 |
| mg/unit | <1.000              | <1.000              | 26.129 | 2.222  | <1.000  | <1.000  | 19.003 | <1.000  | 1.691  | 6.037  | 814.307 | <1.000  | 4.187  |
| LOQ     | 0.1000              | 0.1000              | 0.1000 | 0.1000 | 0.1000  | 0.1000  | 0.1000 | 0.1000  | 0.1000 | 0.1000 | 0.1000  | 0.1000  | 0.1000 |
| %       | %                   | %                   | %      | %      | %       | %       | %      | %       | %      | %      | %       | %       | %      |

Weight:  
0.2448g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY  
Analyzed Date : 09/10/24 16:14:40

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**  
Lab Director

NY Permit # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164



Signature  
09/11/24



1 Winners Circle  
Albany, NY, 12205, US  
(833) 465-8378

Kaycha Labs

SEE, PEN, (I) LSS, All In One Essentials, 20:1 90% THC, 1.0g 900 mg-AU  
Lemon Sunset  
Matrix : Derivative  
Type: Vape Cartridge



# Certificate of Analysis

PASSED

Curaleaf NY, LLC.

167 Coeymans Industrial Park Lane  
Ravena, NY, 12143, US  
Telephone: (518) 635-6005  
Email: bill.beauvais@curaleaf.com  
License # : MM1001M

Sample : AL40907002-006

Batch # : P-  
AU1FSQ902024-1063A/E  
Sampled : 09/07/24 01:15 PM

Sample Size Received : 8 units  
Total Amount : 1000 units  
Sampling Method : SOP.T.20.010.NY

Page 2 of 5



## Terpenes

TESTED

| Terpenes            | LOQ (%) | mg/unit | %       | Result (%) | Terpenes                                           | LOQ (%) | mg/unit | % | Result (%) |
|---------------------|---------|---------|---------|------------|----------------------------------------------------|---------|---------|---|------------|
| LIMONENE            | 0.10    | 18.100  | 1.8100  |            | Weight:                                            |         |         |   |            |
| BETA-PINENE         | 0.10    | 3.100   | 0.3100  |            | 0.4956g                                            |         |         |   |            |
| TERPINOLENE         | 0.04    | 1.900   | 0.1900  |            | Analysis Method : SOP.T.30.064.NY, SOP.T.40.064.NY |         |         |   |            |
| ALPHA-BISABOLOL     | 0.04    | 1.600   | 0.1600  |            | Analyzed Date : 09/09/24 14:36:03                  |         |         |   |            |
| ALPHA-TERPINENE     | 0.10    | 1.200   | 0.1200  |            |                                                    |         |         |   |            |
| ALPHA-PINENE        | 0.10    | 1.100   | 0.1100  |            |                                                    |         |         |   |            |
| GERANIOL            | 0.04    | 0.500   | 0.0500  |            |                                                    |         |         |   |            |
| ALPHA TERPINEOL     | 0.04    | <0.400  | <0.0400 |            |                                                    |         |         |   |            |
| BETA-CARYOPHYLLENE  | 0.04    | <0.400  | <0.0400 |            |                                                    |         |         |   |            |
| CAMPHENE            | 0.10    | <1.000  | <0.1000 |            |                                                    |         |         |   |            |
| CARYOPHYLLENE OXIDE | 0.04    | <0.400  | <0.0400 |            |                                                    |         |         |   |            |
| FARNESENE           | 0.10    | <1.000  | <0.1000 |            |                                                    |         |         |   |            |
| FENCHYL ALCOHOL     | 0.04    | <0.400  | <0.0400 |            |                                                    |         |         |   |            |
| LINALOOL            | 0.10    | <1.000  | <0.1000 |            |                                                    |         |         |   |            |
| OCIMENE             | 0.10    | <1.000  | <0.1000 |            |                                                    |         |         |   |            |
| VALENCENE           | 0.10    | <1.000  | <0.1000 |            |                                                    |         |         |   |            |
| ALPHA-HUMULENE      | 0.04    | <0.400  | <0.0400 |            |                                                    |         |         |   |            |
| ALPHA-PHELLANDRENE  | 0.10    | <1.000  | <0.1000 |            |                                                    |         |         |   |            |
| BETA-MYRCENE        | 0.10    | <1.000  | <0.1000 |            |                                                    |         |         |   |            |
| GUAIOL              | 0.04    | <0.400  | <0.0400 |            |                                                    |         |         |   |            |
| MENTHOL             | 0.10    | <1.000  | <0.1000 |            |                                                    |         |         |   |            |
| Total (%)           |         |         | 2.7500  |            |                                                    |         |         |   |            |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164

Signature  
09/11/24



1 Winners Circle  
Albany, NY, 12205, US  
(833) 465-8378

Kaycha Labs

SEE, PEN, (I) LSS, All In One Essentials, 20:1 90% THC, 1.0g 900 mg-AU

Lemon Sunset

Matrix : Derivative

Type: Vape Cartridge



# Certificate of Analysis

**PASSED**

Curaleaf NY, LLC.

167 Coeymans Industrial Park Lane

Ravena, NY, 12143, US

Telephone: (518) 635-6005

Email: bill.beauvais@curaleaf.com

License # : MM1001M

Sample : AL40907002-006

Batch# : P-

AU1F5Q902024-1063A/E

Sampled : 09/07/24 01:15 PM

Sample Size Received : 8 units

Total Amount : 1000 units

Sampling Method : SOP.T.20.010.NY

Page 3 of 5



## Pesticides

**PASSED**

| Pesticide             | LOQ    | Units | Action Level | Pass/Fail | Result  | Pesticide                                                             | LOQ    | Units | Action Level | Pass/Fail | Result  |
|-----------------------|--------|-------|--------------|-----------|---------|-----------------------------------------------------------------------|--------|-------|--------------|-----------|---------|
| PYRETHRINS, TOTAL     | 0.1000 | ppm   | 1            | PASS      | <0.1000 | PACLOBUTRAZOL                                                         | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |
| AZADIRACTIN           | 0.1000 | ppm   | 1            | PASS      | <0.1000 | PERMETHRIN                                                            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| INDOLE-3-BUTYRIC ACID | 0.1000 | ppm   | 1            | PASS      | <0.1000 | PHOSMET                                                               | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| MYCLOBUTANIL          | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | PRALLETHRIN                                                           | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| PIPERONYL BUTOXIDE    | 0.1000 | ppm   | 2            | PASS      | <0.1000 | PROCONAZOLE                                                           | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |
| ABAMECTIN B1A         | 0.1000 | ppm   | 0.5          | PASS      | <0.1000 | PROPOXUR                                                              | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| ACEPHATE              | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 | PYRIDABEN                                                             | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| ACEQUINOCYL           | 0.1000 | ppm   | 2            | PASS      | <0.1000 | SPINETORAM, TOTAL                                                     | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| ACETAMIPRID           | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | SPINOSAD, TOTAL                                                       | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| ALDICARB              | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 | SPIROMESIFEN                                                          | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| AZOXYSTROBIN          | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | SPIROTETRAMAT                                                         | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| CHLORMEQUAT CHLORIDE  | 0.1000 | ppm   | 1            | PASS      | <0.1000 | SPIROXAMINE                                                           | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| BIFENAZATE            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | TEBUCONAZOLE                                                          | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |
| BIFENTHRIN            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | THIACLOPRID                                                           | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| CARBARYL              | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | THIAMETHOXAM                                                          | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| COUMAPHOS             | 0.1000 | ppm   | 1            | PASS      | <0.1000 | TRIFLOXYSTROBIN                                                       | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| CHLORPYRIFOS          | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | CAPTAN *                                                              | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| DAMINOZIDE            | 0.1000 | ppm   | 1            | PASS      | <0.1000 | CHLORDANE *                                                           | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| BOSCALID              | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 | CHLORFENAPYR *                                                        | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| CARBOFURAN            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | CYFLUTHRIN *                                                          | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| CHLORANTRANILIPROLE   | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | CYPERMETHRIN *                                                        | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| CLOFENTHINE           | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | METHYL PARATHION *                                                    | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| DIAZINON              | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | MGK-264 *                                                             | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| DICHLORVOS            | 0.1000 | ppm   | 1            | PASS      | <0.1000 | PENTACHLORONITROBENZENE *                                             | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| DIMETHOATE            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | Weight:                                                               |        |       |              |           |         |
| DIMETHOMORPH          | 0.1000 | ppm   | 1            | PASS      | <0.1000 | 0.5487g                                                               |        |       |              |           |         |
| ETHOPROPHOS           | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | Analysis Method : SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY |        |       |              |           |         |
| ETOFENPROX            | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 | Analyzed Date : 09/10/24 16:30:00                                     |        |       |              |           |         |
| ETOXAZOLE             | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | Weight:                                                               |        |       |              |           |         |
| FENHEXAMID            | 0.1000 | ppm   | 1            | PASS      | <0.1000 | 0.5487g                                                               |        |       |              |           |         |
| FENOXICARB            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | Analysis Method : SOP.T.40.154.NY                                     |        |       |              |           |         |
| FENPYROXIMATE         | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 | Analyzed Date : 09/10/24 16:30:47                                     |        |       |              |           |         |
| FIPRONIL              | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| FLONICAMID            | 0.1000 | ppm   | 1            | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| FLUDIOXONIL           | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| HEXYTHIAZOX           | 0.1000 | ppm   | 1            | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| IMAZALIL              | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| IMIDACLOPRID          | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| KRESOXIM METHYL       | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| MALATHION             | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| METALAXYL             | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| METHIOCARB            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| METHOMYL              | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| MEVINPHOS             | 0.1000 | ppm   | 1            | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| NALED                 | 0.1000 | ppm   | 0.5          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| OXAMYL                | 0.1000 | ppm   | 1            | PASS      | <0.1000 |                                                                       |        |       |              |           |         |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**

Lab Director

NY Permit # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164

Signature  
09/11/24



1 Winners Circle  
Albany, NY, 12205, US  
(833) 465-8378

Kaycha Labs

SEE, PEN, (I) LSS, All In One Essentials, 20:1 90% THC, 1.0g 900 mg-AU  
Lemon Sunset  
Matrix : Derivative  
Type: Vape Cartridge



# Certificate of Analysis

PASSED

Curaleaf NY, LLC.

167 Coeymans Industrial Park Lane  
Ravena, NY, 12143, US  
Telephone: (518) 635-6005  
Email: bill.beauvais@curaleaf.com  
License # : MM1001M

Sample : AL40907002-006

Batch# : P-  
AU1F5Q902024-1063A/E  
Sampled : 09/07/24 01:15 PM

Sample Size Received : 8 units  
Total Amount : 1000 units  
Sampling Method : SOP.T.20.010.NY

Page 4 of 5

| <div><div></div><div>Residual Solvents</div><div>PASSED</div></div> |       |       |              |           |        |
|---------------------------------------------------------------------|-------|-------|--------------|-----------|--------|
| Solvents                                                            | LOQ   | Units | Action Level | Pass/Fail | Result |
| 1,1,1,2-TETRAFLUOROETHANE                                           | 500.0 | ppm   | 1000         | PASS      | <500.0 |
| DIMETHYL SULFOXIDE                                                  | 375.0 | ppm   | 5000         | PASS      | <375.0 |
| 1,1,1-TRICHLOROETHANE                                               | 375.0 | ppm   | 1500         | PASS      | <375.0 |
| HEXANE, TOTAL                                                       | 125.0 | ppm   | 290          | PASS      | <125.0 |
| PENTANES, TOTAL                                                     | 125.0 | ppm   | 5000         | PASS      | <125.0 |
| BUTANES, TOTAL                                                      | 750.0 | ppm   | 5000         | PASS      | <750.0 |
| XYLENES, TOTAL                                                      | 125.0 | ppm   | 2170         | PASS      | <125.0 |
| 1,2-DICHLOROETHANE                                                  | 1.3   | ppm   | 5            | PASS      | <1.3   |
| PROPANE                                                             | 750.0 | ppm   | 5000         | PASS      | <750.0 |
| METHANOL                                                            | 125.0 | ppm   | 3000         | PASS      | <125.0 |
| ETHANOL                                                             | 125.0 | ppm   | 5000         | PASS      | <125.0 |
| ETHYL ETHER                                                         | 125.0 | ppm   | 5000         | PASS      | <125.0 |
| ACETONE                                                             | 125.0 | ppm   | 5000         | PASS      | <125.0 |
| 2-PROPANOL                                                          | 125.0 | ppm   | 5000         | PASS      | <125.0 |
| ACETONITRILE                                                        | 125.0 | ppm   | 410          | PASS      | <125.0 |
| DICHLOROMETHANE                                                     | 125.0 | ppm   | 600          | PASS      | <125.0 |
| ETHYL ACETATE                                                       | 125.0 | ppm   | 5000         | PASS      | <125.0 |
| BENZENE                                                             | 1.3   | ppm   | 2            | PASS      | <1.3   |
| N-HEPTANE                                                           | 125.0 | ppm   | 5000         | PASS      | <125.0 |
| TOLUENE                                                             | 125.0 | ppm   | 890          | PASS      | <125.0 |
| CHLOROFORM                                                          | 1.3   | ppm   | 60           | PASS      | <1.3   |
| Weight: 0.0249g                                                     |       |       |              |           |        |
| Analysis Method : SOP.T.40.044.NY                                   |       |       |              |           |        |
| Analyzed Date : 09/10/24 13:03:02                                   |       |       |              |           |        |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164

Signature  
09/11/24



1 Winners Circle  
Albany, NY, 12205, US  
(833) 465-8378

Kaycha Labs

SEE, PEN, (I) LSS, All In One Essentials, 20:1 90% THC, 1.0g 900 mg-AU  
Lemon Sunset  
Matrix : Derivative  
Type: Vape Cartridge



# Certificate of Analysis

**PASSED**

Curaleaf NY, LLC.

167 Coeymans Industrial Park Lane  
Ravena, NY, 12143, US  
Telephone: (518) 635-6005  
Email: bill.beauvais@curaleaf.com  
License # : MM1001M

Sample : AL40907002-006

Batch# : P-  
AU1F5Q902024-1063A/E  
Sampled : 09/07/24 01:15 PM

Sample Size Received : 8 units  
Total Amount : 1000 units  
Sampling Method : SOP.T.20.010.NY

Page 5 of 5

| Microbial PASSED                                                      |     |       |             |             |              | Mycotoxins PASSED                                  |        |       |         |             |              |
|-----------------------------------------------------------------------|-----|-------|-------------|-------------|--------------|----------------------------------------------------|--------|-------|---------|-------------|--------------|
| Analyte                                                               | LOQ | Units | Result      | Pass / Fail | Action Level | Analyte                                            | LOQ    | Units | Result  | Pass / Fail | Action Level |
| TOTAL AEROBIC BACTERIA                                                | 100 | CFU/g | <100        | PASS        | 10000        | AFLATOXIN G2                                       | 0.0025 | ppm   | <0.0025 | PASS        | 0.02         |
| TOTAL YEAST AND MOLD                                                  | 100 | CFU/g | <100        | PASS        | 1000         | AFLATOXIN G1                                       | 0.0025 | ppm   | <0.0025 | PASS        | 0.02         |
| ESCHERICHIA COLI SHIGELLA SPP                                         | 1   |       | Not Present | PASS        |              | AFLATOXIN B2                                       | 0.0025 | ppm   | <0.0025 | PASS        | 0.02         |
| SALMONELLA SPECIES                                                    | 1   |       | Not Present | PASS        |              | AFLATOXIN B1                                       | 0.0025 | ppm   | <0.0025 | PASS        | 0.02         |
| ASPERGILLUS TERREUS                                                   | 1   |       | Not Present | PASS        |              | OCHRATOXIN A+                                      | 0.0100 | ppm   | <0.0100 | PASS        | 0.02         |
| ASPERGILLUS NIGER                                                     | 1   |       | Not Present | PASS        |              | TOTAL AFLATOXINS (B1, B2, G1, G2)                  | 0.0025 | ppm   | <0.0025 | PASS        | 0.02         |
| ASPERGILLUS FLAVUS                                                    | 1   |       | Not Present | PASS        |              |                                                    |        |       |         |             |              |
| ASPERGILLUS FUMIGATUS                                                 | 1   |       | Not Present | PASS        |              |                                                    |        |       |         |             |              |
| Weight:<br>0.8g                                                       |     |       |             |             |              | Weight:<br>0.5487g                                 |        |       |         |             |              |
| Analysis Method : SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.208.NY |     |       |             |             |              | Analysis Method : SOP.T.30.104.NY, SOP.T.40.104.NY |        |       |         |             |              |
| Analyzed Date : 09/09/24 11:21:42                                     |     |       |             |             |              | Analyzed Date : 09/10/24 16:38:23                  |        |       |         |             |              |

| Heavy Metals PASSED                                |        |       |         |             |              |
|----------------------------------------------------|--------|-------|---------|-------------|--------------|
| Metal                                              | LOQ    | Units | Result  | Pass / Fail | Action Level |
| ANTIMONY                                           | 0.1000 | ug/g  | <0.1000 | PASS        | 2            |
| ARSENIC                                            | 0.1000 | ug/g  | <0.1000 | PASS        | 0.2          |
| CADMIUM                                            | 0.1000 | ug/g  | <0.1000 | PASS        | 0.2          |
| CHROMIUM                                           | 1.0000 | ug/g  | <1.0000 | PASS        | 110          |
| COPPER                                             | 1.0000 | ug/g  | <1.0000 | PASS        | 30           |
| LEAD                                               | 0.1000 | ug/g  | <0.1000 | PASS        | 0.5          |
| MERCURY                                            | 0.0100 | ug/g  | <0.0100 | PASS        | 0.1          |
| NICKEL                                             | 0.1000 | ug/g  | <0.1000 | PASS        | 2            |
| Weight:<br>0.4449g                                 |        |       |         |             |              |
| Analysis Method : SOP.T.30.084.NY, SOP.T.40.084.NY |        |       |         |             |              |
| Analyzed Date : 09/10/24 15:18:51                  |        |       |         |             |              |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164

Signature  
09/11/24