

GTI

Order No.: ONYGTINY1118-0003457
85 John Hicks Drive
New York, 10990
cole.miller@gtigrows.com
6147380382

Sample: SNYGTINY1118-CVAP-0010999

Strain: VelcroZ, Unit Weight: .5000g
Batch#: 20241111VZ-LLR-0.5, Batch Size: 1400
Sample Received: 11/18/2024 01:43
Report Created: 11/21/2024 21:38
Sampling SOP 204-NY

Velcroz Cartridge (Live Resin) 500mg - Rythm (Hybrid)
Concentrates & Extracts, Vape



Results

3.760 mg/dose
D9-THC

0.110 mg/dose
CBG

0 mg/dose
Total CBD

3.76 mg/dose
Total THC


3.91 mg/dose
Total Cannabinoids

9.651%
Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Pass
Water Activity Not Tested	Homogeneity Not Tested	Terpenes Pass
Residual Solvents Pass	Mycotoxins Pass	Heavy Metals Pass
Pesticides Pass		

Dominant Terpenes



GTI

Order No.: ONYGTINY1118-0003457
85 John Hicks Drive
New York, 10990
cole.miller@gtigrows.com
6147380382

Sample: SNYGTINY1118-CVAP-0010999

Strain: VelcroZ, Unit Weight: .5000g
Batch#: 20241111VZ-LLR-0.5, Batch Size: 1400
Sample Received: 11/18/2024 01:43
Report Created: 11/21/2024 21:38
Sampling SOP 204-NY

Velcroz Cartridge (Live Resin) 500mg - Rythm (Hybrid)

Concentrates & Extracts, Vape



Cannabinoids

SOP 801-NY

Date/Time Tested: 11/20/2024 16:34

Tested

Analyte	LOQ (ug/mL)	mg/g	%	mg/dose	mg/unit
CBDV	4,528.70	ND	ND	ND	ND
CBDa	4,528.70	ND	ND	ND	ND
CBGa	4,528.70	ND	ND	ND	ND
CBG	4,528.70	22.72	2.27	0.11	11.36
CBD	4,528.70	ND	ND	ND	ND
THCV	4,528.70	ND	ND	ND	ND
CBN	4,528.70	ND	ND	ND	ND
D9-THC	4,528.70	752.95	75.30	3.76	376.48
D8-THC	4,528.70	ND	ND	ND	ND
(6aR,9S)-d10-THC	4,528.70	ND	ND	ND	ND
(6aR,9R)-d10-THC	4,528.70	ND	ND	ND	ND
CBC	4,528.70	5.76	0.58	0.03	2.88
THCa	4,528.70	ND	ND	ND	ND
Total CBD		0.00	0.00	0.00	0.00
Total THC		752.95	75.30	3.76	376.48
Total Cannabinoids		781.43	78.14	3.91	390.71

Notes:

Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
Total CBD = CBDa * 0.877 + CBD
Total Cannabinoids = Sum of all cannabinoids
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Microbials

SOP 401-NY SOP 619-NY

Date/Time Tested: 11/20/2024 16:06

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria		10,000	ND	Passed
E. Coli		0	ND	Passed
Yeast & Mold		1,000	ND	Passed
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

Notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

GTI

Order No.: ONYGTINY1118-0003457
85 John Hicks Drive
New York, 10990
cole.miller@gtigrows.com
6147380382

Sample: SNYGTINY1118-CVAP-0010999

Strain: VelcroZ, Unit Weight: .5000g
Batch#: 20241111VZ-LLR-0.5, Batch Size: 1400
Sample Received: 11/18/2024 01:43
Report Created: 11/21/2024 21:38
Sampling SOP 204-NY

Velcroz Cartridge (Live Resin) 500mg - Rythm (Hybrid)
Concentrates & Extracts, Vape



Terpenes

SOP 620-NY

Date/Time Tested: 11/20/2024 17:57

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	9.651	Passed	Isoborneol	164		ND	Tested
Limonene	164		2.503	Tested	DL-Menthol	164		ND	Tested
b-Caryophyllene	164		1.972	Tested	Camphor	164		ND	Tested
Linalool	164		1.060	Tested	Nerol	164		ND	Tested
b-Myrcene	164		1.010	Tested	p-Cymene	164		ND	Tested
trans-b-Farnesene	491		0.868	Tested	Fenchone	164		< LOQ	Tested
a-Humulene	164		0.782	Tested	Geranyl Acetate	164		ND	Tested
Fenchol	164		0.246	Tested	a-Cedrene	164		ND	Tested
a-Pinene	164		0.245	Tested	a-Phellandrene	164		ND	Tested
a-Bisabolol	164		0.226	Tested	d-3-Carene	164		ND	Tested
Terpineol	164		0.215	Tested	Valencene	164		ND	Tested
trans-Nerolidol	164		0.143	Tested	cis-Nerolidol	164		ND	Tested
b-Pinene	164		0.140	Tested	Sabinene Hydrate	164		ND	Tested
Terpinolene	164		0.070	Tested	Guaial	164		ND	Tested
Borneol	164		0.054	Tested	a-Terpinene	164		ND	Tested
Geraniol	164		0.051	Tested	Cedrol	164		ND	Tested
Camphene	164		0.041	Tested	g-Terpinene	164		ND	Tested
Caryophyllene Oxide	164		0.024	Tested	trans-b-Ocimene	164		< LOQ	Tested
Pulegone	164		ND	Tested	Sabinene	164		ND	Tested
Eucalyptol	164		ND	Tested	Isopulegol	164		ND	Tested

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

GTI

Order No.: ONYGTINY1118-0003457
85 John Hicks Drive
New York, 10990
cole.miller@gtigrows.com
6147380382

Sample: SNYGTINY1118-CVAP-0010999

Strain: VelcroZ, Unit Weight: .5000g
Batch#: 20241111VZ-LLR-0.5, Batch Size: 1400
Sample Received: 11/18/2024 01:43
Report Created: 11/21/2024 21:38
Sampling SOP 204-NY

Velcroz Cartridge (Live Resin) 500mg - Rythm (Hybrid)

Concentrates & Extracts, Vape



Residual Solvents

SOP 612-NY

Date/Time Tested: 11/20/2024 16:32

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	37	5,000	< LOQ	Passed
Acetonitrile	15	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	37	5,000	1,114.8	Passed
Chloroform	2	60	ND	Passed
Ethanol	183	5,000	865.4	Passed
Ethyl Acetate	183	5,000	< LOQ	Passed
Ethyl Ether	18	5,000	ND	Passed
DMSO	91	5,000	ND	Passed
Heptane	18	5,000	ND	Passed
Hexanes	5	290	< LOQ	Passed
Isopropyl Alcohol	183	5,000	< LOQ	Passed
Methanol	110	3,000	< LOQ	Passed
Methylene Chloride	2	600	ND	Passed
Pentanes	55	5,000	< LOQ	Passed
Propane	18	5,000	ND	Passed
Toluene	3	890	ND	Passed
Trichloroethane	4,566	1,500	ND	Passed
Xylenes	241	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	18	1,000	ND	Passed

Notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

Mycotoxins

SOP 808-NY

Date/Time Tested: 11/21/2024 00:54

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status	Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.9	ND	Tested		Ochratoxin A	4.9	20.0	ND	Passed
B2	4.9	ND	Tested		Total Aflatoxins		20.0	ND	Passed
G1	4.9	ND	Tested		Total Mycotoxins			ND	Tested
G2	4.9	ND	Tested						

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Certificate of Analysis

Compliance

Medical Use

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

5 of 7

GTI

Order No.: ONYGTINY1118-0003457
85 John Hicks Drive
New York, 10990
cole.miller@gtigrows.com
6147380382

Sample: SNYGTINY1118-CVAP-0010999

Strain: VelcroZ, Unit Weight: .5000g
Batch#: 20241111VZ-LLR-0.5, Batch Size: 1400
Sample Received: 11/18/2024 01:43
Report Created: 11/21/2024 21:38
Sampling SOP 204-NY

Velcroz Cartridge (Live Resin) 500mg - Rythm (Hybrid)
Concentrates & Extracts, Vape



Heavy Metals

SOP 250-NY

Date/Time Tested: 11/20/2024 11:13

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.182	2.000	ND	Passed
Arsenic	0.182	0.200	ND	Passed
Cadmium	0.182	0.200	ND	Passed
Chromium	0.182	110.000	ND	Passed
Copper	0.218	30.000	ND	Passed
Mercury	0.044	0.100	ND	Passed
Nickel	0.218	2.000	ND	Passed
Lead	0.182	0.500	ND	Passed

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

Compliance

Medical Use

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

6 of 7

GTI

Order No.: ONYGTINY1118-0003457
85 John Hicks Drive
New York, 10990
cole.miller@gtigrows.com
6147380382

Sample: SNYGTINY1118-CVAP-0010999

Strain: VelcroZ, Unit Weight: .5000g
Batch#: 20241111VZ-LLR-0.5, Batch Size: 1400
Sample Received: 11/18/2024 01:43
Report Created: 11/21/2024 21:38
Sampling SOP 204-NY

Velcroz Cartridge (Live Resin) 500mg - Rythm (Hybrid)
Concentrates & Extracts, Vape



Pesticides

SOP 814-NY
Date/Time Tested: 11/20/2024 10:24

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.38	0.50	ND	Passed
Acephate	0.10	0.40	ND	Passed
Acequinocyl	0.10	2.00	ND	Passed
Acetamiprid	0.10	0.20	ND	Passed
Aldicarb	0.10	0.40	ND	Passed
Azoxystrobin	0.10	0.20	ND	Passed
Bifenazate	0.10	0.20	ND	Passed
Bifenthrin	0.10	0.20	ND	Passed
Boscalid	0.10	0.40	ND	Passed
Carbaryl	0.10	0.20	ND	Passed
Carbofuran	0.10	0.20	ND	Passed
Chlorantraniliprole	0.10	0.20	ND	Passed
Chlorpyrifos	0.10	0.20	ND	Passed
Clofentezine	0.10	0.20	ND	Passed
Coumaphos	0.10	1.00	ND	Passed
Cyfluthrin	0.49	1.00	ND	Passed
Cypermethrin	0.10	1.00	ND	Passed
Daminozide	0.10	1.00	ND	Passed
Diazinon	0.10	0.20	ND	Passed
Dichlorvos	0.10	1.00	ND	Passed
Dimethoate	0.10	0.20	ND	Passed
Dimethomorph	0.10	1.00	ND	Passed
Ethoprophos	0.10	0.20	ND	Passed
Etofenprox	0.10	0.40	ND	Passed
Etoxazole	0.10	0.20	ND	Passed
Fenhexamid	0.10	1.00	ND	Passed
Fenoxycarb	0.10	0.20	ND	Passed
Fenpyroximate	0.10	0.40	ND	Passed
Fipronil	0.10	0.40	ND	Passed
Flonicamid	0.10	1.00	ND	Passed
Fludioxonil	0.10	0.40	ND	Passed
Hexythiazox	0.10	1.00	ND	Passed
Imazalil	0.10	0.20	ND	Passed
Imidacloprid	0.10	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.10	0.40	ND	Passed
Malathion	0.10	0.20	ND	Passed
Mevinphos	0.10	1.00	ND	Passed
Metaxyl	0.10	0.20	ND	Passed
Methiocarb	0.10	0.20	ND	Passed
Methomyl	0.10	0.40	ND	Passed



Kimberly Krisolofsky

Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

Compliance

Medical Use

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

7 of 7

GTI

Order No.: ONYGTINY1118-0003457
85 John Hicks Drive
New York, 10990
cole.miller@gtigrows.com
6147380382

Sample: SNYGTINY1118-CVAP-0010999

Strain: VelcroZ, Unit Weight: .5000g
Batch#: 20241111VZ-LLR-0.5, Batch Size: 1400
Sample Received: 11/18/2024 01:43
Report Created: 11/21/2024 21:38
Sampling SOP 204-NY

Velcroz Cartridge (Live Resin) 500mg - Rythm (Hybrid)
Concentrates & Extracts, Vape



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.10	0.20	ND	Passed
Naled	0.10	0.50	ND	Passed
Oxamyl	0.10	1.00	ND	Passed
Paclobutrazol	0.10	0.40	ND	Passed
Permethrin	0.10	0.20	ND	Passed
Phosmet	0.10	0.20	ND	Passed
Piperonyl Butoxide	0.10	2.00	ND	Passed
Prallethrin	0.10	0.20	ND	Passed
Propiconazole	0.10	0.40	ND	Passed
Propoxur	0.10	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.10	0.20	ND	Passed
Spinetoram	0.10	1.00	ND	Passed
Spinosyn AD	0.10	0.20	ND	Passed
Spiromesifen	0.10	0.20	ND	Passed
Spirotetramat	0.10	0.20	ND	Passed
Spiroxamine	0.10	0.20	ND	Passed
Tebuconazole	0.10	0.40	ND	Passed
Thiacloprid	0.10	0.20	ND	Passed
Thiamethoxam	0.10	0.20	ND	Passed
Trifloxystrobin	0.10	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.10	0.20	ND	Passed
Chlordane	0.10	1.00	ND	Passed
Chlorfenapyr	0.10	1.00	ND	Passed
PCNB	0.10	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.



Kimberly Krisolofsky

Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.