



# Certificate of Analysis

## FOR COMPLIANCE

Laboratory Sample ID: AL50611001-003



**Production Method:** Ice/Water  
**Batch#:** P-1ACE902025-698A  
**Seed to Sale#:** 202506093295  
**Sample Size Received:** 9.5 gram  
**Total Amount:** 2177 units  
**Retail Product Size:** 1 gram  
**Retail Serving Size:** 0.00278 gram  
**Servings:** 359.71223  
**Sampled:** 06/10/25 03:15 PM  
**Sampling Start:** 03:15 PM  
**Sampling End:** 04:10 PM  
**Sampling Method:** SOP.T.20.010.NY

Curaleaf NY, LLC.

License # : MM1001M

167 Coeymans Industrial Park Lane  
 Ravena, NY, 12143, US



# PASSED

Pages 1 of 5

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
 Solvents  
**PASSED**



Filtration  
**NOT TESTED**



Water Activity  
**NOT TESTED**



Moisture  
**NOT TESTED**



Terpenes  
**PASSED**

### MISC.



### Cannabinoid

# PASSED



Total THC

**91.4510%**

Total THC/Container : 914.5100 mg



Total CBD

**<0.1000**

Total CBD/Container : 0.0000 mg



Total Cannabinoids

**93.5836%**

Total Cannabinoids/Container : 935.8360 mg

|         | (6AR,9R)<br>D10-THC | (6AR,9S)<br>D10-THC | CBC    | CBD     | CBDA    | CBDV    | CBG    | D8-THC  | CBGA    | CBN    | D9-THC  | THCA   | THCV   |
|---------|---------------------|---------------------|--------|---------|---------|---------|--------|---------|---------|--------|---------|--------|--------|
| %       | <0.1000             | <0.1000             | 0.3032 | <0.1000 | <0.1000 | <0.1000 | 0.7569 | <0.1000 | <0.1000 | 0.3329 | 90.2645 | 1.3530 | 0.5731 |
| mg/unit | <1.000              | <1.000              | 3.032  | <1.000  | <1.000  | <1.000  | 7.569  | <1.000  | <1.000  | 3.329  | 902.645 | 13.530 | 5.731  |
| LOQ     | 0.1000              | 0.1000              | 0.1000 | 0.1000  | 0.1000  | 0.1000  | 0.1000 | 0.1000  | 0.1000  | 0.1000 | 0.1000  | 0.1000 | 0.1000 |
| %       | %                   | %                   | %      | %       | %       | %       | %      | %       | %       | %      | %       | %      | %      |

Weight:  
 0.1493g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY  
 Analyzed Date : 06/13/25 08:58:24

Label Claim

# PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**

Lab Director

NY Permit # OCM-CPL-2022-00006  
 ISO 17025 Accreditation # 97164



Signature  
 06/13/25



1 Winners Circle  
Albany, NY, 12205, US  
(833) 465-8378

Kaycha Labs

V(Cartridge)-Select-ACE-Durban Fizz-1g-S  
Matrix : Derivative  
Type: Vape Cartridge



# Certificate of Analysis

PASSED

Curaleaf NY, LLC.

167 Coeymans Industrial Park Lane  
Ravena, NY, 12143, US  
Telephone: (518) 635-6005  
Email: hplcny@curaleaf.com  
License # : MM1001M

Sample : AL50611001-003

Batch# : P-1ACE902025-698A  
Sampled : 06/10/25 03:15 PM

Sample Size Received : 9.5 gram  
Total Amount : 2177 units  
Sampling Method : SOP.T.20.010.NY

Page 2 of 5



## Terpenes

PASSED

| Terpenes            | LOQ (%) | Pass/Fail | mg/unit | Result (%) | Terpenes                                           | LOQ (%) | Pass/Fail | mg/unit | Result (%) |
|---------------------|---------|-----------|---------|------------|----------------------------------------------------|---------|-----------|---------|------------|
| LIMONENE            | 0.10    | PASS      | 14.100  | 1.4100     | Weight:                                            |         |           |         |            |
| TERPINOLENE         | 0.04    | PASS      | 7.500   | 0.7500     | 0.9297g                                            |         |           |         |            |
| BETA-CARYOPHYLLENE  | 0.04    | PASS      | 4.000   | 0.4000     | Analysis Method : SOP.T.30.064.NY, SOP.T.40.064.NY |         |           |         |            |
| VALENCENE           | 0.10    | PASS      | 4.000   | 0.4000     | Analyzed Date : 06/13/25 09:00:00                  |         |           |         |            |
| OCIMENE             | 0.10    | PASS      | 2.600   | 0.2600     |                                                    |         |           |         |            |
| BETA-MYRCENE        | 0.10    | PASS      | 2.500   | 0.2500     |                                                    |         |           |         |            |
| ALPHA-HUMULENE      | 0.04    | PASS      | 1.900   | 0.1900     |                                                    |         |           |         |            |
| LINALOOL            | 0.10    | PASS      | 1.200   | 0.1200     |                                                    |         |           |         |            |
| ALPHA TERPINEOL     | 0.04    | PASS      | <0.400  | <0.0400    |                                                    |         |           |         |            |
| CAMPHENE            | 0.10    | PASS      | <1.000  | <0.1000    |                                                    |         |           |         |            |
| CARYOPHYLLENE OXIDE | 0.04    | PASS      | <0.400  | <0.0400    |                                                    |         |           |         |            |
| FARNESENE           | 0.10    | PASS      | <1.000  | <0.1000    |                                                    |         |           |         |            |
| FENCHYL ALCOHOL     | 0.04    | PASS      | <0.400  | <0.0400    |                                                    |         |           |         |            |
| GUAIOL              | 0.04    | PASS      | <0.400  | <0.0400    |                                                    |         |           |         |            |
| ALPHA-BISABOLOL     | 0.04    | PASS      | <0.400  | <0.0400    |                                                    |         |           |         |            |
| ALPHA-PHELLANDRENE  | 0.10    | PASS      | <1.000  | <0.1000    |                                                    |         |           |         |            |
| ALPHA-PINENE        | 0.10    | PASS      | <1.000  | <0.1000    |                                                    |         |           |         |            |
| ALPHA-TERPINENE     | 0.10    | PASS      | <1.000  | <0.1000    |                                                    |         |           |         |            |
| BETA-PINENE         | 0.10    | PASS      | <1.000  | <0.1000    |                                                    |         |           |         |            |
| GERANIOL            | 0.04    | PASS      | <0.400  | <0.0400    |                                                    |         |           |         |            |
| MENTHOL             | 0.10    | PASS      | <1.000  | <0.1000    |                                                    |         |           |         |            |
| Total (%)           |         |           | 3.7800  |            |                                                    |         |           |         |            |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164

Signature  
06/13/25



1 Winners Circle  
Albany, NY, 12205, US  
(833) 465-8378

Kaycha Labs

V(Cartridge)-Select-ACE-Durban Fizz-1g-S  
Matrix : Derivative  
Type: Vape Cartridge



# Certificate of Analysis

PASSED

Curaleaf NY, LLC.

167 Coeymans Industrial Park Lane  
Ravena, NY, 12143, US  
Telephone: (518) 635-6005  
Email: hplcny@curaleaf.com  
License #: MM1001M

Sample : AL50611001-003

Batch#: P-1ACE902025-698A  
Sampled : 06/10/25 03:15 PM

Sample Size Received : 9.5 gram

Total Amount : 2177 units

Sampling Method : SOP.T.20.010.NY

Page 3 of 5



## Pesticides

PASSED

| Pesticide             | LOQ    | Units | Action Level | Pass/Fail | Result  | Pesticide                                                             | LOQ    | Units | Action Level | Pass/Fail | Result  |
|-----------------------|--------|-------|--------------|-----------|---------|-----------------------------------------------------------------------|--------|-------|--------------|-----------|---------|
| ACEQUINOXYL           | 0.1000 | ppm   | 2            | PASS      | <0.1000 | OXAMYL                                                                | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| PRALLETHRIN           | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | PACLOBUTRAZOL                                                         | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |
| PYRETHRINS, TOTAL     | 0.1000 | ppm   | 1            | PASS      | <0.1000 | PERMETHRIN                                                            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| AZADIRACTIN           | 0.1000 | ppm   | 1            | PASS      | <0.1000 | PHOSMET                                                               | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| INDOLE-3-BUTYRIC ACID | 0.1000 | ppm   | 1            | PASS      | <0.1000 | PROPOCONAZOLE                                                         | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |
| MYCLOBUTANIL          | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | PROPOXUR                                                              | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| PIPERONYL BUTOXIDE    | 0.1000 | ppm   | 2            | PASS      | <0.1000 | PYRIDABEN                                                             | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| ABAMECTIN B1A         | 0.1000 | ppm   | 0.5          | PASS      | <0.1000 | SPINETORAM, TOTAL                                                     | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| ACEPHATE              | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 | SPINOSAD, TOTAL                                                       | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| ACETAMIPRID           | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | SPIROMESIFEN                                                          | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| ALDICARB              | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 | SPIROTETRAMAT                                                         | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| AZOXYSTROBIN          | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | SPIROXAMINE                                                           | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| CHLORMEQUAT CHLORIDE  | 0.1000 | ppm   | 1            | PASS      | <0.1000 | TEBUCONAZOLE                                                          | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |
| BIFENAZATE            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | THIACLOPRID                                                           | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| BIFENTHRIN            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | THIAMETHOXAM                                                          | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| CARBARYL              | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | TRIFLOXYSTROBIN                                                       | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| COUMAPHOS             | 0.1000 | ppm   | 1            | PASS      | <0.1000 | CAPTAN *                                                              | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| CHLORPYRIFOS          | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | CHLORDANE *                                                           | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| CARBOFURAN            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | CHLORFENAPYR *                                                        | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| DAMINOZIDE            | 0.1000 | ppm   | 1            | PASS      | <0.1000 | CYFLUTHRIN *                                                          | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| BOSCALID              | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 | CYPERMETHRIN *                                                        | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| DIAZINON              | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | METHYL PARATHION *                                                    | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| CLOFENTEZINE          | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | MGK-264 *                                                             | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| CHLORANTHANILIPROLE   | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | PENTACHLORONITROBENZENE *                                             | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| DICHLORVOS            | 0.1000 | ppm   | 1            | PASS      | <0.1000 | Weight:                                                               |        |       |              |           |         |
| DIMETHOATE            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | 0.4612g                                                               |        |       |              |           |         |
| DIMETHOMORPH          | 0.1000 | ppm   | 1            | PASS      | <0.1000 | Analysis Method : SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY |        |       |              |           |         |
| ETHOPROPHOS           | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | Analyzed Date : 06/12/25 11:37:17                                     |        |       |              |           |         |
| ETOFENPROX            | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 | Weight:                                                               |        |       |              |           |         |
| ETOXAZOLE             | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | 0.4612g                                                               |        |       |              |           |         |
| FENHEXAMID            | 0.1000 | ppm   | 1            | PASS      | <0.1000 | Analysis Method : SOP.T.40.154.NY                                     |        |       |              |           |         |
| FENOXYCARB            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | Analyzed Date : 06/13/25 14:29:52                                     |        |       |              |           |         |
| FENPYROXIMATE         | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| FIPRONIL              | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| FLONICAMID            | 0.1000 | ppm   | 1            | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| FLUDIOXONIL           | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| HEXYTHIAZOX           | 0.1000 | ppm   | 1            | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| IMAZALIL              | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| IMIDACLOPRID          | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| KRESOXIM METHYL       | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| MALATHION             | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| METALAXYL             | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| METHIOCARB            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| METHOMYL              | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| MEVINPHOS             | 0.1000 | ppm   | 1            | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| NALED                 | 0.1000 | ppm   | 0.5          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164

*Erica*

Signature  
06/13/25



1 Winners Circle  
Albany, NY, 12205, US  
(833) 465-8378

Kaycha Labs

V(Cartridge)-Select-ACE-Durban Fizz-1g-S  
Matrix : Derivative  
Type: Vape Cartridge



# Certificate of Analysis

PASSED

Curaleaf NY, LLC.

167 Coeymans Industrial Park Lane  
Ravena, NY, 12143, US  
Telephone: (518) 635-6005  
Email: hplcny@curaleaf.com  
License #: MM1001M

Sample : AL50611001-003

Batch#: P-1ACE902025-698A  
Sampled : 06/10/25 03:15 PM

Sample Size Received : 9.5 gram  
Total Amount : 2177 units  
Sampling Method : SOP.T.20.010.NY

Page 4 of 5

| Residual Solvents                 |       |       |              |           |        | PASSED |
|-----------------------------------|-------|-------|--------------|-----------|--------|--------|
| Solvents                          | LOQ   | Units | Action Level | Pass/Fail | Result |        |
| 1,1,1,2-TETRAFLUOROETHANE         | 500.0 | ppm   | 1000         | PASS      | <500.0 |        |
| DIMETHYL SULFOXIDE                | 375.0 | ppm   | 5000         | PASS      | <375.0 |        |
| 1,1,1-TRICHLOROETHANE             | 375.0 | ppm   | 1500         | PASS      | <375.0 |        |
| HEXANE, TOTAL                     | 125.0 | ppm   | 290          | PASS      | <125.0 |        |
| PENTANES, TOTAL                   | 125.0 | ppm   | 5000         | PASS      | <125.0 |        |
| BUTANES, TOTAL                    | 750.0 | ppm   | 5000         | PASS      | <750.0 |        |
| XYLENES, TOTAL                    | 125.0 | ppm   | 2170         | PASS      | <125.0 |        |
| 1,2-DICHLOROETHANE                | 1.3   | ppm   | 5            | PASS      | <1.3   |        |
| PROPANE                           | 750.0 | ppm   | 5000         | PASS      | <750.0 |        |
| METHANOL                          | 125.0 | ppm   | 3000         | PASS      | <125.0 |        |
| ETHANOL                           | 125.0 | ppm   | 5000         | PASS      | <125.0 |        |
| ETHYL ETHER                       | 125.0 | ppm   | 5000         | PASS      | <125.0 |        |
| ACETONE                           | 125.0 | ppm   | 5000         | PASS      | <125.0 |        |
| 2-PROPANOL                        | 125.0 | ppm   | 5000         | PASS      | <125.0 |        |
| ACETONITRILE                      | 125.0 | ppm   | 410          | PASS      | <125.0 |        |
| DICHLOROMETHANE                   | 125.0 | ppm   | 600          | PASS      | <125.0 |        |
| ETHYL ACETATE                     | 125.0 | ppm   | 5000         | PASS      | <125.0 |        |
| BENZENE                           | 1.3   | ppm   | 2            | PASS      | <1.3   |        |
| N-HEPTANE                         | 125.0 | ppm   | 5000         | PASS      | <125.0 |        |
| TOLUENE                           | 125.0 | ppm   | 890          | PASS      | <125.0 |        |
| CHLOROFORM                        | 1.3   | ppm   | 60           | PASS      | <1.3   |        |
| Weight: 0.0286g                   |       |       |              |           |        |        |
| Analysis Method : SOP.T.40.044.NY |       |       |              |           |        |        |
| Analyzed Date : 06/13/25 13:38:21 |       |       |              |           |        |        |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164

Signature  
06/13/25



1 Winners Circle  
Albany, NY, 12205, US  
(833) 465-8378

Kaycha Labs

V(Cartridge)-Select-ACE-Durban Fizz-1g-S  
Matrix : Derivative  
Type: Vape Cartridge



# Certificate of Analysis

**PASSED**

Curaleaf NY, LLC.

167 Coeymans Industrial Park Lane  
Ravena, NY, 12143, US  
Telephone: (518) 635-6005  
Email: hplcny@curaleaf.com  
License #: MM1001M

Sample : AL50611001-003

Batch#: P-1ACE902025-698A  
Sampled : 06/10/25 03:15 PM

Sample Size Received : 9.5 gram

Total Amount : 2177 units

Sampling Method : SOP.T.20.010.NY

Page 5 of 5

| Microbial PASSED                                                                     |     |       |             |             |              | Mycotoxins PASSED                                  |        |       |         |             |              |
|--------------------------------------------------------------------------------------|-----|-------|-------------|-------------|--------------|----------------------------------------------------|--------|-------|---------|-------------|--------------|
| Analyte                                                                              | LOQ | Units | Result      | Pass / Fail | Action Level | Analyte                                            | LOQ    | Units | Result  | Pass / Fail | Action Level |
| TOTAL AEROBIC BACTERIA                                                               | 100 | CFU/g | <100        | PASS        | 10000        | AFLATOXIN G2                                       | 0.0100 | ppm   | <0.0100 | PASS        | 0.02         |
| TOTAL YEAST AND MOLD                                                                 | 100 | CFU/g | <100        | PASS        | 1000         | AFLATOXIN G1                                       | 0.0100 | ppm   | <0.0100 | PASS        | 0.02         |
| ESCHERICHIA COLI SHIGELLA SPP                                                        | 1   |       | Not Present | PASS        |              | AFLATOXIN B2                                       | 0.0100 | ppm   | <0.0100 | PASS        | 0.02         |
| SALMONELLA SPECIES                                                                   | 1   |       | Not Present | PASS        |              | AFLATOXIN B1                                       | 0.0100 | ppm   | <0.0100 | PASS        | 0.02         |
| ASPERGILLUS TERREUS                                                                  | 1   |       | Not Present | PASS        |              | OCHRATOXIN A+                                      | 0.0100 | ppm   | <0.0100 | PASS        | 0.02         |
| ASPERGILLUS NIGER                                                                    | 1   |       | Not Present | PASS        |              | TOTAL AFLATOXINS (B1, B2, G1, G2)                  | 0.0100 | ppm   | <0.0100 | PASS        | 0.02         |
| ASPERGILLUS FLAVUS                                                                   | 1   |       | Not Present | PASS        |              |                                                    |        |       |         |             |              |
| ASPERGILLUS FUMIGATUS                                                                | 1   |       | Not Present | PASS        |              |                                                    |        |       |         |             |              |
| Weight:<br>0.97g                                                                     |     |       |             |             |              | Weight:<br>0.4612g                                 |        |       |         |             |              |
| Analysis Method : SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.056C, SOP.T.40.209.NY |     |       |             |             |              | Analysis Method : SOP.T.30.104.NY, SOP.T.40.104.NY |        |       |         |             |              |
| Analyzed Date : 06/13/25 15:24:23                                                    |     |       |             |             |              | Analyzed Date : 06/12/25 11:00:51                  |        |       |         |             |              |

| Heavy Metals PASSED                                |        |       |         |             |              |
|----------------------------------------------------|--------|-------|---------|-------------|--------------|
| Metal                                              | LOQ    | Units | Result  | Pass / Fail | Action Level |
| ANTIMONY                                           | 0.1000 | ug/g  | <0.1000 | PASS        | 2            |
| ARSENIC                                            | 0.1000 | ug/g  | <0.1000 | PASS        | 0.2          |
| CADMIUM                                            | 0.1000 | ug/g  | <0.1000 | PASS        | 0.2          |
| CHROMIUM                                           | 1.0000 | ug/g  | <1.0000 | PASS        | 110          |
| COPPER                                             | 1.0000 | ug/g  | <1.0000 | PASS        | 30           |
| LEAD                                               | 0.1000 | ug/g  | <0.1000 | PASS        | 0.5          |
| MERCURY                                            | 0.0100 | ug/g  | <0.0100 | PASS        | 0.1          |
| NICKEL                                             | 0.1000 | ug/g  | <0.1000 | PASS        | 2            |
| Weight:<br>0.4734g                                 |        |       |         |             |              |
| Analysis Method : SOP.T.30.084.NY, SOP.T.40.084.NY |        |       |         |             |              |
| Analyzed Date : 06/13/25 10:35:00                  |        |       |         |             |              |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164

Signature  
06/13/25