

GTI

Order No.: ONYGTINY0131-0004636  
85 John Hicks Drive  
Warwick, New York, 10990  
cole.miller@gtigrows.com  
6147380382

Sample: SNYGTINY0131-PFCU-0012546

Strain: Sour Diesel, Unit Weight: 14.0000g  
Batch#: 20250106SD-QC14-1, Batch Size: 80  
Sample Received: 01/31/2025 05:14  
Report Created: 02/07/2025 10:37  
Sampling SOP 204-NY

Sour Diesel Queen Cola 14g - Rythm (Sativa Dominant)

Plant, Flower - Cured



## Results

**97.43 mg/dose**  
THCa

**2.68 mg/dose**  
D9-THC

**ND**  
Total CBD

**88.13 mg/dose**  
Total THC


**102.46 mg/dose**  
Total Cannabinoids

**2.792%**  
Total Terpenes

## Tests Summary

<b>Cannabinoids</b> Tested	<b>Moisture</b> Pass	<b>Microbials</b> Pass
<b>Water Activity</b> Pass	<b>Foreign Matter</b> Pass	<b>Homogeneity</b> Not Tested
<b>Terpenes</b> Pass	<b>Residual Solvents</b> Not Tested	<b>Mycotoxins</b> Pass
<b>Heavy Metals</b> Pass	<b>Pesticides</b> Pass	

## Dominant Terpenes



## GTI

Order No.: ONYGTINY0131-0004636  
85 John Hicks Drive  
Warwick, New York, 10990  
cole.miller@gtigrows.com  
6147380382

Sample: SNYGTINY0131-PFCU-0012546

Strain: Sour Diesel, Unit Weight: 14.0000g  
Batch#: 20250106SD-QC14-1, Batch Size: 80  
Sample Received: 01/31/2025 05:14  
Report Created: 02/07/2025 10:37  
Sampling SOP 204-NY

Sour Diesel Queen Cola 14g - Rythm (Sativa Dominant)

Plant, Flower - Cured



## Cannabinoids

SOP 801-NY

Date/Time Tested: 02/03/2025

14:03

Tested

Analyte	LOQ (ug/mL)	%	mg/g	mg/dose	mg/unit
CBDV	2,039.59	ND	ND	ND	ND
CBDa	1,957.77 < LOQ	< LOQ	< LOQ	< LOQ	< LOQ
CBGa	2,039.59	<b>0.67</b>	<b>6.71</b>	<b>2.35</b>	<b>93.94</b>
CBG	1,957.77 < LOQ	< LOQ	< LOQ	< LOQ	< LOQ
CBD	1,957.77	ND	ND	ND	ND
THCV	2,039.59	ND	ND	ND	ND
CBN	2,039.59	ND	ND	ND	ND
D9-THC	1,957.77	<b>0.77</b>	<b>7.66</b>	<b>2.68</b>	<b>107.25</b>
D8-THC	2,039.59	ND	ND	ND	ND
(6aR,9S)-d10-THC	2,039.59	ND	ND	ND	ND
(6aR,9R)-d10-THC	1,957.77	ND	ND	ND	ND
CBC	1,957.77	ND	ND	ND	ND
THCa	1,957.77	<b>27.84</b>	<b>278.38</b>	<b>97.43</b>	<b>3,897.28</b>
Total CBD		ND	ND	ND	ND
Total THC		<b>25.18</b>	<b>251.80</b>	<b>88.13</b>	<b>3,525.16</b>
Total Cannabinoids		<b>29.27</b>	<b>292.75</b>	<b>102.46</b>	<b>4,098.46</b>

### Notes:

Total THC = THCa \* 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC  
Total CBD = CBDa \* 0.877 + CBDTotal  
Cannabinoids= Sum of all cannabinoids  
LOQ = Limit of Quantitation;  
The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

## Moisture

Date/Time Tested: 02/04/2025

10:15

Pass

Analyte	Limit (%)	%	Status
Moisture	15	<b>12.7</b>	Passed

## Microbials

SOP 401-NY SOP 418-NY

Date/Time Tested: 02/05/2025

17:42

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	1,000	100,000	ND	Passed
E. Coli		0	ND	Passed
Yeast & Mold	100	10,000	<b>7,563</b>	Passed
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

### Notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

## Water Activity

Date/Time Tested: 02/04/2025

14:57

Pass

Analyte	Limit (aw)	aw	Status
Water Activity	0.65	<b>0.47</b>	Passed

## Foreign Matter

Date/Time Tested: 02/05/2025

18:47

Pass

Analyte	%
FM Stems	0
FM Other	0
FM Mammal Excrement	Absent



# Certificate of Analysis

Amended

OCM-CPL-2022-00001  
ACT Laboratories (NY)  
16 Corporate Drive, Halfmoon, New York  
5172272612  
kimberlyk@actlab.com

Compliance

Medical Use

3 of 6

GTI

Order No.: ONYGTINY0131-0004636  
85 John Hicks Drive  
Warwick, New York, 10990  
cole.miller@gtigrows.com  
6147380382

Sample: SNYGTINY0131-PFCU-0012546

Strain: Sour Diesel, Unit Weight: 14.0000g  
Batch#: 20250106SD-QC14-1, Batch Size: 80  
Sample Received: 01/31/2025 05:14  
Report Created: 02/07/2025 10:37  
Sampling SOP 204-NY

Sour Diesel Queen Cola 14g - Rythm (Sativa Dominant)

Plant, Flower - Cured



## Terpenes

SOP 620-NY

Date/Time Tested: 02/04/2025 17:10

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	2.792	Passed	Isoborneol	77		ND	Tested
Limonene	77		0.850	Tested	DL-Menthol	77		ND	Tested
b-Caryophyllene	77		0.588	Tested	Camphor	77		ND	Tested
b-Myrcene	77		0.347	Tested	Nerol	77		< LOQ	Tested
a-Humulene	77		0.226	Tested	Pulegone	77		ND	Tested
b-Pinene	77		0.145	Tested	g-Terpinene	77		ND	Tested
cis-Nerolidol	77		0.103	Tested	Geranyl Acetate	77		ND	Tested
Fenchol	77		0.100	Tested	a-Cedrene	77		ND	Tested
a-Bisabolol	77		0.098	Tested	a-Terpinene	77		ND	Tested
Linalool	77		0.094	Tested	d-3-Carene	77		ND	Tested
a-Pinene	77		0.078	Tested	Valencene	77		ND	Tested
Terpineol	77		0.058	Tested	a-Phellandrene	77		ND	Tested
trans-Nerolidol	77		0.023	Tested	Fenchone	77		< LOQ	Tested
Camphene	77		0.022	Tested	Guaiol	77		ND	Tested
Borneol	77		0.020	Tested	p-Cymene	77		ND	Tested
trans-b-Farnesene	77		0.019	Tested	Cedrol	77		ND	Tested
Terpinolene	77		0.013	Tested	Sabinene	77		ND	Tested
Caryophyllene Oxide	77		0.010	Tested	trans-b-Ocimene	77		ND	Tested
Geraniol	77		ND	Tested	Sabinene Hydrate	77		< LOQ	Tested
Eucalyptol	77		ND	Tested	Isopulegol	77		ND	Tested

### Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



*Kimberly Krisolofsky*

Kimberly Krisolofsky  
Lead Technical Director

Amended Note: Rev01: Updated batch ID

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



# Certificate of Analysis

Amended

OCM-CPL-2022-00001  
ACT Laboratories (NY)  
16 Corporate Drive, Halfmoon, New York  
5172272612  
kimberlyk@actlab.com

Compliance

Medical Use

4 of 6

GTI

Order No.: ONYGTINY0131-0004636  
85 John Hicks Drive  
Warwick, New York, 10990  
cole.miller@gtigrows.com  
6147380382

Sample: SNYGTINY0131-PFCU-0012546

Strain: Sour Diesel, Unit Weight: 14.0000g  
Batch#: 20250106SD-QC14-1, Batch Size: 80  
Sample Received: 01/31/2025 05:14  
Report Created: 02/07/2025 10:37  
Sampling SOP 204-NY

Sour Diesel Queen Cola 14g - Rythm (Sativa Dominant)

Plant, Flower - Cured



## Mycotoxins

SOP 808-NY

Date/Time Tested: 02/03/2025 12:15

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	5.0		ND	Tested
B2	5.0		ND	Tested
G1	5.0		ND	Tested
G2	5.0		ND	Tested
Ochratoxin A	5.0	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

### Notes:

**LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported**

## Heavy Metals

SOP 250-NY

Date/Time Tested: 02/05/2025 11:34

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.187	2.000	ND	Passed
Arsenic	0.187	0.200	ND	Passed
Cadmium	0.187	0.200	ND	Passed
Chromium	0.187	110.000	ND	Passed
Copper	0.225	30.000	2.546	Passed
Mercury	0.045	0.100	ND	Passed
Nickel	0.225	2.000	< LOQ	Passed
Lead	0.187	0.500	ND	Passed

### Notes:

**LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported**



*Kimberly Krisolofsky*

**Kimberly Krisolofsky**  
Lead Technical Director

**Amended Note:** Rev01: Updated batch ID

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



# Certificate of Analysis

Amended

OCM-CPL-2022-00001  
ACT Laboratories (NY)  
16 Corporate Drive, Halfmoon, New York  
5172272612  
kimberlyk@actlab.com

Compliance

Medical Use

5 of 6

GTI

Order No.: ONYGTINY0131-0004636  
85 John Hicks Drive  
Warwick, New York, 10990  
cole.miller@gtigrows.com  
6147380382

Sample: SNYGTINY0131-PFCU-0012546

Strain: Sour Diesel, Unit Weight: 14.0000g  
Batch#: 20250106SD-QC14-1, Batch Size: 80  
Sample Received: 01/31/2025 05:14  
Report Created: 02/07/2025 10:37  
Sampling SOP 204-NY

Sour Diesel Queen Cola 14g - Rythm (Sativa Dominant)

Plant, Flower - Cured



## Pesticides

SOP 814-NY

Date/Time Tested: 02/03/2025 10:38

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.37	0.50	ND	Passed
Acephate	0.10	0.40	ND	Passed
Acequinocyl	0.10	2.00	ND	Passed
Acetamiprid	0.10	0.20	ND	Passed
Aldicarb	0.10	0.40	ND	Passed
Azoxystrobin	0.10	0.20	ND	Passed
Bifenazate	0.10	0.20	ND	Passed
Bifenthrin	0.10	0.20	ND	Passed
Boscalid	0.10	0.40	ND	Passed
Carbaryl	0.10	0.20	ND	Passed
Carbofuran	0.10	0.20	ND	Passed
Chlorantraniliprole	0.10	0.20	ND	Passed
Chlorpyrifos	0.10	0.20	ND	Passed
Clofentezine	0.10	0.20	ND	Passed
Coumaphos	0.10	1.00	ND	Passed
Cyfluthrin	0.48	1.00	ND	Passed
Cypermethrin	0.10	1.00	ND	Passed
Daminozide	0.10	1.00	ND	Passed
Diazinon	0.10	0.20	ND	Passed
Dichlorvos	0.10	1.00	ND	Passed
Dimethoate	0.10	0.20	ND	Passed
Dimethomorph	0.10	1.00	ND	Passed
Ethoprophos	0.10	0.20	ND	Passed
Etofenprox	0.10	0.40	ND	Passed
Etoxazole	0.10	0.20	ND	Passed
Fenhexamid	0.10	1.00	ND	Passed
Fenoxycarb	0.10	0.20	ND	Passed
Fenpyroximate	0.10	0.40	ND	Passed
Fipronil	0.10	0.40	ND	Passed
Flonicamid	0.10	1.00	ND	Passed
Fludioxonil	0.10	0.40	ND	Passed
Hexythiazox	0.10	1.00	ND	Passed
Imazalil	0.10	0.20	ND	Passed
Imidacloprid	0.10	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.10	0.40	ND	Passed
Malathion	0.10	0.20	ND	Passed
Mevinphos	0.10	1.00	ND	Passed
Metalaxyl	0.10	0.20	ND	Passed
Methiocarb	0.10	0.20	ND	Passed
Methomyl	0.10	0.40	ND	Passed



*Kimberly Krisolofsky*

**Kimberly Krisolofsky**  
Lead Technical Director

**Amended Note:** Rev01: Updated batch ID

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



# Certificate of Analysis

Amended

OCM-CPL-2022-00001  
ACT Laboratories (NY)  
16 Corporate Drive, Halfmoon, New York  
5172272612  
kimberlyk@actlab.com

Compliance

Medical Use

6 of 6

GTI

Order No.: ONYGTINY0131-0004636  
85 John Hicks Drive  
Warwick, New York, 10990  
cole.miller@gtigrows.com  
6147380382

Sample: SNYGTINY0131-PFCU-0012546

Strain: Sour Diesel, Unit Weight: 14.0000g  
Batch#: 20250106SD-QC14-1, Batch Size: 80  
Sample Received: 01/31/2025 05:14  
Report Created: 02/07/2025 10:37  
Sampling SOP 204-NY

Sour Diesel Queen Cola 14g - Rythm (Sativa Dominant)

Plant, Flower - Cured



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.10	0.20	ND	Passed
Naled	0.10	0.50	ND	Passed
Oxamyl	0.10	1.00	ND	Passed
Paclobutrazol	0.10	0.40	ND	Passed
Permethrin	0.10	0.20	ND	Passed
Phosmet	0.10	0.20	ND	Passed
Piperonyl Butoxide	0.10	2.00	ND	Passed
Prallethrin	0.10	0.20	ND	Passed
Propiconazole	0.10	0.40	ND	Passed
Propoxur	0.10	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.10	0.20	ND	Passed
Spinetoram	0.10	1.00	ND	Passed
Spinosyn AD	0.10	0.20	ND	Passed
Spiromesifen	0.10	0.20	ND	Passed
Spirotetramat	0.10	0.20	ND	Passed
Spiroxamine	0.10	0.20	ND	Passed
Tebuconazole	0.10	0.40	ND	Passed
Thiacloprid	0.10	0.20	ND	Passed
Thiamethoxam	0.10	0.20	ND	Passed
Trifloxystrobin	0.10	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.10	0.20	ND	Passed
Chlordane	0.10	1.00	ND	Passed
Chlorfenapyr	0.10	1.00	ND	Passed
PCNB	0.10	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

## Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.



Kimberly Krisolofsky  
Lead Technical Director

Amended Note: Rev01: Updated batch ID

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.