

New York Seed Lab

Contact Person: Michael Casacci
 Akron, NY 14001
 michaelcasacci@gmail.com
 (716) 863-5466
 Lic. #OCM-PROC-24-000014


Sample: 2411RLI0432-1471

Strain: Biohazard Joints
 Batch#: 331-24-445-DW; Batch Size: 7002 units
 Sample Received: 11/26/2024; Report Created: 12/11/2024;

Biohazard Joints
 Plant, Preroll

Sampling

Sample Collection Date/Time: 11/26/24 14:30
 Sample Collection Site: New York Seed Laboratory LLC
 Sampling Firm: DRS Testing
 Sampling Method: MTHD-014
 Sampling Notes/Deviations:



Safety

| | | |
|-------------------------------|---------------------------|-------------------------------|
| Pass Pesticides | Pass Microbials | Pass Mycotoxins |
| Not Tested Solvents | Pass Metals | Pass Foreign Matter |

Cannabinoids

| | | |
|----------------------------|------------------------|--------------------------|
| 29.10% Total THC | ND Total CBD | 12.9% Moisture |
|----------------------------|------------------------|--------------------------|

| Analyte | LOQ | Result | Result |
|---------------------------|------|--------------|---------------|
| | mg/g | % | mg/g |
| CBDVa | 0.2 | ND | ND |
| CBDV | 0.2 | ND | ND |
| CBDa | 0.2 | ND | ND |
| CBGa | 0.2 | 0.47 | 4.7 |
| CBG | 0.2 | ND | ND |
| CBD | 0.2 | ND | ND |
| THCV | 0.2 | ND | ND |
| THCVa | 0.2 | ND | ND |
| CBN | 0.2 | ND | ND |
| Δ9-THC | 0.2 | 1.23 | 12.3 |
| Δ8-THC | 0.2 | ND | ND |
| (6aR,9R)-d10-THC | 0.2 | ND | ND |
| (6aR,9S)-d10-THC | 0.2 | ND | ND |
| CBC | 0.2 | ND | ND |
| THCa | 0.2 | 31.78 | 317.8 |
| CBCa | 0.2 | ND | ND |
| Total Cannabinoids | | 33.48 | 334.79 |

Entered By: VJ, Instrument ID: AL2-004
 Method: MTHD-001, Date Tested: 12/05/2024 18:28
 Total theoretical THC % = (delta-9- THC%) + (THCa% x 0.877) + (delta-8- THC%) + (delta-10- THC%)

DRS Testing
 28 Best Street
 Buffalo, NY
 (716) 503-8147
 http://www.drstesting.com
 Lic# OCM-CPL-2022-00011



Anshu Shrestha

Anshu Shrestha
 Laboratory Director

Violet Josik

Violet Josik
 Quality Assurance Lead



Confident LIMS
 All Rights Reserved
 coa.support@confidentlims.com
 (866) 506-5866
 www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

Certificate of Analysis

New York Seed Lab

Contact Person: Michael Casacci
 Akron, NY 14001
 michaelcasacci@gmail.com
 (716) 863-5466
 Lic. #OCM-PROC-24-000014

Sample: 2411RLI0432-1471

Strain: Biohazard Joints
 Batch#: 331-24-445-DW; Batch Size: 7002 units
 Sample Received: 11/26/2024; Report Created: 12/11/2024;

Biohazard Joints
 Plant, Preroll

Sampling



Sample Collection Date/Time: 11/26/24 14:30
 Sample Collection Site: New York Seed Laboratory LLC
 Sampling Firm: DRS Testing
 Sampling Method: MTHD-014
 Sampling Notes/Deviations:

Terpenes

Complete

Primary Aromas

| Analyte | LOQ | Result | Result |
|------------------------|--------|--------|--------|
| | % | % | mg/g |
| β -Caryophyllene | 0.0065 | 0.96 | 9.58 |
| Limonene | 0.0065 | 0.38 | 3.78 |
| α -Humulene | 0.0065 | 0.31 | 3.06 |
| Valencene | 0.0021 | 0.15 | 1.53 |
| Linalool | 0.0065 | 0.10 | 0.95 |
| Fenchol | 0.0104 | 0.09 | 0.95 |
| β -Pinene | 0.0065 | 0.08 | 0.79 |
| α -Bisabolol | 0.0065 | 0.06 | 0.61 |
| α -Pinene | 0.0065 | 0.06 | 0.59 |
| Farnesene | 0.0021 | 0.04 | 0.42 |
| β -Myrcene | 0.0065 | 0.04 | 0.39 |
| Camphene | 0.0065 | 0.01 | 0.11 |
| α -Phellandrene | 0.0052 | ND | ND |
| α -Terpinene | 0.0065 | ND | ND |
| Caryophyllene Oxide | 0.0065 | ND | ND |
| Geraniol | 0.0065 | <LOQ | <LOQ |
| Guaiol | 0.0065 | ND | ND |
| Ocimene | 0.0065 | ND | ND |
| Terpineol | 0.0052 | ND | ND |
| Terpinolene | 0.0065 | <LOQ | <LOQ |



2.2756%
 Total Terpenes

Entered By: CB, Instrument ID: AL1-001
 Method: MTHD-005, Date Tested: 12/06/2024 10:00

DRS Testing
 28 Best Street
 Buffalo, NY
 (716) 503-8147
 http://www.drstesting.com
 Lic# OCM-CPL-2022-00011



Anshu Shrestha

Anshu Shrestha
 Laboratory Director

Violet Josik

Violet Josik
 Quality Assurance Lead



Confident LIMS
 All Rights Reserved
 coa.support@confidentlims.com
 (866) 506-5866
 www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
4 of 8

New York Seed Lab

Contact Person: Michael Casacci
Akron, NY 14001
michaelcasacci@gmail.com
(716) 863-5466
Lic. #OCM-PROC-24-000014

Sample: 2411RLI0432-1471

Strain: Biohazard Joints
Batch#: 331-24-445-DW; Batch Size: 7002 units
Sample Received: 11/26/2024; Report Created: 12/11/2024;

Biohazard Joints
Plant, Preroll

Sampling

Sample Collection Date/Time: 11/26/24 14:30
Sample Collection Site: New York Seed Laboratory LLC
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Pesticides

Pass

| Analyte | LOQ | Limit | Result | Status |
|-----------------------|------|-------|--------|--------|
| | PPM | PPM | PPM | |
| Abamectin | 0.05 | 0.50 | ND | Pass |
| Acephate | 0.05 | 0.40 | ND | Pass |
| Acequinocyl | 0.05 | 2.00 | ND | Pass |
| Acetamiprid | 0.05 | 0.20 | ND | Pass |
| Aldicarb | 0.05 | 0.40 | ND | Pass |
| Avermectin-B1a | | | ND | Tested |
| Avermectin-B1b | | | ND | Tested |
| Azadirachtin | 0.25 | 1.00 | ND | Pass |
| Azoxystrobin | 0.05 | 0.20 | ND | Pass |
| Bifenazate | 0.05 | 0.20 | ND | Pass |
| Bifenthrin | 0.05 | 0.20 | ND | Pass |
| Boscalid | 0.05 | 0.40 | ND | Pass |
| Captan | 0.50 | 1.00 | ND | Pass |
| Carbaryl | 0.05 | 0.20 | ND | Pass |
| Carbofuran | 0.05 | 0.20 | ND | Pass |
| Chlorantraniliprole | 0.05 | 0.20 | ND | Pass |
| Chlordane | 0.50 | 1.00 | ND | Pass |
| Chlorfenapyr | 0.50 | 1.00 | ND | Pass |
| Chloromequat chloride | 0.05 | 1.00 | ND | Pass |
| Chlorpyrifos | 0.05 | 0.20 | ND | Pass |
| Cinerin 1 | | | ND | Tested |
| Clofentezine | 0.05 | 0.20 | ND | Pass |
| Coumaphos | 0.05 | 1.00 | ND | Pass |
| Cyfluthrin | 0.05 | 1.00 | ND | Pass |
| Cypermethrin | 0.05 | 1.00 | ND | Pass |

Entered By: AS, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003
GC Method: MTHD-008 GC Date Tested: 12/05/2024 23:03
LC Method: MTHD-009 LC Date Tested: 12/07/2024 18:15
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
http://www.drstesting.com
Lic# OCM-CPL-2022-00011



Anshu Shrestha
Laboratory Director

Violet Josik
Quality Assurance Lead



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
5 of 8

New York Seed Lab

Contact Person: Michael Casacci
Akron, NY 14001
michaelcasacci@gmail.com
(716) 863-5466
Lic. #OCM-PROC-24-000014

Sample: 2411RLI0432-1471

Strain: Biohazard Joints
Batch#: 331-24-445-DW; Batch Size: 7002 units
Sample Received: 11/26/2024; Report Created: 12/11/2024;

Biohazard Joints
Plant, Preroll

Sampling

Sample Collection Date/Time: 11/26/24 14:30
Sample Collection Site: New York Seed Laboratory LLC
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Pesticides

Pass

| Analyte | LOQ | Limit | Result | Status |
|--------------------|------|-------|--------|--------|
| | PPM | PPM | PPM | |
| Daminozide | 0.05 | 1.00 | ND | Pass |
| Diazinon | 0.05 | 0.20 | ND | Pass |
| Dichlorvos | 0.05 | 1.00 | ND | Pass |
| Dimethoate | 0.05 | 0.20 | ND | Pass |
| Dimethomorph | 0.05 | 1.00 | ND | Pass |
| Ethoprophos | 0.05 | 0.20 | ND | Pass |
| Etofenprox | 0.05 | 0.40 | ND | Pass |
| Etoxazole | 0.05 | 0.20 | ND | Pass |
| Fenhexamid | 0.05 | 1.00 | ND | Pass |
| Fenoxycarb | 0.05 | 0.20 | ND | Pass |
| Fenpyroximate | 0.05 | 0.40 | ND | Pass |
| Fipronil | 0.05 | 0.40 | ND | Pass |
| Fonicamid | 0.05 | 1.00 | ND | Pass |
| Fludioxonil | 0.05 | 0.40 | ND | Pass |
| Hexythiazox | 0.05 | 1.00 | ND | Pass |
| Imazalil | 0.05 | 0.20 | ND | Pass |
| Imidacloprid | 0.05 | 0.40 | ND | Pass |
| Indolebutyric Acid | 0.05 | 1.00 | ND | Pass |
| Jasmolin 1 | | | ND | Tested |
| Kresoxim Methyl | 0.05 | 0.40 | ND | Pass |
| Malathion | 0.05 | 0.20 | ND | Pass |
| Metalaxyl | 0.05 | 0.20 | ND | Pass |
| Methiocarb | 0.05 | 0.20 | ND | Pass |
| Methomyl | 0.05 | 0.40 | ND | Pass |
| Methyl Parathion | 0.10 | 0.20 | ND | Pass |

Entered By: AS, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003
GC Method: MTHD-008 GC Date Tested: 12/05/2024 23:03
LC Method: MTHD-009 LC Date Tested: 12/07/2024 18:15
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
http://www.drstesting.com
Lic# OCM-CPL-2022-00011



Anshu Shrestha

Anshu Shrestha
Laboratory Director

Violet Josik

Violet Josik
Quality Assurance Lead



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
6 of 8

New York Seed Lab

Contact Person: Michael Casacci
Akron, NY 14001
michaelcasacci@gmail.com
(716) 863-5466
Lic. #OCM-PROC-24-000014

Sample: 2411RLI0432-1471

Strain: Biohazard Joints
Batch#: 331-24-445-DW; Batch Size: 7002 units
Sample Received: 11/26/2024; Report Created: 12/11/2024;

Biohazard Joints
Plant, Preroll

Sampling

Sample Collection Date/Time: 11/26/24 14:30
Sample Collection Site: New York Seed Laboratory LLC
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Pesticides

Pass

| Analyte | LOQ | Limit | Result | Status |
|-------------------------|------|-------|--------|--------|
| | PPM | PPM | PPM | |
| Mevinphos | 0.05 | 1.00 | ND | Pass |
| MGK-264 | 0.05 | 0.20 | ND | Pass |
| Myclobutanil | 0.05 | 0.20 | ND | Pass |
| Naled | 0.05 | 0.50 | ND | Pass |
| Oxamyl | 0.05 | 1.00 | ND | Pass |
| Paclobutrazol | 0.05 | 0.40 | ND | Pass |
| Pentachloronitrobenzene | 0.50 | 1.00 | ND | Pass |
| Permethrins | 0.05 | 0.20 | ND | Pass |
| Phosmet | 0.05 | 0.20 | ND | Pass |
| Piperonyl Butoxide | 0.05 | 2.00 | ND | Pass |
| Prallethrin | 0.05 | 0.20 | ND | Pass |
| Propiconazole | 0.05 | 0.40 | ND | Pass |
| Propoxur | 0.05 | 0.20 | ND | Pass |
| Pyrethrin 1 | | | ND | Tested |
| Pyrethrin 2 | | | ND | Tested |
| Pyrethrins | 0.05 | 1.00 | ND | Pass |
| Pyridaben | 0.05 | 0.20 | ND | Pass |
| Spinetoram | 0.05 | 1.00 | ND | Pass |
| Spinetoram J | | | ND | Tested |
| Spinetoram L | | | ND | Tested |
| Spinosad | 0.05 | 0.20 | ND | Pass |
| Spinosyn A | | | ND | Tested |
| Spinosyn D | | | ND | Tested |
| Spiromesifen | 0.05 | 0.20 | ND | Pass |
| Spirotetramat | 0.05 | 0.20 | ND | Pass |

Entered By: AS, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003
GC Method: MTHD-008 GC Date Tested: 12/05/2024 23:03
LC Method: MTHD-009 LC Date Tested: 12/07/2024 18:15
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
http://www.drstesting.com
Lic# OCM-CPL-2022-00011



Anshu Shrestha

Anshu Shrestha
Laboratory Director

Violet Josik

Violet Josik
Quality Assurance Lead



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
7 of 8

New York Seed Lab

Contact Person: Michael Casacci
Akron, NY 14001
michaelcasacci@gmail.com
(716) 863-5466
Lic. #OCM-PROC-24-000014

Sample: 2411RLI0432-1471

Strain: Biohazard Joints
Batch#: 331-24-445-DW; Batch Size: 7002 units
Sample Received: 11/26/2024; Report Created: 12/11/2024;

Biohazard Joints
Plant, Preroll

Sampling

Sample Collection Date/Time: 11/26/24 14:30
Sample Collection Site: New York Seed Laboratory LLC
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Pesticides

Pass

| Analyte | LOQ | Limit | Result | Status |
|-----------------|------|-------|--------|--------|
| | PPM | PPM | PPM | |
| Spiroxamine | 0.05 | 0.20 | ND | Pass |
| Tebuconazole | 0.05 | 0.40 | ND | Pass |
| Thiacloprid | 0.05 | 0.20 | ND | Pass |
| Thiamethoxam | 0.05 | 0.20 | ND | Pass |
| Trifloxystrobin | 0.05 | 0.20 | ND | Pass |

Entered By: AS, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003
GC Method: MTHD-008 GC Date Tested: 12/05/2024 23:03
LC Method: MTHD-009 LC Date Tested: 12/07/2024 18:15
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
<http://www.drstesting.com>
Lic# OCM-CPL-2022-00011



Anshu Shrestha

Anshu Shrestha
Laboratory Director

Violet Josik

Violet Josik
Quality Assurance Lead



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
8 of 8

New York Seed Lab

Contact Person: Michael Casacci
Akron, NY 14001
michaelcasacci@gmail.com
(716) 863-5466
Lic. #OCM-PROC-24-000014

Sample: 2411RLI0432-1471

Strain: Biohazard Joints
Batch#: 331-24-445-DW; Batch Size: 7002 units
Sample Received: 11/26/2024; Report Created: 12/11/2024;

Biohazard Joints
Plant, Preroll

Sampling

Sample Collection Date/Time: 11/26/24 14:30
Sample Collection Site: New York Seed Laboratory LLC
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Moisture Date/Time Tested: 12/04/2024; 19:27
Moisture Method: MTHD-003

Water Activity Date/Time Tested: 12/04/2024; 14:07
Water Activity Method: MTHD-002

0.53 aw
Limit: 0.65 aw
Pass
Water Activity

12.9%
Limit: 15.0 %
Pass
Moisture

Foreign Matter

Foreign Matter Method: MTHD-004
Foreign Matter Date/Time Tested: 12/10/2024; 11:07

Pass

| Analyte | Limit | Result | Status |
|------------------|----------|--------|--------|
| Mammal Excrement | 0.00022% | 0 | Pass |
| FM Stems | 5% | 0 | Pass |
| FM Other | 2% | 0 | Pass |

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
http://www.drstesting.com
Lic# OCM-CPL-2022-00011



Anshu Shrestha

Anshu Shrestha
Laboratory Director

Violet Josik

Violet Josik
Quality Assurance Lead



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.