



All In One
 PO Box 747617
 Rego Park NY 11374
 info@ai1ny.com

License #: OCM-AUCP-22-000001

Certificate of Analysis

Final



Sample #: 4847

Dark Chocolate

Test Comment: Cannabinoids analyzed by HPLC using P-NY100. The reported result is based on a sample weight using moisture content for flower samples unless moisture is listed as zero or ND. Unless otherwise stated all QC passed.

d8-THC is an abbreviation for delta-8 tetrahydrocannabinol. d9-THC is an abbreviation for delta-9 tetrahydrocannabinol.

Terpenes by HS-GC-MS

Date Completed: 05/24/2024 9:57AM

| Compound | CAS# | LOQ (%) | % | Relative Concentration |
|---------------------|------------|---------|----|------------------------|
| Beta-myrcene | 123-35-3 | 0.1000 | ND | |
| Beta-caryophyllene | 87-44-5 | 0.1000 | ND | |
| Limonene | 5989-27-5 | 0.1000 | ND | |
| Alpha-pinene | 80-56-8 | 0.1000 | ND | |
| Alpha-humulene | 6753-98-6 | 0.1000 | ND | |
| Linalool | 78-70-6 | 0.1000 | ND | |
| Beta-pinene | 127-91-3 | 0.1000 | ND | |
| Terpinolene | 586-62-9 | 0.1000 | ND | |
| Borneol | 464-45-9 | 0.1000 | ND | |
| Ocimene | 13877-91-3 | 0.1000 | ND | |
| Alpha-bisabolol | 515-69-5 | 0.1000 | ND | |
| Caryophyllene-oxide | 1139-30-6 | 0.1000 | ND | |
| Geraniol | 106-24-1 | 0.1000 | ND | |
| Camphene | 79-92-5 | 0.1000 | ND | |
| Guaiol | 489-86-1 | 0.1000 | ND | |
| Alpha-terpinene | 99-86-5 | 0.1000 | ND | |
| Terpineol | 8006-39-1 | 0.1000 | ND | |
| Fenchol | 14575-74-7 | 0.1000 | ND | |
| Valencene | 4630-07-3 | 0.1000 | ND | |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director





All In One
 PO Box 747617
 Rego Park NY 11374
 info@ai1ny.com

License #: OCM-AUCP-22-000001

Certificate of Analysis

Final



Sample #: 4847

Dark Chocolate

| Compound | CAS# | LOQ (%) | % | Relative Concentration |
|--------------------|------------|---------|----|------------------------|
| Alpha-phellandrene | 99-83-2 | 0.1000 | ND | |
| Farnesene | 502-61-4 | 0.1000 | ND | |
| Camphor | 464-49-3 | 0.1000 | ND | |
| 3-Carene | 13466-78-9 | 0.1000 | ND | |
| Alpha-cedrene | 469-61-4 | 0.1000 | ND | |
| Cedrol | 77-53-2 | 0.1000 | ND | |
| Eucalyptol | 470-82-6 | 0.1000 | ND | |
| Fenchone | 1195-79-5 | 0.1000 | ND | |
| Gamma-terpinene | 99-85-4 | 0.1000 | ND | |
| Geranyl Acetate | 105-87-3 | 0.1000 | ND | |
| Isopulegol | 89-79-2 | 0.1000 | ND | |
| Menthol | 15356-70-4 | 0.1000 | ND | |
| Nerol | 106-25-2 | 0.1000 | ND | |
| Nerolidol | | 0.1000 | ND | |
| Pulegone | 89-82-7 | 0.1000 | ND | |
| Sabinene | 3387-41-5 | 0.1000 | ND | |
| Sabinene Hydrate | 546-79-2 | 0.1000 | ND | |

Test Comment: Terpenes tested by GCMS using P-NY210. Unless otherwise stated, all QC passed.

Water Activity

Pass

Analysis Date: 05/23/2024 6:03 pm

| Compound | LOQ (Aw) | Limits (Aw) | Result (Aw) | Status |
|----------------|----------|-------------|-------------|--------|
| Water Activity | 0.05 | 0.85 | 0.56 | Pass |

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

Pesticides by LCMSMS

Pass

Analysis Date: 05/26/2024 11:29 am

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|-----------|------------|---------------|---------------|--------|
| Abamectin | 0.0100 | 0.500 | ND | Pass |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director





All In One
 PO Box 747617
 Rego Park NY 11374
 info@ai1ny.com

License #: OCM-AUCP-22-000001

Certificate of Analysis

Final



Sample #: 4847

Dark Chocolate

Pesticides by LCMSMS

Pass

Analysis Date: 05/26/2024 11:29 am

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|----------------------|------------|---------------|---------------|--------|
| Acephate | 0.0100 | 0.400 | ND | Pass |
| Acequinocyl | 0.0100 | 2.00 | ND | Pass |
| Acetamiprid | 0.0100 | 0.200 | ND | Pass |
| Aldicarb | 0.0100 | 0.400 | ND | Pass |
| Azadirachtin | 0.0100 | 1.00 | ND | Pass |
| Azoxystrobin | 0.0100 | 0.200 | ND | Pass |
| Bifenazate | 0.0100 | 0.200 | ND | Pass |
| Bifenthrin | 0.0100 | 0.200 | ND | Pass |
| Boscalid | 0.0100 | 0.400 | ND | Pass |
| Captan | 0.0100 | 1.00 | ND | Pass |
| Carbaryl | 0.0100 | 0.200 | ND | Pass |
| Carbofuran | 0.0100 | 0.200 | ND | Pass |
| Chlorantraniliprole | 0.0100 | 0.200 | ND | Pass |
| Chlordane-alpha | 0.0100 | 1.00 | ND | Pass |
| Chlorfenapyr | 0.0100 | 1.00 | ND | Pass |
| Chlormequat Chloride | 0.0100 | 1.00 | ND | Pass |
| Chlorpyrifos | 0.0100 | 0.200 | ND | Pass |
| Clofentezine | 0.0100 | 0.200 | ND | Pass |
| Coumaphos | 0.0100 | 1.00 | ND | Pass |
| Cyfluthrin | 0.0100 | 1.00 | ND | Pass |
| Cypermethrin | 0.0100 | 1.00 | ND | Pass |
| Daminozide | 0.0100 | 1.00 | ND | Pass |
| Diazinon | 0.0100 | 0.200 | ND | Pass |
| Dichlorvos | 0.0100 | 1.00 | ND | Pass |
| Dimethoate | 0.0100 | 0.200 | ND | Pass |
| Dimethomorph | 0.0100 | 1.00 | ND | Pass |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E

Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director





All In One
 PO Box 747617
 Rego Park NY 11374
 info@ai1ny.com

License #: OCM-AUCP-22-000001

Certificate of Analysis

Final



Sample #: 4847

Dark Chocolate

Pesticides by LCMSMS

Pass

Analysis Date: 05/26/2024 11:29 am

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|-------------------------|------------|---------------|---------------|--------|
| Ethoprophos | 0.0100 | 0.200 | ND | Pass |
| Etofenprox | 0.0100 | 0.400 | ND | Pass |
| Etozazole | 0.0100 | 0.200 | ND | Pass |
| Fenhexamid | 0.0100 | 1.00 | ND | Pass |
| Fenoxycarb | 0.0100 | 0.200 | ND | Pass |
| Fenpyroximate | 0.0100 | 0.400 | ND | Pass |
| Fipronil | 0.0100 | 0.400 | ND | Pass |
| Fonicamid | 0.0100 | 1.00 | ND | Pass |
| Fludioxonil | 0.0100 | 0.400 | ND | Pass |
| Hexythiazox | 0.0100 | 1.00 | ND | Pass |
| Imazalil | 0.0100 | 0.200 | ND | Pass |
| Imidacloprid | 0.0100 | 0.400 | ND | Pass |
| Indolebutyric Acid | 0.0100 | 1.00 | ND | Pass |
| Kresoxim-methyl | 0.0100 | 0.400 | ND | Pass |
| Malathion | 0.0100 | 0.200 | ND | Pass |
| Metalaxyl | 0.0100 | 0.200 | ND | Pass |
| Methiocarb | 0.0100 | 0.200 | ND | Pass |
| Methomyl | 0.0100 | 0.400 | ND | Pass |
| Methyl Parathion | 0.0100 | 0.200 | ND | Pass |
| Mevinphos | 0.0100 | 1.00 | ND | Pass |
| MGK-264 | 0.0100 | 0.200 | ND | Pass |
| Myclobutanil | 0.0100 | 0.200 | ND | Pass |
| Naled | 0.0100 | 0.500 | ND | Pass |
| Oxamyl | 0.0100 | 1.00 | ND | Pass |
| Paclobutrazol | 0.0100 | 0.400 | ND | Pass |
| Pentachloronitrobenzene | 0.0100 | 1.00 | ND | Pass |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York

1809 Vestal Pkwy E

Vestal, NY 13850

(607)301-0884

InfoNY@KeystoneStateTesting.com

www.KeystoneStateTesting.com

Permit #: OCM-CPL-2022-00007

Kelly N. Greenland

Dr. Kelly Greenland, Lab Director





All In One
 PO Box 747617
 Rego Park NY 11374
 info@ai1ny.com

License #: OCM-AUCP-22-000001

Certificate of Analysis

Final



Sample #: 4847

Dark Chocolate

Pesticides by LCMSMS

Pass

Analysis Date: 05/26/2024 11:29 am

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|--------------------|------------|---------------|---------------|--------|
| Permethrins, Total | 0.0100 | 0.200 | ND | Pass |
| Phosmet | 0.0100 | 0.200 | ND | Pass |
| Piperonyl Butoxide | 0.0100 | 2.00 | ND | Pass |
| Prallethrin | 0.0100 | 0.200 | ND | Pass |
| Propiconazole | 0.0100 | 0.400 | ND | Pass |
| Propoxur | 0.0100 | 0.200 | ND | Pass |
| Pyrethrins Total | 0.0100 | 1.00 | ND | Pass |
| Pyridaben | 0.0100 | 0.200 | ND | Pass |
| Spinetoram Total | 0.0100 | 1.00 | ND | Pass |
| Spinosad Total | 0.0100 | 0.200 | ND | Pass |
| Spiromesifen | 0.0100 | 0.200 | ND | Pass |
| Spirotetramat | 0.0100 | 0.200 | ND | Pass |
| Spiroxamine | 0.0100 | 0.200 | ND | Pass |
| Tebuconazole | 0.0100 | 0.400 | ND | Pass |
| Thiacloprid | 0.0100 | 0.200 | ND | Pass |
| Thiamethoxam | 0.0100 | 0.200 | ND | Pass |
| Trifloxystrobin | 0.0100 | 0.200 | ND | Pass |

Comment: Pesticides tested by LCMSMS by using P-NY150. Unless otherwise stated, all QC passed.

Residual Solvents by HS-GC-MS

Pass

Analysis Date: 05/24/2024 11:18 am

| Compound | LOQ (ppm) | Limits (ppm) | Result (ppm) | Status |
|--------------------|-----------|--------------|--------------|--------|
| 1,2-Dichloroethane | 0.0500 | 5.00 | ND | Pass |
| Acetone | 50.00 | 5000 | ND | Pass |
| Acetonitrile | 50.00 | 410 | ND | Pass |
| Benzene | 0.5000 | 2.00 | ND | Pass |
| Butanes Total | 25.00 | 5000 | ND | Pass |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Kelly N. Greenland

Dr. Kelly Greenland, Lab Director





All In One
 PO Box 747617
 Rego Park NY 11374
 info@ai1ny.com

License #: OCM-AUCP-22-000001

Certificate of Analysis

Final



Sample #: 4847

Dark Chocolate

Residual Solvents by HS-GC-MS

Pass

Analysis Date: 05/24/2024 11:18 am

| Compound | LOQ (ppm) | Limits (ppm) | Result (ppm) | Status |
|---------------------------|-----------|--------------|--------------|--------|
| Chloroform | 0.5000 | 60.0 | ND | Pass |
| Dimethyl Sulfoxide (DMSO) | 50.00 | 5000 | ND | Pass |
| Ethanol | 50.00 | 5000 | ND | Pass |
| Ethyl acetate | 50.00 | 5000 | ND | Pass |
| Ethyl ether | 50.00 | 5000 | ND | Pass |
| Heptane | 50.00 | 5000 | ND | Pass |
| Hexanes Total | 10.00 | 290 | ND | Pass |
| Isopropanol | 50.00 | 5000 | ND | Pass |
| Methanol | 50.00 | 3000 | ND | Pass |
| Methylene chloride | 50.00 | 600 | ND | Pass |
| Pentanes Total | 16.70 | 5000 | ND | Pass |
| Propane | 50.00 | 5000 | ND | Pass |
| Toluene | 50.00 | 890 | ND | Pass |
| Total xylenes | 25.00 | 2170 | ND | Pass |
| Trichloroethane (1,1,1,-) | 50.00 | 1500 | ND | Pass |

Comment: Residual Solvents tested by GCMS using P-NY170. Unless otherwise stated, all QC passed. "TIC" stands for Tentatively Identified Compound but not quantitated.

Mycotoxins by LCMSMS

Pass

Analysis Date: 05/26/2024 11:29 am

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|-----------------|------------|---------------|---------------|--------|
| Aflatoxin B1 | 0.0050 | 0.020 | ND | Pass |
| Aflatoxin B2 | 0.0050 | 0.020 | ND | Pass |
| Aflatoxin G1 | 0.0050 | 0.020 | ND | Pass |
| Aflatoxin G2 | 0.0050 | 0.020 | ND | Pass |
| Ochratoxin A | 0.0050 | 0.020 | ND | Pass |
| Total Aflatoxin | 0.0050 | 0.020 | ND | Pass |

Comment: Mycotoxin contamination tested by LCMSMS using P-NY125. Unless otherwise stated, all QC passed.

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E

Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Kelly N. Greenland

Dr. Kelly Greenland, Lab Director





All In One
 PO Box 747617
 Rego Park NY 11374
 info@ai1ny.com

License #: OCM-AUCP-22-000001

Certificate of Analysis

Final



Sample #: 4847

Dark Chocolate

Heavy Metals by ICPMS

Pass

Analysis Date: 05/29/2024 10:43 am

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|----------|------------|---------------|---------------|--------|
| Antimony | 0.0100 | 120 | ND | Pass |
| Arsenic | 0.00100 | 1.50 | ND | Pass |
| Cadmium | 0.00150 | 0.500 | ND | Pass |
| Chromium | 0.280 | 1100 | ND | Pass |
| Copper | 0.0750 | 300 | 2.63 | Pass |
| Lead | 0.00250 | 0.500 | ND | Pass |
| Mercury | 0.000500 | 3.00 | ND | Pass |
| Nickel | 0.0100 | 20.0 | 0.898 | Pass |

Comment: Heavy Metal contamination tested by ICPMS using P-NY140. Unless otherwise stated, all QC passed.

Micro by Petri & qPCR

Pass

Analysis Date: 05/28/2024 9:24 am

| Compound | LOQ (CFU/g) | Limits (CFU/g) | Result (CFU/g) | Status |
|---|-------------|----------------|----------------|--------|
| Aspergillus flavus Qualitative | 1 | 0 | Not Detected | Pass |
| Aspergillus fumigatus Qualitative | 1 | 0 | Not Detected | Pass |
| Aspergillus niger Qualitative | 1 | 0 | Not Detected | Pass |
| Aspergillus terreus Qualitative | 1 | 0 | Not Detected | Pass |
| Salmonella Qualitative | 1 | 0 | Not Detected | Pass |
| Shiga Toxin-Producing E. coli Qualitative | 1 | 0 | Not Detected | Pass |
| Total Aerobic Bacteria | 10 | 10000 | <LOQ | Pass |
| Total Yeast & Mold | 10 | 1000 | <LOQ | Pass |

Comment: Microbial contamination tested by Petrifilm plates and qPCR using P-NY120. Unless otherwise stated, all QC passed. Due to COA validation limitations: "Not Detected" = "Absent" and "Detected" = "Presumptive Presence". Acceptance Limits: "0" = "Absence" and "1" = "Presence".

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director

