

Gen V

Order No.: ONYGVL0630-0007363
 4473 Cherry Valley Turnpike
 New York, 13084
 info@ayrloom.com
 3157077760

Sample: SNYGVL0630-TSAL-0016552

Strain: Restore, Unit Weight: 65.0000g
 Batch#: 062727-B0127, Batch Size: 800
 Sample Received: 06/30/2025 15:51
 Report Created: 07/07/2025 16:38
 Sampling SOP 204-NY

Ayrloom Restore
 Topical, Salve





Results

987.30 mg/unit CBD	981.19 mg/unit D9-THC
987.30 mg/unit Total CBD	981.19 mg/unit Total THC
2,057.93 mg/unit Total Cannabinoids	0.752% Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Pass
Water Activity Not Tested	Foreign Matter Not Tested	Homogeneity Not Tested
Terpenes Tested	Residual Solvents Pass	Mycotoxins Pass
Heavy Metals Pass	Pesticides Pass	

Dominant Terpenes





Certificate of Analysis

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Compliance

Adult Use

Gen V

Order No.: ONYGVL0630-0007363
4473 Cherry Valley Turnpike
New York, 13084
info@ayrloom.com
3157077760

Sample: SNYGVL0630-TSAL-0016552

Strain: Restore, Unit Weight: 65.0000g
Batch#: 062727-B0127, Batch Size: 800
Sample Received: 06/30/2025 15:51
Report Created: 07/07/2025 16:38
Sampling SOP 204-NY

Ayrloom Restore

Topical, Salve



Cannabinoids

SOP 801-NY

Date/Time Tested: 07/02/2025 16:34

Tested

Analyte	LOQ (ug/mL)	%	mg/g	mg/unit
CBDV	58.86	< LOQ	< LOQ	< LOQ
CBDa	58.86	ND	ND	ND
CBGa	58.86	ND	ND	ND
CBG	58.86	0.08	0.80	52.26
CBD	58.86	1.52	15.19	987.30
THCV	58.86	0.04	0.39	25.09
CBN	58.86	0.02	0.19	12.10
D9-THC	58.86	1.51	15.10	981.19
D8-THC	58.86	ND	ND	ND
(6aR,9S)-d10-THC	58.86	ND	ND	ND
(6aR,9R)-d10-THC	58.86	ND	ND	ND
CBC	58.86	< LOQ	< LOQ	< LOQ
THCa	58.86	ND	ND	ND
Total CBD		1.52	15.19	987.30
Total THC		1.51	15.10	981.19
Total Cannabinoids		3.17	31.66	2,057.93

Notes:

Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
Total CBD = CBDa * 0.877 + CBD
Total Cannabinoids = Sum of all cannabinoids
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Microbials

SOP 401-NY SOP 418-NY

Date/Time Tested: 07/03/2025 19:04

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	100	10,000	ND	Passed
E. Coli		0	ND	Passed
Yeast & Mold	100	1,000	ND	Passed
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

Notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Gen V

Order No.: ONYGV0630-0007363
 4473 Cherry Valley Turnpike
 New York, 13084
 info@ayrloom.com
 3157077760

Sample: SNYGV0630-TSAL-0016552

Strain: Restore, Unit Weight: 65.0000g
 Batch#: 062727-B0127, Batch Size: 800
 Sample Received: 06/30/2025 15:51
 Report Created: 07/07/2025 16:38
 Sampling SOP 204-NY

Ayrloom Restore

Topical, Salve



Tested

Terpenes

SOP 620-NY

Date/Time Tested: 07/01/2025 16:01

Analyte	LOQ (ug/mL)	%	Analyte	LOQ (ug/mL)	%
Total Terpenes		0.7522	DL-Menthol	161	ND
Eucalyptol	161	0.2690	Borneol	161	ND
Linalool	161	0.1522	a-Phellandrene	161	ND
Limonene	161	0.0858	Nerol	161	ND
a-Pinene	161	0.0711	Pulegone	161	ND
Camphor	161	0.0661	Geraniol	161	ND
Camphene	161	0.0269	Geranyl Acetate	161	< LOQ
b-Caryophyllene	161	0.0245	a-Cedrene	161	ND
b-Myrcene	161	0.0218	b-Pinene	161	< LOQ
p-Cymene	161	0.0185	a-Humulene	161	ND
a-Terpinene	161	0.0164	Valencene	161	ND
Terpineol	161	ND	cis-Nerolidol	161	< LOQ
d-3-Carene	161	ND	trans-Nerolidol	161	< LOQ
Terpinolene	161	ND	Guaiol	161	ND
Fenchol	161	ND	Caryophyllene Oxide	161	ND
Sabinene Hydrate	161	ND	Cedrol	161	ND
Sabinene	161	< LOQ	a-Bisabolol	161	ND
Fenchone	161	ND	trans-b-Ocimene	161	ND
Isopulegol	161	ND	trans-b-Farnesene	161	ND
g-Terpinene	161	ND	Isoborneol	161	ND

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Certificate of Analysis

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Compliance

Adult Use

Gen V

Order No.: ONYGV0630-0007363
4473 Cherry Valley Turnpike
New York, 13084
info@ayrloom.com
3157077760

Sample: SNYGV0630-TSAL-0016552

Strain: Restore, Unit Weight: 65.0000g
Batch#: 062727-B0127, Batch Size: 800
Report Received: 06/30/2025 15:51
Report Created: 07/07/2025 16:38
Sampling SOP 204-NY

Ayrloom Restore

Topical, Salve



Residual Solvents

SOP 612-NY

Date/Time Tested: 07/02/2025 12:23

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	41	5,000	ND	Passed
Acetonitrile	17	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	41	5,000	ND	Passed
Chloroform	2	60	ND	Passed
Ethanol	207	5,000	ND	Passed
Ethyl Acetate	207	5,000	ND	Passed
Ethyl Ether	21	5,000	ND	Passed
DMSO	104	5,000	ND	Passed
Heptane	21	5,000	ND	Passed
Hexanes	6	290	ND	Passed
Isopropyl Alcohol	207	5,000	ND	Passed
Methanol	124	3,000	< LOQ	Passed
Methylene Chloride	3	600	ND	Passed
Pentanes	62	5,000	ND	Passed
Propane	21	5,000	ND	Passed
Toluene	4	890	ND	Passed
Trichloroethane	5,176	1,500	ND	Passed
Xylenes	273	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	21	1,000	ND	Passed

Notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

Mycotoxins

SOP 808-NY

Date/Time Tested: 07/02/2025 16:32

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status	Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.8		ND	Tested	Ochratoxin A	4.8	20.0	ND	Passed
B2	4.8		ND	Tested	Total Aflatoxins		20.0	ND	Passed
G1	4.8		ND	Tested	Total Mycotoxins			ND	Tested
G2	4.8		ND	Tested					

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

Compliance

Adult Use

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Gen V

Order No.: ONYGVL0630-0007363
4473 Cherry Valley Turnpike
New York, 13084
info@ayrloom.com
3157077760

Sample: SNYGVL0630-TSAL-0016552

Strain: Restore, Unit Weight: 65.0000g
Batch#: 062727-B0127, Batch Size: 800
Sample Received: 06/30/2025 15:51
Report Created: 07/07/2025 16:38
Sampling SOP 204-NY

Ayrloom Restore

Topical, Salve



Heavy Metals

SOP 250-NY

Date/Time Tested: 07/02/2025 10:51

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.188	120.000	ND	Passed
Arsenic	0.188	1.500	ND	Passed
Cadmium	0.188	0.500	ND	Passed
Chromium	0.188	1,100.000	ND	Passed
Copper	0.226	300.000	ND	Passed
Mercury	0.045	3.000	ND	Passed
Nickel	0.226	20.000	ND	Passed
Lead	0.188	0.500	ND	Passed

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Compliance

Adult Use

Gen V

Order No.: ONYGVL0630-0007363
4473 Cherry Valley Turnpike
New York, 13084
info@ayrloom.com
3157077760

Sample: SNYGVL0630-TSAL-0016552

Strain: Restore, Unit Weight: 65.0000g
Batch#: 062727-B0127, Batch Size: 800
Sample Received: 06/30/2025 15:51
Report Created: 07/07/2025 16:38
Sampling SOP 204-NY

Ayrloom Restore

Topical, Salve



Pesticides

SOP 814-NY

Date/Time Tested: 07/02/2025 09:53

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.37	0.50	ND	Passed
Acephate	0.10	0.40	ND	Passed
Acequinocyl	0.10	2.00	ND	Passed
Acetamiprid	0.10	0.20	ND	Passed
Aldicarb	0.10	0.40	ND	Passed
Azoxystrobin	0.10	0.20	ND	Passed
Bifenazate	0.10	0.20	ND	Passed
Bifenthrin	0.10	0.20	ND	Passed
Boscalid	0.10	0.40	ND	Passed
Carbaryl	0.10	0.20	ND	Passed
Carbofuran	0.10	0.20	ND	Passed
Chlorantraniliprole	0.10	0.20	ND	Passed
Chlorpyrifos	0.10	0.20	ND	Passed
Clofentezine	0.10	0.20	ND	Passed
Coumaphos	0.10	1.00	ND	Passed
Cyfluthrin	0.48	1.00	ND	Passed
Cypermethrin	0.10	1.00	ND	Passed
Daminozide	0.10	1.00	ND	Passed
Diazinon	0.10	0.20	ND	Passed
Dichlorvos	0.10	1.00	ND	Passed
Dimethoate	0.10	0.20	ND	Passed
Dimethomorph	0.10	1.00	ND	Passed
Ethoprophos	0.10	0.20	ND	Passed
Etofenprox	0.10	0.40	ND	Passed
Etoxazole	0.10	0.20	ND	Passed
Fenhexamid	0.10	1.00	ND	Passed
Fenoxycarb	0.10	0.20	ND	Passed
Fenpyroximate	0.10	0.40	ND	Passed
Fipronil	0.10	0.40	ND	Passed
Fonicamid	0.10	1.00	ND	Passed
Fludioxonil	0.10	0.40	ND	Passed
Hexythiazox	0.10	1.00	ND	Passed
Imazalil	0.10	0.20	ND	Passed
Imidacloprid	0.10	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.10	0.40	ND	Passed
Malathion	0.10	0.20	ND	Passed
Mevinphos	0.10	1.00	ND	Passed
Metalaxyl	0.10	0.20	ND	Passed
Methiocarb	0.10	0.20	ND	Passed
Methomyl	0.10	0.40	ND	Passed



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Gen V

Order No.: ONYGVL0630-0007363
 4473 Cherry Valley Turnpike
 New York, 13084
 info@ayrloom.com
 3157077760

Sample: SNYGVL0630-TSAL-0016552

Strain: Restore, Unit Weight: 65.0000g
 Batch#: 062727-B0127, Batch Size: 800
 Sample Received: 06/30/2025 15:51
 Report Created: 07/07/2025 16:38
 Sampling SOP 204-NY

Ayrloom Restore


Topical, Salve



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.10	0.20	ND	Passed
Naled	0.10	0.50	ND	Passed
Oxamyl	0.10	1.00	ND	Passed
Paclobutrazol	0.10	0.40	ND	Passed
Permethrin	0.10	0.20	ND	Passed
Phosmet	0.10	0.20	ND	Passed
Piperonyl Butoxide	0.10	2.00	ND	Passed
Prallethrin	0.10	0.20	ND	Passed
Propiconazole	0.10	0.40	ND	Passed
Propoxur	0.10	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.10	0.20	ND	Passed
Spinetoram	0.10	1.00	ND	Passed
Spinosyn AD	0.10	0.20	ND	Passed
Spiromesifen	0.10	0.20	ND	Passed
Spirotetramat	0.10	0.20	ND	Passed
Spiroxamine	0.10	0.20	ND	Passed
Tebuconazole	0.10	0.40	ND	Passed
Thiacloprid	0.10	0.20	ND	Passed
Thiamethoxam	0.10	0.20	ND	Passed
Trifloxystrobin	0.10	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.10	0.20	ND	Passed
Chlordane	0.10	1.00	ND	Passed
Chlorfenapyr	0.10	1.00	ND	Passed
PCNB	0.10	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.

Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.