



CERTIFICATE OF ANALYSIS

PRODUCED: SEP 18, 2025



MANUFACTURER INFO

MANUFACTURER
DREAMFIELDS MASSACHUSETTS ONE,
INC. DBA JEETER
18 PROGRESS AVE.
TYNGSBORO, MA 01879

LICENSE
MP282054
ADULT-USE - MANUFACTURING
LICENSE

BATCH NO.: DFC-ACAGOL-090825

TEST PKG: 1A40A030000FB92000041638

SRC PKG: 1A40A030000FB92000041637

MATRIX: CONCENTRATE

SAMPLE ID: STL-250912-030

SAMPLE NAME: M00003998709: JEETER
CONCENTRATES - AIO LIQUID DIAMOND 1G VAPE
CARTRIDGE ACAPULCO GOLD

TESTING DATES: SEP 16, 2025 - SEP 18, 2025

RECEIVED ON: SEP 12, 2025

COA EXPIRATION DATE: SEP 18, 2026

BATCH RESULT: **PASS**

ADDITIVES	PASS	MYCOTOXINS	PASS
POTENCY	89.594 % TOTAL AVAILABLE CANNABINOIDS	SOLVENTS	PASS
METALS	PASS	TERPENES	0.484 %
MICROBIAL	PASS		

CANNABINOID OVERVIEW

TOTAL THC:	85.944 %
TOTAL CBD:	2.759 %
TOTAL AVAILABLE CANNABINOIDS:	89.594 %

RESULTS CERTIFIED BY: SHANTELE GEORGE
LABORATORY DIRECTOR, SAFETIVA LABS
SEP 18, 2025




The results in this report relate only to the tested items and apply to the sample as received. All laboratory activities performed at SafeTiva Labs in Westfield, MA. Measurement uncertainty is not factored in to decision rules. Note "ND": Not Detected; "LOQ": Limit of Quantitation. SafeTiva Labs is not responsible for information on this COA that was provided by the client

TM-1: CANNABINOIDS BY HPLC-UV // SEP 18, 2025
ANALYSTS ID: 158120

ANALYTE	LOQ (%)	AMT	AMT
Total Available Cannabinoids *1	89.594 %	895.94 mg/g	
Total THC *2	85.944 %	859.44 mg/g	
Total CBD *3	2.759 %	27.59 mg/g	
Δ ⁹ -THC	0.4 85.944 %	859.44 mg/g	
CBD	0.4 2.759 %	27.59 mg/g	
Δ ⁸ -THC	0.4 0.891 %	8.91 mg/g	
CBG	0.4 < LOQ	< LOQ	
CBN	0.4 < LOQ	< LOQ	
THCA	0.4 < LOQ	< LOQ	
THCV	0.4 < LOQ	< LOQ	
CBC	0.4 ND	ND	
CBCA	2.0 ND	ND	
CBDA	0.4 ND	ND	
CBDV	0.4 ND	ND	
CBDVA	0.4 ND	ND	
CBGA	0.4 ND	ND	
CBL	0.4 ND	ND	
CBNA	0.4 ND	ND	
THCVA	0.4 ND	ND	

■ Δ-9-THC 95.9% ■ CBD 3.1%
■ Δ-8-THC 1.0%




*1 TOTAL AVAILABLE CANNABINOIDS = CBC + CBCA + CBD + CBDA + CBDV + CBDVA + CBG + CBGA + CBL + CBN + CBNA + DELTA-8-THC + DELTA-9-THC + THCA + THCV + THCVA
 *2 TOTAL THC = DELTA-9-THC + (THCA X 0.877)
 *3 TOTAL CBD = CBD + (CBDA X 0.877)

TM-5: TERPENES BY GC-MS // SEP 18, 2025
ANALYSTS ID: 158120

ANALYTE	LOQ (%)	AMT (%)	AMT (mg/g)
Total Terpenes		0.484	4.84
d-Limonene	0.0500	0.252	2.52
Linalool	0.0500	0.149	1.49
β-Myrcene	0.0500	0.083	0.83
α-Humulene	0.0500	< LOQ	< LOQ
α-Pinene	0.0500	< LOQ	< LOQ
β-Caryophyllene	0.0500	< LOQ	< LOQ
β-Ocimene	0.0360	< LOQ	< LOQ
β-Pinene	0.0500	< LOQ	< LOQ
Camphene	0.0500	< LOQ	< LOQ
cis-β-Ocimene	0.0140	< LOQ	< LOQ
cis-Nerolidol	0.0200	< LOQ	< LOQ
Terpinolene	0.0500	< LOQ	< LOQ
3-Carene	0.0500	ND	ND
α-Bisabolol	0.1000	ND	ND
α-Terpinene	0.0500	ND	ND
Caryophyllene Oxide	0.0500	ND	ND
Eucalyptol	0.0500	ND	ND
γ-Terpinene	0.0500	ND	ND
Geraniol	0.0500	ND	ND
Guaiol	0.0500	ND	ND
Isopulegol	0.0500	ND	ND
p-Cymene	0.0500	ND	ND
trans-Nerolidol	0.0300	ND	ND

■ d-Limonene 52.1% ■ Linalool 30.8%
■ β-Myrcene 17.1%



TM-6: VITAMIN E ACETATE BY HPLC-UV // SEP 17, 2025
ANALYSTS ID: 158120

ANALYTE	LOQ (%)	LIMIT (%)	AMT (%)	PASS/FAIL
Vitamin E Acetate	0.1	Any amt	ND	Pass

RESULTS CERTIFIED BY: SHANTELE GEORGE
 LABORATORY DIRECTOR, SAFETIVA LABS
 SEP 18, 2025



The results in this report relate only to the tested items and apply to the sample as received. All laboratory activities performed at SafeTiva Labs in Westfield, MA. Measurement uncertainty is not factored in to decision rules. Note "ND": Not Detected; "LOQ": Limit of Quantitation. Safetiva Labs is not responsible for information on this COA that was provided by the client

REGULATORY COMPLIANCE TESTING

TM-4: MYCOTOXINS BY LC-MS/MS // SEP 16, 2025
ANALYSTS ID: 158120

ANALYTE	LOQ (ppb)	LIMIT (ppb)	AMT (ppb)	PASS/FAIL
Aflatoxin B1	4.0	20	ND	Pass
Aflatoxin B2	4.0	20	ND	Pass
Aflatoxin G1	4.0	20	ND	Pass
Aflatoxin G2	4.0	20	ND	Pass
Total Aflatoxins		20	ND	Pass
Ochratoxin A	4.0	20	ND	Pass

TM-2: HEAVY METALS BY ICP-MS // SEP 16, 2025
ANALYSTS ID: 157426

ANALYTE	LOQ (ppb)	LIMIT (ppb)	AMT (ppb)	PASS/FAIL
Arsenic	100.0	200	< LOQ	Pass
Cadmium	100.0	200	ND	Pass
Lead	200.0	500	ND	Pass
Mercury	50.0	100	< LOQ	Pass

TM-3: RESIDUAL SOLVENTS BY GC-MS // SEP 17, 2025
ANALYSTS ID: 158120

ANALYTE	LOQ (ppm)	LIMIT (ppm)	AMT (ppm)	PASS/FAIL
2-Propanol	1000.0	5000	< LOQ	Pass
Acetone	1000.0	5000	< LOQ	Pass
Butane	7.8	12	ND	Pass
Ethanol	1000.0	5000	< LOQ	Pass
Heptane	1000.0	5000	ND	Pass
Hexane	50.0	290	ND	Pass
Isobutane	7.8	12	ND	Pass
Pentane	1000.0	5000	ND	Pass
Propane	7.8	12	ND	Pass

RESULTS CERTIFIED BY: SHANTELL GEORGE
LABORATORY DIRECTOR, SAFETIVA LABS
SEP 18, 2025




The results in this report relate only to the tested items and apply to the sample as received. All laboratory activities performed at SafeTiva Labs in Westfield, MA. Measurement uncertainty is not factored in to decision rules. Note "ND": Not Detected; "LOQ": Limit of Quantitation. Safetiva Labs is not responsible for information on this COA that was provided by the client

TM-10: ENTEROBACTERIACEAE BY PETRIFILM PLATING // SEP 17, 2025
 ANALYSTS ID: 166694

ANALYTE	LIMIT (CFU/g)	AMT (CFU/g)	PASS/FAIL
Bile-Tolerant Gram Negative Bacteria	100	ND	Pass

TM-10: TOTAL COLIFORM BY PETRIFILM PLATING // SEP 17, 2025
 ANALYSTS ID: 166694

ANALYTE	LIMIT (CFU/g)	AMT (CFU/g)	PASS/FAIL
Coliforms	100	ND	Pass

TM-10: TOTAL AEROBIC BACTERIA BY PETRIFILM PLATING // SEP 17, 2025
 ANALYSTS ID: 166694

ANALYTE	LIMIT (CFU/g)	AMT (CFU/g)	PASS/FAIL
Aerobic Bacteria	10000	ND	Pass

TM-10: TOTAL YEAST AND MOLD BY 3M / PETRIFILM PLATING // SEP 17, 2025
 ANALYSTS ID: 166694

ANALYTE	LIMIT (CFU/g)	AMT (CFU/g)	PASS/FAIL
Yeast & Mold	1000	ND	Pass

TM-8: PATHOGENIC BACTERIA BY PCR // SEP 17, 2025
 ANALYSTS ID: 163077

ANALYTE	LIMIT (CFU/g)	AMT (CFU/g)	PASS/FAIL
Salmonella spp.	Any amt in 1 gram	ND	Pass
Shiga toxin-producing E. coli	Any amt in 1 gram	ND	Pass

ACCREDITATIONS



CERT #6730.02

ISO17025:2017

RESULTS CERTIFIED BY: SHANTELE GEORGE
 LABORATORY DIRECTOR, SAFETIVA LABS
 SEP 18, 2025



The results in this report relate only to the tested items and apply to the sample as received. All laboratory activities performed at SafeTiva Labs in Westfield, MA. Measurement uncertainty is not factored in to decision rules. Note "ND": Not Detected; "LOQ": Limit of Quantitation. Safetiva Labs is not responsible for information on this COA that was provided by the client