

CERTIFICATE OF ANALYSIS

PRODUCED: DEC 22, 2025



CULTIVATOR INFO

CULTIVATOR
CNA STORES, INC.
57 SOUTH HUNT RD.
AMESBURY, MA 01913

LICENSE
MC282190
ADULT-USE - CULTIVATOR LICENSE

BATCH NO.: 25121602 - MAUI WAUI - BULK
TEST PKG: 1A40A030000E2F5000014541
SRC PKG: 1A40A030000E2F5000014531
MATRIX: FLOWER
SAMPLE ID: STL-251217-002
SAMPLE NAME: M00003788548: MAUI WAUI - BULK
TESTING DATES: DEC 18, 2025 - DEC 22, 2025
RECEIVED ON: DEC 17, 2025
COA EXPIRATION DATE: DEC 22, 2026

BATCH RESULT: PASS

POTENCY 32.167 %
TOTAL AVAILABLE CANNABINOIDS
METALS PASS
MICROBIAL PASS
MOISTURE 6.754 %

MYCOTOXINS PASS
PESTICIDES PASS
TERPENES 2.712 %

CANNABINOID OVERVIEW

TOTAL THC: 26.680 %
TOTAL CBD: < LOQ
TOTAL AVAILABLE CANNABINOIDS: 32.167 %

RESULTS CERTIFIED BY: SHANTELL GEORGE
LABORATORY DIRECTOR, SAFETIVA LABS
DEC 22, 2025




The results in this report relate only to the tested items and apply to the sample as received. All laboratory activities performed at SafeTiva Labs in Westfield, MA. Measurement uncertainty is not factored in to decision rules. Note "ND": Not Detected; "LOQ": Limit of Quantitation. Safetiva Labs is not responsible for information on this COA that was provided by the client

TM-1: CANNABINOIDS BY HPLC-UV // DEC 19, 2025
ANALYSTS ID: 158120


ANALYTE	LOQ (%)	AMT	AMT
Total Available Cannabinoids * ¹	32.167 %	321.67 mg/g	
Total THC * ²	26.680 %	266.80 mg/g	
Total CBD * ³	< LOQ	< LOQ	
THCA	0.1	30.149 %	301.49 mg/g
CBGA	0.1	1.434 %	14.34 mg/g
Δ ⁹ -THC	0.1	0.239 %	2.39 mg/g
THCVA	0.1	0.215 %	2.15 mg/g
CBG	0.1	0.130 %	1.30 mg/g
CBCA	0.5	< LOQ	< LOQ
CBDA	0.1	< LOQ	< LOQ
CBDVA	0.1	< LOQ	< LOQ
CBNA	0.1	< LOQ	< LOQ
CBC	0.1	ND	ND
CBD	0.1	ND	ND
CBDV	0.1	ND	ND
CBL	0.1	ND	ND
CBN	0.1	ND	ND
Δ ⁸ -THC	0.1	ND	ND
THCV	0.1	ND	ND

*¹ TOTAL AVAILABLE CANNABINOIDS = CBC + CBCA + CBD + CBDA + CBDV + CBDVA + CBG + CBGA + CBL + CBN + CBNA + DELTA-8-THC + DELTA-9-THC + THCA + THCV + THCVA
*² TOTAL THC = DELTA-9-THC + (THCA X 0.877)
*³ TOTAL CBD = CBD + (CBDA X 0.877)



TM-5: TERPENES BY GC-MS // DEC 22, 2025
ANALYSTS ID: 158120

ANALYTE	LOQ (%)	AMT (%)	AMT (mg/g)
Total Terpenes		2.712	27.12
β-Myrcene	0.0250	0.832	8.32
d-Limonene	0.0250	0.627	6.27
β-Caryophyllene	0.0250	0.528	5.28
α-Humulene	0.0250	0.178	1.78
α-Terpinene	0.0250	0.131	1.31
β-Pinene	0.0250	0.124	1.24
Guaiaol	0.0250	0.089	0.89
α-Bisabolol	0.0500	0.084	0.84
α-Pinene	0.0250	0.061	0.61
Linalool	0.0250	0.058	0.58
Camphene	0.0250	< LOQ	< LOQ
Geraniol	0.0250	< LOQ	< LOQ
Terpinolene	0.0250	< LOQ	< LOQ
trans-Nerolidol	0.0150	< LOQ	< LOQ
3-Carene	0.0250	ND	ND
β-Ocimene	0.0180	ND	ND
Caryophyllene Oxide	0.0250	ND	ND
cis-β-Ocimene	0.0070	ND	ND
cis-Nerolidol	0.0100	ND	ND
Eucalyptol	0.0250	ND	ND
γ-Terpinene	0.0250	ND	ND
Isopulegol	0.0250	ND	ND
p-Cymene	0.0250	ND	ND



DRY-WEIGHT AMOUNTS SHOWN

TM-7: MOISTURE CONTENT BY MOISTURE ANALYZER // DEC 18, 2025
ANALYSTS ID: 164282

ANALYTE	AMT (%)
Moisture	6.754

RESULTS CERTIFIED BY: SHANTELE GEORGE
LABORATORY DIRECTOR, SAFETIVA LABS
DEC 22, 2025



The results in this report relate only to the tested items and apply to the sample as received. All laboratory activities performed at SafeTiva Labs in Westfield, MA. Measurement uncertainty is not factored in to decision rules. Note "ND": Not Detected; "LOQ": Limit of Quantitation. Safetiva Labs is not responsible for information on this COA that was provided by the client

TM-4: MYCOTOXINS BY LC-MS/MS // DEC 22, 2025
ANALYSTS ID: 158120

ANALYTE	LOQ (ppb)	LIMIT (ppb)	AMT (ppb)	PASS/FAIL
Aflatoxin B1	4.0	20	ND	Pass
Aflatoxin B2	4.0	20	ND	Pass
Aflatoxin G1	4.0	20	ND	Pass
Aflatoxin G2	4.0	20	ND	Pass
Total Aflatoxins		20	ND	Pass
Ochratoxin A	4.0	20	ND	Pass

TM-4: PESTICIDES BY LC-MS/MS // DEC 22, 2025
ANALYSTS ID: 158120

ANALYTE	LOQ (ppb)	LIMIT (ppb)	AMT (ppb)	PASS/FAIL
Bifenazate	5.0	10	ND	Pass
Bifenthrin	5.0	10	ND	Pass
Cyfluthrin	5.0	10	ND	Pass
Etoxazole	5.0	10	ND	Pass
Imazalil	5.0	10	ND	Pass
Imidacloprid	5.0	10	ND	Pass
Myclobutanil	5.0	10	ND	Pass
Spiromesifen	5.0	10	ND	Pass
Trifloxystrobin	5.0	10	ND	Pass

TM-2: HEAVY METALS BY ICP-MS // DEC 19, 2025
ANALYSTS ID: 157426

ANALYTE	LOQ (ppb)	LIMIT (ppb)	AMT (ppb)	PASS/FAIL
Arsenic	100.0	200	< LOQ	Pass
Cadmium	100.0	200	< LOQ	Pass
Lead	200.0	500	< LOQ	Pass
Mercury	50.0	100	< LOQ	Pass

RESULTS CERTIFIED BY: SHANTELL GEORGE
LABORATORY DIRECTOR, SAFETIVA LABS
DEC 22, 2025



The results in this report relate only to the tested items and apply to the sample as received. All laboratory activities performed at SafeTiva Labs in Westfield, MA. Measurement uncertainty is not factored in to decision rules. Note "ND": Not Detected; "LOQ": Limit of Quantitation. Safetiva Labs is not responsible for information on this COA that was provided by the client

TM-10: TOTAL COLIFORM BY PETRIFILM PLATING // DEC 19, 2025
ANALYSTS ID: 166694

ANALYTE	LIMIT (CFU/g)	AMT (CFU/g)	PASS/FAIL
Coliforms	1000	ND	Pass

TM-10: ENTEROBACTERIACEAE BY PETRIFILM PLATING // DEC 19, 2025
ANALYSTS ID: 166694

ANALYTE	LIMIT (CFU/g)	AMT (CFU/g)	PASS/FAIL
Bile-Tolerant Gram Negative Bacteria	1000	ND	Pass

TM-10: TOTAL AEROBIC BACTERIA BY PETRIFILM PLATING // DEC 19, 2025
ANALYSTS ID: 166694

ANALYTE	LIMIT (CFU/g)	AMT (CFU/g)	PASS/FAIL
Aerobic Bacteria	100000	ND	Pass

TM-8: PATHOGENIC BACTERIA BY PCR // DEC 19, 2025
ANALYSTS ID: 166694

ANALYTE	LIMIT (CFU/g)	AMT (CFU/g)	PASS/FAIL
Salmonella spp.	Any amt in 1 gram	ND	Pass
Shiga toxin-producing E. coli	Any amt in 1 gram	ND	Pass

TM-10: TOTAL YEAST AND MOLD BY 3M / PETRIFILM PLATING // DEC 22, 2025
ANALYSTS ID: 163077

ANALYTE	LIMIT (CFU/g)	AMT (CFU/g)	PASS/FAIL
Yeast & Mold	10000	ND	Pass

ACCREDITATIONS



CERT #6730.02

ISO17025:2017

RESULTS CERTIFIED BY: SHANTELL GEORGE
LABORATORY DIRECTOR, SAFETIVA LABS
DEC 22, 2025



The results in this report relate only to the tested items and apply to the sample as received. All laboratory activities performed at SafeTiva Labs in Westfield, MA. Measurement uncertainty is not factored in to decision rules. Note "ND": Not Detected; "LOQ": Limit of Quantitation. Safetiva Labs is not responsible for information on this COA that was provided by the client