

CERTIFICATE OF ANALYSIS

PRODUCED: MAY 15, 2026



MANUFACTURER INFO

MANUFACTURER
HUDSON BOTANICAL PROCESSING, LLC
9 KANE INDUSTRIAL DR., UNIT 1
HUDSON, MA 01749

LICENSE
MP281588
ADULT-USE - MANUFACTURING
LICENSE

BATCH NO.: 260428SKI-IPR-D

TEST PKG: 1A40A0300003715000037357

SRC PKG: 1A40A0300003715000037358

MATRIX: INFUSED FLOWER

SAMPLE ID: STL-260512-002

SAMPLE NAME: COLLECTIVE | STRAWBERRY KIWI
| 1.0G IPR | BULK LIT CANNONS

TESTING DATES: MAY 13, 2026 - MAY 15, 2026

RECEIVED ON: MAY 12, 2026

COA EXPIRATION DATE: MAY 15, 2027

BATCH RESULT: PASS

POTENCY	46.0 % TOTAL AVAILABLE CANNABINOIDS
METALS	PASS
MICROBIAL	PASS
MOISTURE	4.152 %

MYCOTOXINS	PASS
SOLVENTS	PASS
TERPENES	1.672 %

CANNABINOID OVERVIEW

TOTAL THC:	43.1 %
TOTAL CBD:	< LOQ
TOTAL AVAILABLE CANNABINOIDS:	46.0 %

RESULTS CERTIFIED BY: SHANTELL GEORGE
LABORATORY DIRECTOR, SAFETIVA LABS
MAY 15, 2026



The results in this report relate only to the tested items and apply to the sample as received. All laboratory activities performed at SafeTiva Labs in Westfield, MA. Measurement uncertainty is not factored in to decision rules. Note "ND": Not Detected; "LOQ": Limit of Quantitation. Safetiva Labs is not responsible for information on this COA that was provided by the client

TM-1: CANNABINOIDS BY HPLC-UV // MAY 14, 2026

ANALYSTS ID: 164282


ANALYTE	LOQ (%)	AMT	AMT
Total Available Cannabinoids * ¹		46.0 %	460 mg/g
Total THC * ²		43.1 %	431 mg/g
Total CBD * ³		< LOQ	< LOQ
Δ ⁹ -THC	0.2	34.6 %	346 mg/g
THCA	0.2	9.68 %	96.8 mg/g
CBG	0.2	1.09 %	10.9 mg/g
CBN	0.2	0.333 %	3.33 mg/g
CBGA	0.2	0.293 %	2.93 mg/g
CBCA	1	< LOQ	< LOQ
CBD	0.2	< LOQ	< LOQ
CBDVA	0.2	< LOQ	< LOQ
Δ ⁸ -THC	0.2	< LOQ	< LOQ
THCV	0.2	< LOQ	< LOQ
CBC	0.2	ND	ND
CBDA	0.2	ND	ND
CBDV	0.2	ND	ND
CBL	0.2	ND	ND
CBNA	0.2	ND	ND
THCVA	0.2	ND	ND

*¹ TOTAL AVAILABLE CANNABINOIDS = CBC + CBCA + CBD + CBDA + CBDV + CBDVA + CBG +

CBGA + CBL + CBN + CBNA + DELTA-8-THC + DELTA-9-THC + THCA + THCV + THCVA

*² TOTAL THC = DELTA-9-THC + (THCA X 0.877)*³ TOTAL CBD = CBD + (CBDA X 0.877)

Δ-9-THC 75.2% THCA 21.0% CBG 2.4%
CBN 0.7% CBGA 0.6%




TM-5: TERPENES BY GC-MS // MAY 14, 2026

ANALYSTS ID: 164282

ANALYTE	LOQ (%)	AMT (%)	AMT (mg/g)
Total Terpenes		1.672	16.720
d-Limonene	0.0250	1.238	12.380
Linalool	0.0250	0.192	1.920
β-Caryophyllene	0.0250	0.139	1.390
α-Humulene	0.0250	0.061	0.610
β-Myrcene	0.0250	0.042	0.420
α-Bisabolol	0.0500	< LOQ	< LOQ
α-Pinene	0.0250	< LOQ	< LOQ
β-Pinene	0.0250	< LOQ	< LOQ
Camphene	0.0250	< LOQ	< LOQ
Terpinolene	0.0250	< LOQ	< LOQ
trans-Nerolidol	0.0150	< LOQ	< LOQ
3-Carene	0.0250	ND	ND
α-Terpinene	0.0250	ND	ND
β-Ocimene	0.0180	ND	ND
Caryophyllene Oxide	0.0250	ND	ND
cis-β-Ocimene	0.0070	ND	ND
cis-Nerolidol	0.0100	ND	ND
Eucalyptol	0.0250	ND	ND
γ-Terpinene	0.0250	ND	ND
Geraniol	0.0250	ND	ND
Guaiol	0.0250	ND	ND
Isopulegol	0.0250	ND	ND
p-Cymene	0.0250	ND	ND

d-Limonene 74.0% Linalool 11.5%
β-Caryophyllene 8.3% α-Humulene 3.6%
β-Myrcene 2.5%



DRY-WEIGHT AMOUNTS SHOWN

TM-7: MOISTURE CONTENT BY MOISTURE ANALYZER // MAY 14, 2026

ANALYSTS ID: 164282

ANALYTE	AMT (%)
Moisture	4.152

RESULTS CERTIFIED BY: SHANTELE GEORGE

LABORATORY DIRECTOR, SAFETIVA LABS

MAY 15, 2026



The results in this report relate only to the tested items and apply to the sample as received. All laboratory activities performed at SafeTiva Labs in Westfield, MA. Measurement uncertainty is not factored in to decision rules. Note "ND": Not Detected; "LOQ": Limit of Quantitation. Safetiva Labs is not responsible for information on this COA that was provided by the client

TM-4: MYCOTOXINS BY LC-MS/MS // MAY 15, 2026
ANALYSTS ID: 158120

ANALYTE	LOQ (ppb)	LIMIT (ppb)	AMT (ppb)	PASS/FAIL
Aflatoxin B1	4.0	20	ND	Pass
Aflatoxin B2	4.0	20	ND	Pass
Aflatoxin G1	4.0	20	ND	Pass
Aflatoxin G2	4.0	20	ND	Pass
Total Aflatoxins		20	ND	Pass
Ochratoxin A	4.0	20	ND	Pass

TM-2: HEAVY METALS BY ICP-MS // MAY 13, 2026
ANALYSTS ID: 157426

ANALYTE	LOQ (ppb)	LIMIT (ppb)	AMT (ppb)	PASS/FAIL
Arsenic	100.0	200	< LOQ	Pass
Cadmium	100.0	200	< LOQ	Pass
Lead	200.0	500	< LOQ	Pass
Mercury	50.0	100	< LOQ	Pass

TM-3: RESIDUAL SOLVENTS BY GC-MS // MAY 15, 2026
ANALYSTS ID: 158120

ANALYTE	LOQ (ppm)	LIMIT (ppm)	AMT (ppm)	PASS/FAIL
2-Propanol	1000.0	5000	< LOQ	Pass
Acetone	1000.0	5000	< LOQ	Pass
Butane	7.8	12	ND	Pass
Ethanol	1000.0	5000	< LOQ	Pass
Heptane	1000.0	5000	ND	Pass
Hexane	50.0	290	ND	Pass
Isobutane	7.8	12	ND	Pass
Pentane	1000.0	5000	ND	Pass
Propane	7.8	12	ND	Pass

RESULTS CERTIFIED BY: SHANTELL GEORGE
LABORATORY DIRECTOR, SAFETIVA LABS
MAY 15, 2026



The results in this report relate only to the tested items and apply to the sample as received. All laboratory activities performed at SafeTiva Labs in Westfield, MA. Measurement uncertainty is not factored in to decision rules. Note "ND": Not Detected; "LOQ": Limit of Quantitation. Safetiva Labs is not responsible for information on this COA that was provided by the client

TM-8: PATHOGENIC BACTERIA BY PCR // MAY 13, 2026
ANALYSTS ID: 163077

ANALYTE	LIMIT (CFU/g)	AMT (CFU/g)	PASS/FAIL
Salmonella spp.	Any amt in 1 gram	ND	Pass
Shiga toxin-producing E. coli	Any amt in 1 gram	ND	Pass

TM-10: TOTAL COLIFORM BY PETRIFILM PLATING // MAY 14, 2026
ANALYSTS ID: 163077

ANALYTE	LIMIT (CFU/g)	AMT (CFU/g)	PASS/FAIL
Coliforms	100	ND	Pass

TM-10: ENTEROBACTERIACEAE BY PETRIFILM PLATING // MAY 14, 2026
ANALYSTS ID: 163077

ANALYTE	LIMIT (CFU/g)	AMT (CFU/g)	PASS/FAIL
Bile-Tolerant Gram Negative Bacteria	100	ND	Pass

TM-10: TOTAL AEROBIC BACTERIA BY PETRIFILM PLATING // MAY 14, 2026
ANALYSTS ID: 163077

ANALYTE	LIMIT (CFU/g)	AMT (CFU/g)	PASS/FAIL
Aerobic Bacteria	10000	ND	Pass

TM-10: TOTAL YEAST AND MOLD BY 3M / PETRIFILM PLATING // MAY 15, 2026
ANALYSTS ID: 163077

ANALYTE	LIMIT (CFU/g)	AMT (CFU/g)	PASS/FAIL
Yeast & Mold	1000	ND	Pass

NOTES

ANDREW DOYON
MAY 15, 2026

SAMPLE CONTAINS REMEDIATED PRODUCT. REMEDIATION METHOD UNKNOWN.

ANDREW DOYON
MAY 15, 2026

SPLIT BIO CALCULATION WAS USED TO QUANTIFY MICROBIAL RESULTS: WEIGHTED AVERAGE OF (FLOWER/10) + CONCENTRATE, ACCORDING TO RATIOS PROVIDED BY CLIENT.

ACCREDITATIONS

CERT #6730.02

ISO17025:2017

RESULTS CERTIFIED BY: SHANTELE GEORGE
LABORATORY DIRECTOR, SAFETIVA LABS
MAY 15, 2026



The results in this report relate only to the tested items and apply to the sample as received. All laboratory activities performed at SafeTiva Labs in Westfield, MA. Measurement uncertainty is not factored in to decision rules. Note "ND": Not Detected; "LOQ": Limit of Quantitation. Safetiva Labs is not responsible for information on this COA that was provided by the client