Certificate of Analysis

G7 Lab, LLC.
INDEPENDENT TESTING LABORATORY

Cape Cod Grow Lab LLC
MC 281275
1399 Freemans Way
Brewster,MA 02631
United States

G7 Lab LLC
160 Ayer Road, STE 3
Littleton, MA 01460
United States
https://g7lab.com

PJLA Testing
Accreditation #110245

Summary

FL-17887

Sample ID	FL-17887
Batch ID	B-18993
Client Batch ID	1A40A030000C9F5000006087
Client	Cape Cod Grow Lab LLC
Metrc Tag	1A40A030000C9F5000006104
COC Client SID	M00004208956: Lions Breath Bulk Flower - PK
COC Client BID	052126LIBF1H10
Sanitized	No
Remediated	No
Sample Type	Retest
Specification	FLOWER MA REC. (Lab)
Date Received	2026-08-10 11:46
Date of Analysis	2026-08-13 13:31
Date Reported	2026-08-13 13:32
Reported by	SG902 (G7LAB@G7LAB.COM)

Results for FL-17887

Microbiology PCR	Result	Unit	Range
★ STEC(E. Coli) by RT-PCR	Not Detected		
★ Salmonella by RT-PCR	Not Detected		
★ Total Viable Aerobic Bacteria by PCR	< LOQ	*CFU/g*	0 - 100000
★ Enterobacteriaceae by PCR	< LOQ	*CFU/g*	0 - 1000
★ Total Coliforms by PCR	< LOQ	*CFU/g*	0 - 1000
★ Total Yeast Mold by PCR	< LOQ	*CFU/g*	0 - 10000

SOP: G7 TECH05, G7TECH08. Analyst: SG902, JA903

Remarks for FL-17887

2026-08-13 13:31

Replaces FL-16625

Data Transfer as per metrc Case #02429078.

Responsibles



Shankar Gautam
Technical Manager

Reported by
SG902 (G7LAB@G7LAB.COM)

⚠ Result out of client specified range.

★ Methods included in the PJLA Inc. schedule of Accreditation for this Laboratory. Analysis remarks are not accredited.

Analysis results relate only to the samples tested as received.

All Massachusetts pass limits are specified in the most recent version of 935 CMR 500 & 935 CMR 501. Uncertainty information is available upon request. Decision rule (measurement of uncertainty) is not used to determine Pass/Fail. G7 Lab LLC makes no claim as to the safety, efficacy or other risks associated with detected or non-detected levels of analytes reported.

This document shall not be reproduced except in full, without the written approval of G7 Lab LLC