SAFETIVA LABS // 109 APREMONT WAY, SUITE 4 WESTFIELD MA 01085 // PH: (413) 232-9570
MA LICENSE #: IL281354

# CERTIFICATE OF ANALYSIS

PRODUCED: AUG 28, 2026




## MANUFACTURER INFO

**MANUFACTURER**
DREAMFIELDS MASSACHUSETTS ONE, INC. DBA JEETER
18 PROGRESS AVE.
TYNGSBORO, MA 01879

**LICENSE**
MP282054
ADULT-USE - MANUFACTURING LICENSE

**BATCH NO.**: DFC-BLUZKZ-082426
**TEST PKG**: 1A40A030000FB92000106358
**SRC PKG**: 1A40A030000FB92000106357
**MATRIX**: CONCENTRATE
**SAMPLE ID**: STL-260825-004
**SAMPLE NAME**: M00003998628: JEETER CONCENTRATES - AIO LIQUID DIAMOND 1G VAPE CARTRIDGE BLUE ZKZ
**TESTING DATES**: AUG 26, 2026 - AUG 28, 2026
**RECEIVED ON**: AUG 25, 2026
**COA EXPIRATION DATE**: AUG 28, 2027

## BATCH RESULT: PASS

| | | | |
|---|---|---|---|
| **ADDITIVES** | PASS | **MYCOTOXINS** | PASS |
| **POTENCY** | 91.5 % TOTAL AVAILABLE CANNABINOIDS | **SOLVENTS** | PASS |
| **METALS** | PASS | **TERPENES** | 1.863 % |
| **MICROBIAL** | PASS | | |

## CANNABINOID OVERVIEW

| | |
|---|---|
| **TOTAL THC:** | **87.4 %** |
| **TOTAL CBD:** | **1.11 %** |
| **TOTAL AVAILABLE CANNABINOIDS:** | **91.5 %** |

**RESULTS CERTIFIED BY**: SHANTELLE GEORGE
LABORATORY DIRECTOR, SAFETIVA LABS
AUG 28, 2026

The results in this report relate only to the tested items and apply to the sample as received. All laboratory activities performed at SafeTiva Labs in Westfield, MA. Measurement uncertainty is not factored in to decision rules. Note "ND": Not Detected; "LOQ": Limit of Quantitation. Safetiva Labs is not responsible for information on this COA that was provided by the client

## TM-1: CANNABINOIDS BY HPLC-UV // AUG 27, 2026

**ANALYSTS ID: 164282**

| ANALYTE | LOQ (%) | AMT | AMT |
|---|---|---|---|
| **Total Available Cannabinoids** *1 | | 91.5 % | 915 mg/g |
| **Total THC** *2 | | 87.4 % | 874 mg/g |
| **Total CBD** *3 | | 1.11 % | 11.1 mg/g |
| **$\Delta^9$-THC** | 0.4 | 87.4 % | 874 mg/g |
| **CBG** | 0.4 | 1.31 % | 13.1 mg/g |
| **CBD** | 0.4 | 1.11 % | 11.1 mg/g |
| **CBC** | 0.4 | 0.646 % | 6.46 mg/g |
| **THCV** | 0.4 | 0.612 % | 6.12 mg/g |
| **$\Delta^8$-THC** | 0.4 | 0.406 % | 4.06 mg/g |
| **CBN** | 0.4 | < LOQ | < LOQ |
| **CBCA** | 2 | ND | ND |
| **CBDA** | 0.4 | ND | ND |
| **CBDV** | 0.4 | ND | ND |
| **CBDVA** | 0.4 | ND | ND |
| **CBGA** | 0.4 | ND | ND |
| **CBL** | 0.4 | ND | ND |
| **CBNA** | 0.4 | ND | ND |
| **THCA** | 0.4 | ND | ND |
| **THCVA** | 0.4 | ND | ND |




*1 TOTAL AVAILABLE CANNABINOIDS = CBC + CBCA + CBD + CBDA + CBDV + CBDVA + CBG + CBGA + CBL + CBN + CBNA + DELTA-8-THC + DELTA-9-THC + THCA + THCV + THCVA
*2 TOTAL THC = DELTA-9-THC + (THCA X 0.877)
*3 TOTAL CBD = CBD + (CBDA X 0.877)

## TM-5: TERPENES BY GC-MS // AUG 26, 2026

**ANALYSTS ID: 164282**

| ANALYTE | LOQ (%) | AMT (%) | AMT (mg/g) |
|---|---|---|---|
| **Total Terpenes** | | 1.863 | 18.630 |
| **d-Limonene** | 0.0500 | 1.806 | 18.060 |
| **β-Caryophyllene** | 0.0500 | 0.057 | 0.570 |
| **α-Bisabolol** | 0.1000 | < LOQ | < LOQ |
| **α-Humulene** | 0.0500 | < LOQ | < LOQ |
| **α-Pinene** | 0.0500 | < LOQ | < LOQ |
| **β-Myrcene** | 0.0500 | < LOQ | < LOQ |
| **β-Pinene** | 0.0500 | < LOQ | < LOQ |
| **Caryophyllene Oxide** | 0.0500 | < LOQ | < LOQ |
| **Linalool** | 0.0500 | < LOQ | < LOQ |
| **Terpinolene** | 0.0500 | < LOQ | < LOQ |
| **trans-Nerolidol** | 0.0300 | < LOQ | < LOQ |
| **3-Carene** | 0.0500 | ND | ND |
| **α-Terpinene** | 0.0500 | ND | ND |
| **β-Ocimene** | 0.0360 | ND | ND |
| **Camphene** | 0.0500 | ND | ND |
| **cis-β-Ocimene** | 0.0140 | ND | ND |
| **cis-Nerolidol** | 0.0200 | ND | ND |
| **Eucalyptol** | 0.0500 | ND | ND |
| **γ-Terpinene** | 0.0500 | ND | ND |
| **Geraniol** | 0.0500 | ND | ND |
| **Guaiol** | 0.0500 | ND | ND |
| **Isopulegol** | 0.0500 | ND | ND |
| **p-Cymene** | 0.0500 | ND | ND |




## TM-6: VITAMIN E ACETATE BY HPLC-UV // AUG 26, 2026

**ANALYSTS ID: 164282**

| ANALYTE | LOQ (%) | LIMIT (%) | AMT (%) | PASS/FAIL |
|---|---|---|---|---|
| **Vitamin E Acetate** | 0.1 | Any amt | ND | Pass |

**RESULTS CERTIFIED BY**: SHANTELLE GEORGE
LABORATORY DIRECTOR, SAFETIVA LABS
AUG 28, 2026

The results in this report relate only to the tested items and apply to the sample as received. All laboratory activities performed at SafeTiva Labs in Westfield, MA. Measurement uncertainty is not factored in to decision rules. Note "ND": Not Detected; "LOQ": Limit of Quantitation. Safetiva Labs is not responsible for information on this COA that was provided by the client

### TM-4: MYCOTOXINS BY LC-MS/MS // AUG 27, 2026
**ANALYSTS ID: 158120**

| ANALYTE | LOQ (ppb) | LIMIT (ppb) | AMT (ppb) | PASS/FAIL |
|---|---|---|---|---|
| Aflatoxin B1 | 4.0 | 20 | ND | Pass |
| Aflatoxin B2 | 4.0 | 20 | ND | Pass |
| Aflatoxin G1 | 4.0 | 20 | ND | Pass |
| Aflatoxin G2 | 4.0 | 20 | ND | Pass |
| Total Aflatoxins | | 20 | ND | Pass |
| Ochratoxin A | 4.0 | 20 | ND | Pass |

### TM-2: HEAVY METALS BY ICP-MS // AUG 26, 2026
**ANALYSTS ID: 157426**

| ANALYTE | LOQ (ppb) | LIMIT (ppb) | AMT (ppb) | PASS/FAIL |
|---|---|---|---|---|
| Arsenic | 100.0 | 200 | < LOQ | Pass |
| Cadmium | 100.0 | 200 | < LOQ | Pass |
| Lead | 200.0 | 500 | < LOQ | Pass |
| Mercury | 50.0 | 100 | ND | Pass |

### TM-3: RESIDUAL SOLVENTS BY GC-MS // AUG 27, 2026
**ANALYSTS ID: 158120**

| ANALYTE | LOQ (ppm) | LIMIT (ppm) | AMT (ppm) | PASS/FAIL |
|---|---|---|---|---|
| 2-Propanol | 1000.0 | 5000 | ND | Pass |
| Acetone | 1000.0 | 5000 | < LOQ | Pass |
| Butane | 7.8 | 12 | ND | Pass |
| Ethanol | 1000.0 | 5000 | ND | Pass |
| Heptane | 1000.0 | 5000 | ND | Pass |
| Hexane | 50.0 | 290 | ND | Pass |
| Isobutane | 7.8 | 12 | ND | Pass |
| Pentane | 1000.0 | 5000 | ND | Pass |
| Propane | 7.8 | 12 | ND | Pass |

**RESULTS CERTIFIED BY**: SHANTELLE GEORGE
LABORATORY DIRECTOR, SAFETIVA LABS
AUG 28, 2026



The results in this report relate only to the tested items and apply to the sample as received. All laboratory activities performed at SafeTiva Labs in Westfield, MA. Measurement uncertainty is not factored in to decision rules. Note "ND": Not Detected; "LOQ": Limit of Quantitation. Safetiva Labs is not responsible for information on this COA that was provided by the client

### TM-8: PATHOGENIC BACTERIA BY PCR // AUG 26, 2026
**ANALYSTS ID: 163077**

| ANALYTE | LIMIT (CFU/g) | AMT (CFU/g) | PASS/FAIL |
|---|---|---|---|
| Salmonella spp. | Any amt in 1 gram | ND | Pass |
| Shiga toxin-producing E. coli | Any amt in 1 gram | ND | Pass |

### TM-10: TOTAL AEROBIC BACTERIA BY PETRIFILM PLATING // AUG 27, 2026
**ANALYSTS ID: 166694**

| ANALYTE | LIMIT (CFU/g) | AMT (CFU/g) | PASS/FAIL |
|---|---|---|---|
| Aerobic Bacteria | 10000 | ND | Pass |

### TM-10: ENTEROBACTERIACEAE BY PETRIFILM PLATING // AUG 27, 2026
**ANALYSTS ID: 166694**

| ANALYTE | LIMIT (CFU/g) | AMT (CFU/g) | PASS/FAIL |
|---|---|---|---|
| Bile-Tolerant Gram Negative Bacteria | 100 | ND | Pass |

### TM-10: TOTAL COLIFORM BY PETRIFILM PLATING // AUG 27, 2026
**ANALYSTS ID: 166694**

| ANALYTE | LIMIT (CFU/g) | AMT (CFU/g) | PASS/FAIL |
|---|---|---|---|
| Coliforms | 100 | ND | Pass |

### TM-10: TOTAL YEAST AND MOLD BY 3M / PETRIFILM PLATING // AUG 28, 2026
**ANALYSTS ID: 163077**

| ANALYTE | LIMIT (CFU/g) | AMT (CFU/g) | PASS/FAIL |
|---|---|---|---|
| Yeast & Mold | 1000 | ND | Pass |

### ACCREDITATIONS

ACCREDITED
CERT #6730.02
ISO17025:2017

**RESULTS CERTIFIED BY**: SHANTELLE GEORGE
LABORATORY DIRECTOR, SAFETIVA LABS
AUG 28, 2026

The results in this report relate only to the tested items and apply to the sample as received. All laboratory activities performed at SafeTiva Labs in Westfield, MA. Measurement uncertainty is not factored in to decision rules. Note "ND": Not Detected; "LOQ": Limit of Quantitation. Safetiva Labs is not responsible for information on this COA that was provided by the client