SAFETIVA LABS // 109 APREMONT WAY, SUITE 4 WESTFIELD MA 01085 // PH: (413) 232-9570
MA LICENSE #: IL281354

CERTIFICATE OF ANALYSIS

PRODUCED: OCT 21, 2026



MANUFACTURER INFO

MANUFACTURER
DREAMFIELDS MASSACHUSETTS ONE, INC. DBA JEETER
18 PROGRESS AVE.
TYNGSBORO, MA 01879

LICENSE
MP282054
ADULT-USE - MANUFACTURING LICENSE

BATCH NO.: DFMA-MANSHE-091826
TEST PKG: 1A40A030000FB92000116704
SRC PKG: 1A40A030000FB92000116700
MATRIX: INFUSED FLOWER
SAMPLE ID: STL-261015-011
SAMPLE NAME: M00003335901: INFUSED JEETER 1G PREROLL MANGO SHERBET
TESTING DATES: OCT 19, 2026 - OCT 20, 2026
RECEIVED ON: OCT 15, 2026
COA EXPIRATION DATE: OCT 21, 2027

BATCH RESULT: PASS

POTENCY	35.9 % TOTAL AVAILABLE CANNABINOIDS	**MYCOTOXINS**	PASS
METALS	PASS	**SOLVENTS**	PASS
MICROBIAL	PASS	**TERPENES**	1.385 %
MOISTURE	6.286 %		

CANNABINOID OVERVIEW

TOTAL THC:	**33.1 %**
TOTAL CBD:	**< LOQ**
TOTAL AVAILABLE CANNABINOIDS:	**35.9 %**

RESULTS CERTIFIED BY: ANDREW DOYON
DATA ANALYST, SAFETIVA LABS
OCT 21, 2026

The results in this report relate only to the tested items and apply to the sample as received. All laboratory activities performed at SafeTiva Labs in Westfield, MA. Measurement uncertainty is not factored in to decision rules. Note "ND": Not Detected; "LOQ": Limit of Quantitation. Safetiva Labs is not responsible for information on this COA that was provided by the client

TM-1: CANNABINOIDS BY HPLC-UV // OCT 20, 2026
ANALYSTS ID: 164282

ANALYTE	LOQ (%)	AMT	AMT
Total Available Cannabinoids *1		35.9 %	359 mg/g
Total THC *2		33.1 %	331 mg/g
Total CBD *3		< LOQ	< LOQ
Δ9-THC	0.2	20.1 %	201 mg/g
THCA	0.2	14.8 %	148 mg/g
CBG	0.2	0.623 %	6.23 mg/g
CBGA	0.2	0.403 %	4.03 mg/g
CBCA	1	< LOQ	< LOQ
CBD	0.2	< LOQ	< LOQ
CBDA	0.2	< LOQ	< LOQ
CBDVA	0.2	< LOQ	< LOQ
CBN	0.2	< LOQ	< LOQ
THCV	0.2	< LOQ	< LOQ
CBC	0.2	ND	ND
CBDV	0.2	ND	ND
CBL	0.2	ND	ND
CBNA	0.2	ND	ND
Δ8-THC	0.2	ND	ND
THCVA	0.2	ND	ND



*1 TOTAL AVAILABLE CANNABINOIDS = CBC + CBCA + CBD + CBDA + CBDV + CBDVA + CBG + CBGA + CBL + CBN + CBNA + DELTA-8-THC + DELTA-9-THC + THCA + THCV + THCVA
*2 TOTAL THC = DELTA-9-THC + (THCA X 0.877)
*3 TOTAL CBD = CBD + (CBDA X 0.877)

TM-5: TERPENES BY GC-MS // OCT 20, 2026
ANALYSTS ID: 164282

ANALYTE	LOQ (%)	AMT (%)	AMT (mg/g)
Total Terpenes		1.385	13.850
β-Caryophyllene	0.0250	0.523	5.230
Linalool	0.0250	0.240	2.400
β-Myrcene	0.0250	0.182	1.820
d-Limonene	0.0250	0.136	1.360
α-Humulene	0.0250	0.123	1.230
β-Pinene	0.0250	0.078	0.780
α-Bisabolol	0.0500	0.062	0.620
α-Pinene	0.0250	0.041	0.410
α-Terpinene	0.0250	< LOQ	< LOQ
β-Ocimene	0.0180	< LOQ	< LOQ
Caryophyllene Oxide	0.0250	< LOQ	< LOQ
γ-Terpinene	0.0250	< LOQ	< LOQ
Geraniol	0.0250	< LOQ	< LOQ
Guaiol	0.0250	< LOQ	< LOQ
Terpinolene	0.0250	< LOQ	< LOQ
trans-Nerolidol	0.0150	< LOQ	< LOQ
3-Carene	0.0250	ND	ND
Camphene	0.0250	ND	ND
cis-β-Ocimene	0.0070	ND	ND
cis-Nerolidol	0.0100	ND	ND
Eucalyptol	0.0250	ND	ND
Isopulegol	0.0250	ND	ND
p-Cymene	0.0250	ND	ND



DRY-WEIGHT AMOUNTS SHOWN

TM-7: MOISTURE CONTENT BY MOISTURE ANALYZER // OCT 19, 2026
ANALYSTS ID: 164282

ANALYTE	AMT (%)
Moisture	6.286

RESULTS CERTIFIED BY: ANDREW DOYON
DATA ANALYST, SAFETIVA LABS
OCT 21, 2026

The results in this report relate only to the tested items and apply to the sample as received. All laboratory activities performed at SafeTiva Labs in Westfield, MA. Measurement uncertainty is not factored in to decision rules. Note "ND": Not Detected; "LOQ": Limit of Quantitation. Safetiva Labs is not responsible for information on this COA that was provided by the client

TM-4: MYCOTOXINS BY LC-MS/MS // OCT 20, 2026
ANALYSTS ID: 158120

ANALYTE	LOQ (ppb)	LIMIT (ppb)	AMT (ppb)	PASS/FAIL
Aflatoxin B1	4.0	20	ND	Pass
Aflatoxin B2	4.0	20	ND	Pass
Aflatoxin G1	4.0	20	ND	Pass
Aflatoxin G2	4.0	20	ND	Pass
Total Aflatoxins		20	ND	Pass
Ochratoxin A	4.0	20	ND	Pass

TM-2: HEAVY METALS BY ICP-MS // OCT 19, 2026
ANALYSTS ID: 157426

ANALYTE	LOQ (ppb)	LIMIT (ppb)	AMT (ppb)	PASS/FAIL
Arsenic	100.0	200	< LOQ	Pass
Cadmium	100.0	200	< LOQ	Pass
Lead	200.0	500	< LOQ	Pass
Mercury	50.0	100	< LOQ	Pass

TM-3: RESIDUAL SOLVENTS BY GC-MS // OCT 20, 2026
ANALYSTS ID: 164282

ANALYTE	LOQ (ppm)	LIMIT (ppm)	AMT (ppm)	PASS/FAIL
2-Propanol	1000	5000	< LOQ	Pass
Acetone	1000	5000	< LOQ	Pass
Butane	7.80	12	ND	Pass
Ethanol	1000	5000	< LOQ	Pass
Heptane	1000	5000	ND	Pass
Hexane	50.0	290	ND	Pass
Isobutane	7.80	12	ND	Pass
Pentane	1000	5000	ND	Pass
Propane	7.80	12	ND	Pass

RESULTS CERTIFIED BY: ANDREW DOYON
DATA ANALYST, SAFETIVA LABS
OCT 21, 2026



The results in this report relate only to the tested items and apply to the sample as received. All laboratory activities performed at SafeTiva Labs in Westfield, MA. Measurement uncertainty is not factored in to decision rules. Note "ND": Not Detected; "LOQ": Limit of Quantitation. Safetiva Labs is not responsible for information on this COA that was provided by the client

TM-10: TOTAL AEROBIC BACTERIA BY PETRIFILM PLATING // OCT 19, 2026
ANALYSTS ID: 163077

ANALYTE	LIMIT (CFU/g)	AMT (CFU/g)	PASS/FAIL
Aerobic Bacteria	10000	10	Pass

TM-10: ENTEROBACTERIACEAE BY PETRIFILM PLATING // OCT 19, 2026
ANALYSTS ID: 163077

ANALYTE	LIMIT (CFU/g)	AMT (CFU/g)	PASS/FAIL
Bile-Tolerant Gram Negative Bacteria	100	ND	Pass

TM-10: TOTAL COLIFORM BY PETRIFILM PLATING // OCT 19, 2026
ANALYSTS ID: 163077

ANALYTE	LIMIT (CFU/g)	AMT (CFU/g)	PASS/FAIL
Coliforms	100	ND	Pass

TM-10: TOTAL YEAST AND MOLD BY 3M / PETRIFILM PLATING // OCT 19, 2026
ANALYSTS ID: 163077

ANALYTE	LIMIT (CFU/g)	AMT (CFU/g)	PASS/FAIL
Yeast & Mold	1000	ND	Pass

TM-8: PATHOGENIC BACTERIA BY PCR // OCT 19, 2026
ANALYSTS ID: 163077

ANALYTE	LIMIT (CFU/g)	AMT (CFU/g)	PASS/FAIL
Salmonella spp.	Any amt in 1 gram	ND	Pass
Shiga toxin-producing E. coli	Any amt in 1 gram	ND	Pass

NOTES

ANDREW DOYON
OCT 21, 2026

SPLIT BIO CALCULATION WAS USED TO QUANTIFY MICROBIAL RESULTS: WEIGHTED AVERAGE OF (FLOWER/10) + CONCENTRATE, ACCORDING TO RATIOS PROVIDED BY CLIENT.

ACCREDITATIONS

ACCREDITED
CERT #6730.02
ISO17025:2017

RESULTS CERTIFIED BY: ANDREW DOYON
DATA ANALYST, SAFETIVA LABS
OCT 21, 2026

The results in this report relate only to the tested items and apply to the sample as received. All laboratory activities performed at SafeTiva Labs in Westfield, MA. Measurement uncertainty is not factored in to decision rules. Note "ND": Not Detected; "LOQ": Limit of Quantitation. Safetiva Labs is not responsible for information on this COA that was provided by the client