

Certificate of Analysis

Northeast Alternatives

310 Kenneth Welch Drive Lakeville, MA 02347 joelleb@nealternatives.com

Lic. #MC282112

M00003558138: Tropicana Banana - Tops


Analysis for terpenes are not a part of ISO 17025-2017 scope of accreditation.

Plant, Flower - Cured METRC Sample: 1A40A0300009E99000070925

Sample: 2409AST0682-8496

Strain: Tropicana Banana Harvest/Production Date: 2024-08-19; Batch Size: g; Harvest Process Lot: 1A40A0300009E99000070912 METRC Batch: B204.R11.TRBA.08.19.24 (1) Report Created: 09/23/2024







Certificate of Analysis

Complete

Northeast Alternatives

310 Kenneth Welch Drive Lakeville, MA 02347 joelleb@nealternatives.com

Lic. #MC282112

M00003558138: Tropicana Banana - Tops

Plant. Flower - Cured METRC Sample: 1A40A0300009E99000070925

Cannabinoids

| 20.59% | 0. | 0.10% | | 25.47% | | |
|---|---|---|-----|--|--|--|
| Total THC | Tot | Total CBD | | Total Cannabinoids | | |
| Analyte | Method Detection Limit | Results | Res | sults | | |
| THCa Δ9-THC Δ8-THC THCVa THCV CBDa CBD CBDVa CBDV CBNa CBN CBGa CBGa CBCa CBC CBL Total | % 0.07 0.10 0.14 0.11 0.10 0.11 0.12 0.12 0.12 0.11 0.12 0.12 | % 22.75 0.63 ND 1.06 ND 0.11 ND ND ND ND 0.47 ND 0.44 ND 0.44 ND 25.47 | 10 | ng/g 7.55 6.32 0.63 ND ND ND ND ND A.74 A.30 ND 4.68 | | |

Sample ID: 2409AST0682-8496, Date Received: 09/18/2024; Date Tested: 09/20/2024, Analyst: KJ Notes:

Total THC = d9 THC + (0.877*THCA), Total CBD = CBD + (0.877*CBDA)

| Pesticides Analyte | Method Detection Limit | Results | Pass Status |
|---|---|-----------------------------|--|
| Bifenazate Bifenthrin Cyfluthrin Etoxazole | PPB 2.000 3.000 28.000 3.000 | PPB ND ND ND ND | Pass Pass Pass Pass |
| Imazalil Imidacloprid Myclobutanil Spiromesifen Trifloxystrobin | 3.000 3.000 3.000 4.000 3.000 | ND ND ND ND ND | Pass Pass Pass Pass Pass Pass |

Analyst: TW

300 Potash Hill Road

Tyngsborough, MA

Dr. Dimitrios Pelekoudas Matthew Raikowski

(339) 233-4726 Dr. Dimitrios Pelekoudas https://www.assuredtestinglab.com/home CEO Lic# IL281360

Matthew Raikowski

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



Harvest Process Lot: 1A40A0300009E99000070912 METRC Batch: B204.R11.TRBA.08.19.24 (1) Report Created: 09/23/2024

Harvest/Production Date: 2024-08-19; Batch Size: g;

Sample: 2409AST0682-8496



Strain: Tropicana Banana

| Microbials | | | | Pass |
|--|------------------------------|--------------------------|-------------------|----------------------|
| Analyte | Method Detection Limit | Limit | Results | Status |
| Aerobic Bacteria Yeast & Mold | CFU/g 100000 10000 | CFU/g 100000 10000 | CFU/g ND ND | Pass Pass |
| Bile-Tolerant Gram- Negative Bacteria | 1000 | 1000 | ND | Pass |
| Coliforms E. Coli Salmonella | 1000 | 1000 | ND ND ND | Pass Pass Pass |

Sample ID: 2409AST0682-8496, Date Received: 09/18/2024; Date Tested: 09/20/2024, Analyst: AC

Heavy Metals

Pass

| Analyte | Method Detection Limit | Limit | Results | Status |
|---------------------------------------|--|---|-----------------------------|------------------------------|
| Arsenic Cadmium Lead Mercury | PPB 54.0000 41.0000 74.0000 3.0000 | PPB 200.0000 200.0000 500.0000 100.0000 | PPB ND ND ND ND | Pass Pass Pass Pass |

Sample ID: 2409AST0682-8496, Date Received: 09/18/2024; Date Tested: 09/20/2024, Analyst: EB

| Mycotoxins | | | | Pass |
|------------------|------------------------------|-------|---------|--------|
| Analyte | Method Detection Limit | Limit | Results | Status |
| | PPB | PPB | PPB | |
| Aflatoxin B1 | 4.0 | 20.0 | ND | Pass |
| Aflatoxin B2 | 4.0 | 20.0 | ND | Pass |
| Aflatoxin G1 | 4.0 | 20.0 | ND | Pass |
| Aflatoxin G2 | 5.0 | 20.0 | ND | Pass |
| Ochratoxin A | 5.0 | 20.0 | ND | Pass |
| Total Aflatoxins | | 20.0 | ND | Pass |

Sample ID: 2409AST0682-8496, Date Received: 09/18/2024; Date Tested: 09/20/2024, Analyst: TW

Senior Laboratory Technician

Assured Testing Laboratories LLC (ATL) has performed analysis in compliance with ISO 17025-2017. Analysis for terpenes are not a part of ISO 17025-2017 scope of accreditation.



Certificate of Analysis

Northeast Alternatives

310 Kenneth Welch Drive Lakeville, MA 02347 joelleb@nealternatives.com

Lic. #MC282112

M00003558138: Tropicana Banana - Tops

Plant, Flower - Cured METRC Sample: 1A40A0300009E99000070925

Terpenes

Sample ID: 2409AST0682-8496, Date Received: 09/18/2024; Date Tested: 09/20/2024, Analyst: TW

| Analyte | Method Detection Limit | Results | Results | |
|--------------------|------------------------------|---------|-----------|--|
| | PPM | % | PPM | |
| 3-Myrcene | 2.500 | 0.551 | 5507.495 | |
| 3-Caryophyllene | 2.500 | 0.516 | 5162.876 | |
| imonene | 2.500 | 0.331 | 3306.208 | |
| -Humulene | 2.500 | 0.163 | 1626.536 | |
| nalool | 2.500 | 0.125 | 1251.789 | |
| uaiol | 2.500 | 0.061 | 607.301 | |
| Bisabolol | 2.500 | 0.059 | 589.950 | |
| Pinene | 2.500 | 0.040 | 397.438 | |
| Pinene | 2.500 | 0.027 | 268.034 | |
| mphene | 2.500 | 0.010 | 101.862 | |
| rpinolene | 2.500 | 0.007 | 66.633 | |
| Terpinene | 2.500 | 0.002 | 15.583 | |
| erpinene | 2.500 | 0.001 | 14.762 | |
| aniol | 2.500 | 0.001 | 13.086 | |
| Carene | 2.500 | ND | ND | |
| aryophyllene Oxide | 2.500 | ND | ND | |
| -Nerolidol | 2.500 | ND | ND | |
| s-Ocimene | 2.500 | ND | ND | |
| ucalyptol | 2.500 | ND | ND | |
| opulegol | 2.500 | ND | ND | |
| Cymene | 2.500 | ND | ND | |
| ans-Nerolidol | 2.500 | ND | ND | |
| ans-Ocimene | 2.500 | ND | ND | |
| otal | | 1.893 | 18929.553 | |

Notice of Conformity and Decision Rule: All decisions of "Pass" or "Fail" are determined based upon the limits set forth by the MA Cannabis Control Commission and its regulations. This includes, but is not limited to those defined in 935 CMR 501.000, 935 CMR 500.000, & Protocol for the Sampling and Analysis of Finished Marijuana Products and Marijuana Products for Marijuana Establishments, Medical Marijuana Treatment Centers, and Colocated Marijuana Operations. Assured Testing Laboratories does not apply the reported calculation measurement uncertainty to manufacturer or other sources of tolerance/specifications to determine an instrument's pass or fail status. It is the responsibility of the end user to consider the measurement uncertainty when determining the instrument suitability.

| 300 Potash Hill Road Tyngsborough, MA (339) 233-4726 https://www.assuredtestinglab.com/hd Lic# IL281360 | Dr. Dimitrios Pelekoudas ome Dr. Dimitrios Pelekoudas CEO | Matthew Raikowski Matthew Raikowski Senior Laboratory Technician | Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com | confident | | |
|---|---|--|---|-----------|--|--|
| Assured Testing Laboratories LLC (ATL) has performed analysis in compliance with ISO 17025-2017. Analysis for terpenes are not a part of ISO 17025-2017 scope of accreditation. | | | | | | |

Primary Aromas

Strain: Tropicana Banana

Report Created: 09/23/2024

Sample: 2409AST0682-8496

METRC Batch: B204.R11.TRBA.08.19.24 (1)

Harvest/Production Date: 2024-08-19; Batch Size: g;

Harvest Process Lot: 1A40A0300009E99000070912