



Certificate of Analysis

COMPLIANCE TEST

Client: Sunburn
Product Name: Tres Leches Cake 1g Cartridge
Description: Tres Leches Cake 1g Cartridge
Matrix: Extract

Batch Client # 4313227804633396
Batch Date: 1/12/2024, 5:00:00 AM
Sample MTL #: 2401CBR0061-005

Seed to Sale # 7346 6717 7112 2497
Lot ID: 7346 6717 7112 2497
Cultivars: Tres Leches Cake
Test Reg State: Cannabis FL



SUMMARY

| | | | | | |
|----------------------|-----------------------|--------------------------------|-------------------------------------|----------------------------------|-----------------------------|
| PASSED Potency | NO TESTED Terpenes | PASSED Pesticides | PASSED Heavy Metals | PASSED Total Contaminant Load | PASSED Residual Solvents |
| PASSED Mycotoxins | PASSED Microbials | PASSED Total Yeast and Mold | PASSED Filt and Foreign Material | PASSED Water Activity | NOT TESTED Moisture |

POTENCY SUMMARY

Total THC
74.70%

Total CBD
0.00%

Total Cannabinoids
80.4%

POTENCY

| ANALYTE | LOD (MG/G) | RESULT (MG/G) | RESULT % (TOTAL) |
|---------|------------|---------------|------------------|
| d9-THC | 0.00002 | 747 | 74.7 |
| CBG | 0.000015 | 29.7 | 2.97 |
| CBN | 0.000009 | 9.88 | 0.988 |
| CBC | 0.000004 | 9.23 | 0.923 |
| THCV | 0.000015 | 7.95 | 0.795 |
| CBD | 0.00001 | 0 | 0 |
| CBDA | 0.000012 | 0 | 0 |
| CBDV | 0.000017 | 0 | 0 |
| CBGA | 0.000008 | 0 | 0 |
| THCA | 0.000012 | 0 | 0 |
| d8-THC | 0.000246 | 0 | 0 |

TERPENES SUMMARY

| ANALYTE | RESULT (UG/G) | RESULT % (TOTAL) |
|---------|---------------|------------------|
| | | |

SUMMARY AS RECEIVED

| | | |
|---|------------------------------------|-------------------------------------|
| Total THC: 74.7% 746.60 mg | Total CBD: 0% 0.00 mg | Total Cannabinoids: 80.4% |
|---|------------------------------------|-------------------------------------|

This report shall not be reproduced, without written approval, from Method Testing Labs. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Accredited by a third-party accrediting body as a competent testing laboratory pursuant to ISO/IEC 17025 of the International Organization for Standardization and the Florida Department of Health regulations.

Roy Sorensen - Lab Director



1/16/2024, 4:36:00 PM



2720 Broadway Center Blvd, Brandon, FL 33510 | 813-769-9567 | info@methodtestinglabs.com

