



Certificate of Analysis

COMPLIANCE TEST

Client: Sunburn
Product Name: Honey Banana 0.5g Live Rosin Disposable Vape
Description: Honey Banana 0.5g Live Rosin Disposable Vape
Matrix: Extract

Batch Client # 1327152619440192
Batch Date: 3/8/2024, 5:00:00 AM
Sample MTL #: 2403CBR0040-002

Seed to Sale # 4578 3737 1800 2207
Lot ID: 4578 3737 1800 2207
Cultivars: Honey Banana
Test Reg State: Cannabis FL

SUMMARY

| | | | | | |
|----------------------|----------------------|--------------------------------|--------------------------------------|----------------------------------|-----------------------------|
| PASSED Potency | PASSED Terpenes | PASSED Pesticides | PASSED Heavy Metals | PASSED Total Contaminant Load | PASSED Residual Solvents |
| PASSED Mycotoxins | PASSED Microbials | PASSED Total Yeast and Mold | PASSED Filth and Foreign Material | PASSED Water Activity | NOT TESTED Moisture |

POTENCY SUMMARY

Total THC
76.20%

Total CBD
0.00%

Total Cannabinoids
83.5%

POTENCY

| ANALYTE | LOD (MG/G) | RESULT (MG/G) | RESULT % (TOTAL) |
|---------|------------|---------------|------------------|
| d9-THC | 0.00002 | 753 | 75.3 |
| CBG | 0.000015 | 43.5 | 4.35 |
| CBC | 0.000004 | 16.6 | 1.66 |
| CBGA | 0.000008 | 11.9 | 1.19 |
| THCA | 0.000012 | 10.2 | 1.02 |
| CBD | 0.00001 | 0 | 0 |
| CBDA | 0.000012 | 0 | 0 |
| CBDV | 0.000017 | 0 | 0 |
| CBN | 0.000009 | 0 | 0 |
| THCV | 0.000015 | 0 | 0 |
| d8-THC | 0.000246 | 0 | 0 |

TERPENES SUMMARY

| ANALYTE | RESULT (UG/G) | RESULT % (TOTAL) |
|----------------------|---------------|------------------|
| D-Limonene | 22100 | 2.21 |
| E-Caryophyllene | 16700 | 1.67 |
| Linalool | 10300 | 1.03 |
| alpha-Pinene | 5380 | 0.538 |
| alpha-Humulene | 5250 | 0.525 |
| alpha-Bisabolol | 4860 | 0.486 |
| beta-Myrcene | 4420 | 0.442 |
| Terpineol | 4230 | 0.423 |
| Caryophyllene Oxide | 3820 | 0.382 |
| Guaiol | 3530 | 0.353 |
| Endo-Fenchyl Alcohol | 3400 | 0.34 |

SUMMARY AS RECEIVED

Total Terpenes: 9.3%

Total THC:
76.2%
380.95 mg

Total CBD:
0%
0.00 mg

Total Cannabinoids:
83.5%

This report shall not be reproduced, without written approval, from Method Testing Labs. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Accredited by a third-party accrediting body as a competent testing laboratory pursuant to ISO/IEC 17025 of the International Organization for Standardization and the Florida Department of Health regulations.

Roy Sorensen - Lab Director

3/12/2024, 5:14:00 PM



