



Certificate of Analysis

COMPLIANCE TEST

Client: Sunburn
Product Name: Speaker Knockers 0.5g Live Rosin Disposable Vape
Description: Speaker Knockers 0.5g Live Rosin Disposable Vape
Matrix: Extract

Batch Client # 3930063441545610
Batch Date: 3/12/2024, 4:00:00 AM
Sample MTL #: 2403CBR0057-003

Seed to Sale # 0878 4280 2395 1768
Lot ID: 0878 4280 2395 1768
Cultivars: Speaker Knockers
Test Reg State: Cannabis FL

SUMMARY

| | | | | | |
|----------------------|----------------------|--------------------------------|---|----------------------------------|-----------------------------|
| PASSED Potency | PASSED Terpenes | PASSED Pesticides | PASSED Heavy Metals | PASSED Total Contaminant Load | PASSED Residual Solvents |
| PASSED Mycotoxins | PASSED Microbials | PASSED Total Yeast and Mold | PASSED Filtration and Foreign Material | PASSED Water Activity | NOT TESTED Moisture |

POTENCY SUMMARY

Total THC
82.40%

Total CBD
0.00%

Total Cannabinoids
87%

POTENCY

| ANALYTE | LOD (MG/G) | RESULT (MG/G) | RESULT % (TOTAL) |
|---------|------------|---------------|------------------|
| d9-THC | 0.00002 | 818 | 81.8 |
| CBG | 0.000015 | 33.5 | 3.35 |
| CBC | 0.000004 | 12 | 1.2 |
| THCA | 0.000012 | 6.16 | 0.616 |
| CBD | 0.00001 | 0 | 0 |
| CBDA | 0.000012 | 0 | 0 |
| CBDV | 0.000017 | 0 | 0 |
| CBGA | 0.000008 | 0 | 0 |
| CBN | 0.000009 | 0 | 0 |
| THCV | 0.000015 | 0 | 0 |
| d8-THC | 0.000246 | 0 | 0 |

TERPENES SUMMARY

| ANALYTE | RESULT (UG/G) | RESULT % (TOTAL) |
|----------------------|---------------|------------------|
| E-Caryophyllene | 12100 | 1.21 |
| D-Limonene | 6400 | 0.64 |
| alpha-Humulene | 3930 | 0.393 |
| Linalool | 3380 | 0.338 |
| Terpineol | 2330 | 0.233 |
| Endo-Fenchyl Alcohol | 1690 | 0.169 |
| beta-Myrcene | 1060 | 0.106 |
| Terpinolene | 1030 | 0.103 |
| beta-Pinene | 857 | 0.0857 |
| alpha-Pinene | 554 | 0.0554 |
| Ocimenes | 245 | 0.0245 |

SUMMARY AS RECEIVED

Total Terpenes: 3.41%

Total THC:
82.4%
411.85 mg

Total CBD:
0%
0.00 mg

Total Cannabinoids:
87%

This report shall not be reproduced, without written approval, from Method Testing Labs. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Accredited by a third-party accrediting body as a competent testing laboratory pursuant to ISO/IEC 17025 of the International Organization for Standardization and the Florida Department of Health regulations.

Roy Sorensen - Lab Director

3/15/2024, 5:22:00 PM



