



Certificate of Analysis

COMPLIANCE TEST

Client: Sunburn
Product Name: DeathCoast 2g Piatella Hash
Description: DeathCoast 2g Piatella Hash
Matrix: Extract

Batch Client # 5224216547236149
Batch Date: 3/15/2024, 4:00:00 AM
Sample MTL #: 2403CBR0079-002

Seed to Sale # 2849 2542 2898 8453
Lot ID: 2849 2542 2898 8453
Cultivars: DeathCoast
Test Reg State: Cannabis FL



SUMMARY

| | | | | | |
|----------------------|----------------------|--------------------------------|---------------------------------------|----------------------------------|-----------------------------|
| PASSED Potency | PASSED Terpenes | PASSED Pesticides | PASSED Heavy Metals | PASSED Total Contaminant Load | PASSED Residual Solvents |
| PASSED Mycotoxins | PASSED Microbials | PASSED Total Yeast and Mold | PASSED Filtth and Foreign Material | PASSED Water Activity | NOT TESTED Moisture |

POTENCY SUMMARY

Total THC
70.50%

Total CBD
0.00%

Total Cannabinoids
82%

POTENCY

| ANALYTE | LOD (MG/G) | RESULT (MG/G) | RESULT % (TOTAL) |
|---------|------------|---------------|------------------|
| THCA | 0.000012 | 759 | 75.9 |
| d9-THC | 0.000002 | 39.3 | 3.93 |
| CBGA | 0.000008 | 22 | 2.2 |
| CBC | 0.000004 | 0 | 0 |
| CBD | 0.000001 | 0 | 0 |
| CBDA | 0.000012 | 0 | 0 |
| CBDV | 0.000017 | 0 | 0 |
| CBG | 0.000015 | 0 | 0 |
| CBN | 0.000009 | 0 | 0 |
| THCV | 0.000015 | 0 | 0 |
| d8-THC | 0.000246 | 0 | 0 |

TERPENES SUMMARY

| ANALYTE | RESULT (UG/G) | RESULT % (TOTAL) |
|----------------------|---------------|------------------|
| D-Limonene | 24300 | 2.43 |
| beta-Myrcene | 12200 | 1.22 |
| E-Caryophyllene | 9680 | 0.968 |
| Linalool | 6690 | 0.669 |
| beta-Pinene | 3870 | 0.387 |
| Terpineol | 3480 | 0.348 |
| alpha-Humulene | 3330 | 0.333 |
| alpha-Pinene | 3330 | 0.333 |
| Endo-Fenchyl Alcohol | 2940 | 0.294 |
| alpha-Bisabolol | 1560 | 0.156 |
| Camphene | 900 | 0.09 |

SUMMARY AS RECEIVED

Total THC: **70.5%**
1409.20 mg

Total CBD: **0%**
0.00 mg

Total Cannabinoids: **82%**

Total Terpenes: 7.5%

This report shall not be reproduced, without written approval, from Method Testing Labs. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Accredited by a third-party accrediting body as a competent testing laboratory pursuant to ISO/IEC 17025 of the International Organization for Standardization and the Florida Department of Health regulations.

Roy Sorensen - Lab Director



3/18/2024, 7:32:00 PM



2720 Broadway Center Blvd, Brandon, FL 33510 | 813-769-9567 | info@methodtestinglabs.com

