



Certificate of Analysis

COMPLIANCE TEST

Client: Sunburn
Product Name: Death Coast 3.5g Flower
Description: Death Coast 3.5g Flower
Matrix: Flower

Batch Client # 0387502552784650
Batch Date: 4/11/2024, 4:00:00 AM
Sample MTL #: 2404CBR0059-010

Seed to Sale # 7305 9097 9116 4659
Lot ID: 7305 9097 9116 4659
Cultivars: Death Coast
Test Reg State: Cannabis FL

SUMMARY

| | | | | | |
|----------------------|----------------------|--------------------------------|-------------------------------------|----------------------------------|---------------------------------|
| PASSED Potency | PASSED Terpenes | PASSED Pesticides | PASSED Heavy Metals | PASSED Total Contaminant Load | NOT TESTED Residual Solvents |
| PASSED Mycotoxins | PASSED Microbials | PASSED Total Yeast and Mold | PASSED Filt and Foreign Material | PASSED Water Activity | PASSED Moisture |

POTENCY SUMMARY

Total THC
22.50%

Total CBD
0.00%

Total Cannabinoids
26.1%

POTENCY

| ANALYTE | LOD (MG/G) | RESULT (MG/G) | RESULT % (TOTAL) |
|---------|------------|---------------|------------------|
| THCA | 0.000012 | 246 | 24.6 |
| d9-THC | 0.00002 | 8.84 | 0.884 |
| CBGA | 0.000008 | 6.31 | 0.631 |
| CBC | 0.000004 | 0 | 0 |
| CBD | 0.00001 | 0 | 0 |
| CBDA | 0.000012 | 0 | 0 |
| CBDV | 0.000017 | 0 | 0 |
| CBG | 0.000015 | 0 | 0 |
| CBN | 0.000009 | 0 | 0 |
| THCV | 0.000015 | 0 | 0 |
| d8-THC | 0.000246 | 0 | 0 |

TERPENES SUMMARY

| ANALYTE | RESULT (UG/G) | RESULT % (TOTAL) |
|----------------------|---------------|------------------|
| beta-Myrcene | 8630 | 0.863 |
| D-Limonene | 5910 | 0.591 |
| E-Caryophyllene | 2850 | 0.285 |
| Linalool | 2700 | 0.27 |
| Terpineol | 1150 | 0.115 |
| alpha-Humulene | 978 | 0.0978 |
| beta-Pinene | 941 | 0.0941 |
| Endo-Fenchyl Alcohol | 878 | 0.0878 |
| alpha-Pinene | 756 | 0.0756 |
| alpha-Bisabolol | 409 | 0.0409 |
| (+/-)-Fenchone | 186 | 0.0186 |

SUMMARY AS RECEIVED

Total THC: **22.5%**
785.75 mg

Total CBD: **0%**
0.00 mg

Total Cannabinoids: **26.1%**

Total Terpenes: 2.6%

This report shall not be reproduced, without written approval, from Method Testing Labs. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Accredited by a third-party accrediting body as a competent testing laboratory pursuant to ISO/IEC 17025 of the International Organization for Standardization and the Florida Department of Health regulations.

Roy Sorensen - Lab Director



4/15/2024, 5:20:00 PM



2720 Broadway Center Blvd, Brandon, FL 33510 | 813-769-9567 | info@methodtestinglabs.com

