



Certificate of Analysis

COMPLIANCE TEST

Client: Sunburn

Product Name: Banana Punch 2ct Pre Rolls Whole Flower

Description: Banana Punch 2ct Pre Rolls Whole Flower

Matrix: Flower

Batch Client # 1432699252791376

Batch Date: 8/8/2024, 4:00:00 AM

Sample MTL #: 2408CBR0033-007

Seed to Sale # 2733 8177 6696 2620

Lot ID: 2733 8177 6696 2620

Cultivars: McPayton

Test Reg State: Cannabis FL



SUMMARY

| | | | | | |
|----------------------|----------------------|--------------------------------|---|----------------------------------|---------------------------------|
| PASSED Potency | PASSED Terpenes | PASSED Pesticides | PASSED Heavy Metals | PASSED Total Contaminant Load | NOT TESTED Residual Solvents |
| PASSED Mycotoxins | PASSED Microbials | PASSED Total Yeast and Mold | PASSED Filtration and Foreign Material | PASSED Water Activity | PASSED Moisture |

POTENCY SUMMARY

Total THC
25.90%

Total CBD
0.00%

Total Cannabinoids
31.1%

POTENCY

| ANALYTE | LOD (MG/G) | RESULT (MG/G) | RESULT % (TOTAL) |
|---------|------------|---------------|------------------|
| THCA | 0.000012 | 292 | 29.2 |
| CBGA | 0.000008 | 13.2 | 1.32 |
| CBG | 0.000015 | 2.79 | 0.279 |
| d9-THC | 0.00002 | 2.78 | 0.278 |
| CBC | 0.000004 | 0 | 0 |
| CBD | 0.00001 | 0 | 0 |
| CBDA | 0.000012 | 0 | 0 |
| CBDV | 0.000017 | 0 | 0 |
| CBN | 0.000009 | 0 | 0 |
| THCV | 0.000015 | 0 | 0 |
| d8-THC | 0.000246 | 0 | 0 |

TERPENES SUMMARY

| ANALYTE | RESULT (UG/G) | RESULT % (TOTAL) |
|----------------------|---------------|------------------|
| D-Limonene | 5300 | 0.53 |
| E-Caryophyllene | 3290 | 0.329 |
| Ocimenes | 3160 | 0.316 |
| alpha-Pinene | 1850 | 0.185 |
| beta-Pinene | 1020 | 0.102 |
| alpha-Humulene | 768 | 0.0768 |
| Terpineol | 638 | 0.0638 |
| beta-Myrcene | 588 | 0.0588 |
| Endo-Fenchyl Alcohol | 565 | 0.0565 |
| alpha-Bisabolol | 434 | 0.0434 |
| Guaiol | 431 | 0.0431 |

SUMMARY AS RECEIVED

Total THC:
25.9%
258.70 mg

Total CBD:
0%
0.00 mg

Total Cannabinoids:
31.1%

Total Terpenes: 1.84%

This report shall not be reproduced, without written approval, from Method Testing Labs. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Accredited by a third-party accrediting body as a competent testing laboratory pursuant to ISO/IEC 17025 of the International Organization for Standardization and the Florida Department of Health regulations.

Roy Sorensen - Lab Director



8/10/2024, 10:00:00 PM



2720 Broadway Center Blvd, Brandon, FL 33510 | 813-769-9567 |

